Sennheiser
Headphone Pre Amps

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
 HDVA 600 **505589** *11*	Consistently symmetrical signal processing for maximum sound quality *0.3 Hz to 100 kHz (-3 dB) • < 0,001 % • 9 W • 100-240 V AC / 50-60 Hz • approx. 224 x 44 x 306 mm (W x H x D)*	1,399.95 1,399.95	1,156.98 1,156.98
 HDVD 800 **505590** *11*	D/A transducer for all common formats up to 24 bit / 192 kHz *0.3 Hz to 100 kHz (-3 dB) • < -110 dB (1 kHz / maximum gain) • 9 W • 100-240 V AC / 50-60 Hz • (W x H x D): approx. 216 mm x 55 mm x 324 mm*	1,799.95 1,799.95	1,487.56 1,487.56

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
AUDIOPHILE SOUND			
HIGH END HEADPHONES			
HD 600 004465 *11*	Full size open high-end headphone. *dynamic, open • circumaural • 12 - 39000 Hz • 97 dB at 1 mW • 300 Ω*	399.95 399.95	330.54 330.54
HD 650 009969 *11*	Full size open high-end headphone. *dynamic, open • circumaural • 10 - 39500 Hz • 103 dB • 300 Ω*	459.95 459.95	380.12 380.12
HD 700 504963 *11*	Reference class, high-end open headphone, handcrafted. *Dynamic, open • Circumaural • 10 - 42000 Hz (-3 dB) • 105 dB • 150 Ω*	599.95 599.95	495.83 495.83
HD 800 500319 *11*	Full size top class handmade, large diaphragm open headphone. *dynamic, open • circumaural • 6 – 51000 Hz (- 10 dB) • 14 – 44100 Hz (- 3 dB) • 102 dB*	1,199.95 1,199.95	991.69 991.69
HIGH END IN-EAR			
IE 800 505484 *13*	Dynamic linear-phase driver with extremely wide bandwidth (XWB) *Dynamic, vented closed • Intraaural • 8 - 41000 Hz (-3 dB) • 125 dB at 1V 1kHz • < 0,06% (1 kHz, 94 dB)*	699.95 699.95	578.47 578.47
HOME ENTERTAINMENT			
WIRED HEADPHONES			
HD 518 504628 *11*	Full size open headphone with E.A.R. technology. *Dynamic, open • Circumaural • 14 - 26000 Hz • 108 dB (1 kHz/1 Vrms) • < 0,2 % (1 kHz/100 dB SPL)*	129.95 129.95	107.40 107.40
HD 558 504631 *11*	Full size open headphone with E.A.R. technology. *Dynamic, open • Circumaural • 15 - 28000 Hz • 112 dB (1 kHz/1 Vrms) • < 0.2 % (1 kHz/100 dB SPL)*	179.95 179.95	148.72 148.72
HD 598 504633 *11*	Full size open headphone with E.A.R. technology. *dynamic, open • circumaural • 12 - 38500 Hz • 112 dB (1 kHz/1 Vrms) • < 0,1 % (1 kHz/100 dB SPL)*	229.95 229.95	190.04 190.04
WIRELESS HEADPHONES			
NO IMAGE **RS 119 II** 505432 *12*	Open, stereo, supraaural, wireless RF headphone system *Open, Dynamic • Supraaural • 22 - 19500 Hz • < 0.7 % • < 1,8 V*	89.95 89.95	74.34 74.34
RS 160 502873 *12*	Digital closed wireless headphone system with KLEER technology with compact transmitter. *closed, dynamic • circumaural • 18 - 21000 Hz • 106 dB • <0.5 %*	169.95 169.95	140.45 140.45

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
RS 170 502874 *12*	Digital closed wireless headphone system with KLEER technology and 3D cinema sound. *dynamic, closed • circumaural • 18 Hz - 21000 Hz • 110 dB • < 0,5 %*	219.95 219.95	181.78 181.78
RS 180 502875 *12*	Digital open wireless headphone system with KLEER technology. *dynamic, closed • circumaural • 18 - 21 000 Hz • 110 dB • <0.5 % a 1 kHz, 100 dB SPL*	269.95 269.95	223.10 223.10
RS 220 502029 *12*	Digital wireless headphone system *16 - 22 000 Hz • < 0,1% • typ. 0.30 W Standby mode • 90 B • 484 g*	449.95 449.95	371.86 371.86
TV HEADPHONES			
HD 35 TV 504683 *11*	Portable open ultra light mini TV headphone with independent volume control *Open, Dynamic • supra-aural • 30 - 20000 Hz • 115 dB (SPL) • 1 m + 5,2 m*	34.95 34.95	28.88 28.88
HD 65 TV 504685 *11*	Portable closed ultra light mini TV headphone with independent volume control *Dynamic, closed • Supraaural • 25 - 20000 Hz • 112 dB (SPL) • 0,8 m + 5,2 m*	59.95 59.95	49.55 49.55
IS 410 500683 *31*	Infrared stethoset system for tv applications *intraaural • 50 - 16000 Hz • < 1 % (1 kHz) • FM, stereo • Jack stereo 3,5 mm*	209.95 209.95	173.51 173.51
RS 4200 II 505487 *31*	Radio frequency stereo TV listening system. *Intraaural • 50 - 16000 Hz • < 1 % (1 kHz) • FM, stereo • 3,5 mm, stereo*	239.66 239.66	198.07 198.07
RS 4200-2 II 505486 *31*	Radio frequency stereo TV listening system with extra stethoset. *Intraaural • 50 - 16000 Hz • < 1 % (1 kHz) • FM, stereo • 3,5 mm, stereo*	296.74 296.74	245.24 245.24
Set 50 TV 500680 *31*	Infra-red mono stethoset system for TV *intraaural • 50 - 12000 Hz • < 1 % (1 kHz) • FM, mono • 3,5 mm, stereo*	171.17 149.95	141.46 141.46
PORTABLE ENTERTAINMENT			
MUSIC			
CX 175 505420 *13*	High powered dynamic speaker systems for an outstanding audio performance *dynamic • intraaural • 17 - 23000 Hz • 121 dB • < 1 %*	29.95 29.95	24.75 24.75

	Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
	CX 200 Street II 502544 *13*	Comfortable ear-canal phones with bass-driven sound, available in grey/black or white (502543) edition. *Dynamic • 20 - 20000 Hz • 110 dB • < 0.2% • 1.2 m*	29.95 29.95	24.75 24.75
	CX 200 Street II White 502543 *13*	Comfortable ear-canal phones with bass-driven sound *Dynamic • 20 - 20000 Hz • 110 dB • < 0.2% • 1.2 m*	29.95 29.95	24.75 24.75
	CX 215 Blue 505440 *13*	Ear-canal phones with bass-driven sound. Blue version *Dynamic • Intraaural (ear canal fit) • 22 - 20000 Hz • 110 dB (1kHz/1Vrms) • 1.2 m symmetric cable with 3.5 mm angled plug*	29.95 29.95	24.75 24.75
	CX 215 Bronze 505444 *13*	Ear-canal phones with bass-driven sound. Bronze version *Dynamic • Intraaural (ear canal fit) • 22 - 20000 Hz • 110 dB (1kHz/1Vrms) • 1.2 m symmetric cable with 3.5 mm angled plug*	29.95 29.95	24.75 24.75
	CX 215 Green 505441 *13*	Ear-canal phones with bass-driven sound. Green version *Dynamic • Intraaural (ear canal fit) • 22 - 20000 Hz • 110 dB (1kHz/1Vrms) • 1.2 m symmetric cable with 3.5 mm angled plug*	29.95 29.95	24.75 24.75
	CX 215 Orange 505442 *13*	Ear-canal phones with bass-driven sound. Orange version *Dynamic • Intraaural (ear canal fit) • 22 - 20000 Hz • 110 dB (1kHz/1Vrms) • 1.2 m symmetric cable with 3.5 mm angled plug*	29.95 29.95	24.75 24.75
	CX 215 Red 505443 *13*	Ear-canal phones with bass-driven sound. Red version *Dynamic • Intraaural (ear canal fit) • 22 - 20000 Hz • 110 dB (1kHz/1Vrms) • 1.2 m symmetric cable with 3.5 mm angled plug*	29.95 29.95	24.75 24.75
	CX 275s 504538 *71*	Universal smart phone headset *dynamic, closed • In-ear • 17 - 23000 Hz • 121 dB • Omni-directional*	49.95 49.95	41.28 41.28
	CX 280 502848 *13*	Ergonomic ear canal phones with clear and detailed sound *Dynamic • Intraaural (ear canal fit) • 19 - 20500 Hz • 120 dB (SPL) • < 0.5 %*	39.95 39.95	33.02 33.02
	CX 281 502846 *13*	Ergonomic ear canal phones with clear and detailed sound for smaller ears *Dynamic • Intraaural (ear canal fit) • 19 - 20500 Hz • 120 dB • < 0.5 %*	39.95 39.95	33.02 33.02

	Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
	CX 300-II 502737 *13*	Premium ear canal phones with passive noise attenuation. Available in different colors. *Dynamic • 19 - 21000 Hz • 113 dB • 1.2 m • 3.5 mm*	49.95 49.95	41.28 41.28
	CX 300-II Precision pink 502738 *13*	Premium ear canal phones with passive noise attenuation *Dynamic • 19 - 21000 Hz • 113 dB • 1.2 m • 3.5 mm*	50.79 50.79	41.97 41.97
	CX 300-II Precision silver 502740 *13*	Premium ear canal phones with passive noise attenuation *Dynamic • 19 - 21000 Hz • 113 dB • 1.2 m • 3.5 mm*	49.95 49.95	41.28 41.28
	CX 300-II Precision white 502741 *13*	Premium ear canal phones with passive noise attenuation *Dynamic • 19 - 21000 Hz • 113 dB • 1.2 m • 3.5 mm*	49.95 49.95	41.28 41.28
	CX 400-II Precision 502743 *13*	High-quality ear-canal phones with bass-driven stereo sound. *Dynamic • 17 - 22000 Hz • 114 dB • 1.2 m • 3.5 mm (angled)*	69.95 69.95	57.81 57.81
	CX 870 502866 *13*	Premium ear canal phones with passive noise attenuation *Dynamic • Intraaural (ear canal fit) • 17 - 22500 Hz • 115 dB • < 0.1 % (1 kHz, 100 dB SPL)*	79.94 79.94	66.07 66.07
	CX 880 502867 *13*	Premium ear canal phones with high passive noise attenuation *Dynamic • Intraaural (ear canal fit) • 17 - 23000 Hz • 115 dB • < 0.1 % (1 kHz, 100 dB SPL)*	101.63 101.63	83.99 83.99
	CX 880i 504174 *71*	Premium ear-canal headset with high noise isolation with smart Apple remote and microphone *80 – 15000 Hz • 115dB (at 1mW, 1kHz) • Omni directional • 1.2 m • 11 g*	119.95 119.95	99.13 99.13
	CX 980 502868 *13*	Hi Fidelity earphone with and integrated volume control *Dynamic • Intraaural (ear canal fit) • 16 - 24000 Hz • 115 dB • < 0.1% (1kHz, 100 dB SPL)*	202.35 202.35	167.23 167.23
	CX 980i 504697 *13*	High-fidelity metal-crafted ear-canal headset with smart Apple remote and microphone *16Hz - 24,000 Hz • 115 dB • < 0.1 % • 1.2 m symmetrical cable • 21 g*	212.51 212.51	175.63 175.63

	Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	Price € VAT Excl. BELUX NL
	HD 201 500155 *11*	Full size basic closed hi fi headphone *dynamic, closed • circumaural • 21 - 18000 Hz • 108 dB (SPL) • 24 Ω*	32.95 32.95	27.23 27.23
	HD 218i 504164 *71*	Medium size headphone with closed design and smart Apple remote and microphone *Supra-aural • 80 – 15000 Hz • 19 – 21000 Hz • 108 dB • Omni directional*	69.95 69.95	57.81 57.81
	HD 219 504784 *11*	Closed-back on-ear headphones *Dynamic, closed • 19 – 21000 Hz • 108 dB • < 0,5 % • 1.4 m single-sided OFC cable*	49.95 49.95	41.28 41.28
	HD 219s 504582 *71*	Universal On-The-Ear Wired Headset for Smartphones *On-The-Ear-Wired Headset • 19 - 21000 Hz • 108 dB • Omni-directional microphone • 1.2 m*	69.95 69.95	57.81 57.81
	HD 229 Black 504786 *11*	Closed on-ear headphone design blocks outside noise. Also in white (504788). *Dynamic, closed • 18 – 22000 Hz • 110 dB • < 0.5% • 1.4 m single-sided OFC cable*	69.95 69.95	57.81 57.81
	HD 239 504789 *11*	Lifelike stereo sound experience *Dynamic, open • 16 – 23000 Hz • 114 dB • 1.4 m single-sided OFC cable • 3.5 mm*	99.95 99.95	82.60 82.60
	HD 335s 504587 *71*	Universal On-Ear Wired Headset for Smartphones and tablets *14 - 20000 Hz • 112 dB • Omni-directional microphone • 1.2 m • 220 g*	99.95 99.95	82.60 82.60
	HD 419 504761 *11*	Powerful neodymium magnets powerful punchy bass *Dynamic, closed • 20 – 20000 Hz • 108 dB • < 0,1 % • 1.4 m single-sided OFC cable*	59.95 59.95	49.55 49.55
	HD 429 504763 *11*	Closed circumaural headphone design *Dynamic, closed • 18 – 22000 Hz • 110 dB • < 0,1 % • 3 m OFC unilateral cable*	79.95 79.95	66.07 66.07
	HD 429s 504583 *71*	Universal Around-The-Ear-Wired Headset for Smartphones *dynamic, closed • arround-ear • 18 Hz - 22000 Hz • 110 dB • Omni-directional microphone*	99.95 99.95	82.60 82.60

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	VAT Excl. BELUX NL
HD 439 504765 *11*	Powerful neodymium magnets for an enhanced bass experience *Dynamic, closed • 17 – 22500 Hz • 112 dB • < 0,1 % • 1.4 m and 3 m single-sided detachable OFC cables*	89.95 89.95	74.34 74.34
HD 449 504767 *11*	Ergonomic design provides a comfortable fit *Dynamic, closed • circumaural • 16 – 24000 Hz • 114 dB • < 0.1 %*	99.95 99.95	82.60 82.60
MM 100 504111 *71*	Wireless Stereo Bluetooth® headset with neckband *offen • Supra-aural • 100 – 10.000 Hz • 22 - 20000 Hz • Omni-directional*	129.95 129.95	107.40 107.40
MM 30G White 506078 *71*	In-ear headset for Samsung Galaxy devices *17 - 20,000Hz • 106 dB (1kHz/1Vrms) • Omni-directional microphone • 1.2m, symmetrical • 11g*	49.95 49.95	41.28 41.28
MM 30i 504739 *71*	Ear-canal headset - Feel the beat *acoust. closed • intraaural • 80 - 15000 Hz • 17 - 20000 Hz • 106 dB*	49.95 49.95	41.28 41.28
MM 400 X 504511 *71*	Wireless multimedia headset *Closed acoustics • Supra-aural • 100 – 10.000 Hz • 15 - 22000 Hz • 107 dB*	199.95 199.95	165.25 165.25
MM 500 X 504514 *71*	Over-the-ear wireless headset *Closed acoustics • Circumaural • 100 – 10000 Hz • 15 – 22000 Hz • 107 dB*	249.95 249.95	206.57 206.57
MM 70i black 504161 *71*	Headset with lifelike sound blocks outside noise, with smart Apple remote and microphone - Black. *dynamic • 80 – 15000 Hz • 18 - 22000 Hz • 106 dB • Omni directional*	69.95 69.95	57.81 57.81
MM 70i white 504544 *71*	Headset with lifelike sound blocks outside noise, with smart Apple remote and microphone - White. *80 – 15000 Hz • 12 - 22000 Hz • 116 dB • Omni directional • 1,4 m*	69.95 69.95	57.81 57.81
MM 70s 504571 *71*	Universal Ear-Canal Headset for Smartphones *18 - 22000 Hz • 116 dB • Omni-directional microphone • 1,4 m • 13 g*	69.95 69.95	57.81 57.81

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MOMENTUM 505630 *11*	Closed design – Closed circumaural headphone design isolate against ambient noise *Dynamic, closed • circum-aural • 16 - 22000 Hz • 110 dB • < 0.5 %*	299.95 299.95	247.89 247.89
MOMENTUM black 505760 *11*	Closed design – Closed circumaural headphone design isolate against ambient noise *Dynamic, closed • circum-aural • 16 - 22000 Hz • 110 dB • < 0.5 %*	299.95 299.95	247.89 247.89
Momentum On-Ear 505948 *11*	Designed for the senses. Built for the independent. *Dynamic, closed • Supra-aural • 16–22,000 Hz • 16–22,000 Hz • 112 dB (1 kHz/1 Vrms)*	199.95 199.95	165.25 165.25
Momentum On-Ear Black 505795 *11*	Designed for the senses. Built for the independent. *Dynamic, closed • Supra-aural • 16–22,000 Hz • 16–22,000 Hz • 112 dB (1 kHz/1 Vrms)*	199.95 199.95	165.25 165.25
NO IMAGE **Momentum On-Ear Blue** 505949 *11*	MOMENTUM headphones in a smaller format that's perfect for enjoying incredible sound on the go *Dynamic, closed • Supra-aural • 16–22,000 Hz • 112 dB (1 kHz/1 Vrms) • < 0.5% (1 kHz, 100 dB SPL)*	199.95 199.95	165.25 165.25
Momentum On-Ear Brown 505796 *11*	Designed for the senses. Built for the independent. *Dynamic, closed • Supra-aural • 16–22,000 Hz • 16–22,000 Hz • 112 dB (1 kHz/1 Vrms)*	199.95 199.95	165.25 165.25
NO IMAGE **Momentum On-Ear Ivory** 505982 *11*	MOMENTUM headphones in a smaller format that's perfect for enjoying incredible sound on the go *Dynamic, closed • Supra-aural • 16–22,000 Hz • 112 dB (1 kHz/1 Vrms) • < 0.5% (1 kHz, 100 dB SPL)*	199.95 199.95	165.25 165.25
Momentum On-Ear Pink 505947 *11*	MOMENTUM headphones in a smaller format that's perfect for enjoying incredible sound on the go *Dynamic, closed • Supra-aural • 16–22,000 Hz • 112 dB (1 kHz/1 Vrms) • < 0.5% (1 kHz, 100 dB SPL)*	199.95 199.95	165.25 165.25
Momentum On-Ear Red 505993 *11*	Designed for the senses. Built for the independent. *Dynamic, closed • Supra-aural • 16–22,000 Hz • 16–22,000 Hz • 112 dB (1 kHz/1 Vrms)*	199.95 199.95	165.25 165.25
MX 170 504294 *13*	In-ear headphone • 3,5 mm jack angled *Dynamic • Intraaural • 22 - 22000 Hz • 109 dB (SPL) • 1.2 m symmetrical*	07.95 07.95	06.57 06.57

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
 MX 270 502853 *13*	Ergonomic stereo earphones with dynamic sound *Dynamic • Intraaural • 19 - 20000 Hz • 118 dB • < 0.5 %*	09.95 09.95	08.22 08.22
 MX 271 502849 *13*	Ergonomic stereo earphones with dynamic sound for smaller ears *dynamic • intraaural • 19 - 20000 Hz • 118 dB • < 0.5 %*	09.95 09.95	08.22 08.22
 MX 365 Blue 505435 *13*	Stereo earphones with superior bass. Available in white, blue, bronze orange and red. *Dynamic • Intraaural • 20 - 20000 Hz • 110 dB (1kHz/1Vrms) • 1.2 m symmetric cable with 3.5 mm-Gold plated, angled plug*	14.95 14.95	12.36 12.36
 MX 365 Bronze 505437 *13*	Stereo earphones with superior bass. Available in white, blue, bronze orange and red. *Dynamic • Intraaural • 20 - 20000 Hz • 110 dB (1kHz/1Vrms) • 1.2 m symmetric cable with 3.5 mm-Gold plated, angled plug*	14.95 14.95	12.36 12.36
 MX 365 Brown 505436 *13*	Stereo earphones with superior bass. Available in white, blue, bronze orange and red. *Dynamic • Intraaural • 20 - 20000 Hz • 110 dB (1kHz/1Vrms) • 1.2 m symmetric cable with 3.5 mm-Gold plated, angled plug*	14.95 14.95	12.36 12.36
 MX 365 Orange 505438 *13*	Stereo earphones with superior bass. Available in white, blue, bronze orange and red. *Dynamic • Intraaural • 20 - 20000 Hz • 110 dB (1kHz/1Vrms) • 1.2 m symmetric cable with 3.5 mm-Gold plated, angled plug*	14.95 14.95	12.36 12.36
 MX 365 Red 505439 *13*	Stereo earphones with superior bass. Available in white, blue, bronze orange and red. *Dynamic • Intraaural • 20 - 20000 Hz • 110 dB (1kHz/1Vrms) • 1.2 m symmetric cable with 3.5 mm-Gold plated, angled plug*	14.95 14.95	12.36 12.36
 MX 365 White 505434 *13*	Stereo earphones with superior bass. Available in white, blue, bronze orange and red. *Dynamic • Intraaural • 20 - 20000 Hz • 110 dB (1kHz/1Vrms) • 1.2 m symmetric cable with 3.5 mm-Gold plated, angled plug*	14.95 14.95	12.36 12.36
 MX 375 505406 *13*	High performance dynamic drivers for powerful dynamic, booming bass *synamic • intraaural • 18 - 22000 Hz • 122 dB • < 1 %*	14.95 14.95	12.36 12.36
 MX 470 502855 *13*	Ergonomic stereo earphones with superior bass *Dynamic • Intraaural • 18 - 20000 Hz • 119 dB • < 0.5 %*	19.95 19.95	16.49 16.49

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MX 471 502851 *13*	Ergonomic stereo earphones with superior bass for smaller ears *Dynamic • Intraaural • 18 - 20000 Hz • 119 dB • < 0.5 %*	19.95 19.95	16.49 16.49
MX 580 502856 *13*	Ergonomic stereo earphones with integrated volume control *Dynamic • Intraaural • 18 - 21000 Hz • 119 dB • < 0.5 %*	29.95 29.95	24.75 24.75
MX 581 502852 *13*	Ergonomic stereo earphones with integrated volume control for smaller ears *Dynamic • Intraaural • 18 - 21000 Hz • 119 dB • < 0.5 %*	29.95 29.95	24.75 24.75
MX 880 502869 *13*	Premium stereo earphones with integrated volume control *dynamic • intraaural • 18 - 22000 Hz • 120 dB • < 0.1 % (1 kHz, 100 dB SPL)*	49.95 49.95	41.28 41.28
MX 980 502870 *13*	Hi Fidelity earphone with and integrated volume control *Dynamic • Intraaural • 16 - 23000 Hz • 120 dB • < 0.1% (1kHz, 100 dB SPL)*	101.63 101.63	83.99 83.99
OMX 185 505400 *13*	Powerful bass-driven stereo sound *dynamic • intraaural • 18 - 20500 Hz • 122 dB • < 1 %*	29.95 29.95	24.75 24.75
OMX 980 502872 *13*	Hi Fidelity earphone with earhooks and integrated volume control *Dynamic • Intraaural • 16 - 23000 Hz • 120 dB • < 0.1% (1kHz, 100 dB SPL)*	202.35 202.35	167.23 167.23
PCX 95 WEST 505490 *13*	Ear canalphones with a neckband *Dynamic • In-ear-canal • 17 to 22,500 Hz • 115 dB • < 0.1%*	59.95 59.95	49.55 49.55
PMX 95 WEST 505491 *13*	Portable neckband open full size headphone *Dynamic • Supra-aural • 114 dB • < 0.1% • 1.2 m*	59.95 59.95	49.55 49.55
PX 100-II 502816 *13*	Portable open mini headphone. *15 - 27000 Hz • 114 dB • < 0.1 % (1 kHz, 100 dB SPL) • 1.2 m single-sided cable • ~ 74 g*	49.95 49.95	41.28 41.28

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	VAT Excl. BELUX NL
PX 100-II i 504162 *71*	Open headset with natural sound reproduction, with smart Apple remote and microphone *Supra-aural • 15 - 27000 Hz • 114 dB (SPL) • Omni-directional • < 0,1 %*	69.95 69.95	57.81 57.81
PX 100-II White 502862 *13*	Portable open mini headphone. *15 - 27000 Hz • 114 dB • < 0.1 % (1 kHz, 100 dB SPL) • 1.2 m single-sided cable • ~ 74 g*	49.95 49.95	41.28 41.28
PX 200-II 502817 *13*	Portable closed mini headphone. *Supra-aural • 10 - 21000 Hz • 115 dB • < 0.1 % (1 kHz, 100 dB SPL) • 1.2 m single-sided cable (earphone -> volume control: 60 cm; volume control -> plug: 60 cm)*	79.95 79.95	66.07 66.07
PX 200-II i 504163 *71*	Dynamic open headphone with natural sound reproduction, with smart Apple remote and microphone *supra-aural • 80 – 15000 Hz • 10 – 21000 Hz • 115 dB • Omni directional*	94.95 94.95	78.47 78.47
PX 200-II White 502864 *13*	Portable closed mini headphone with excellent sound *Supra-aural • 10 - 21000 Hz • 115 dB • < 0.1 % (1 kHz, 100 dB SPL) • 1.2 m single-sided cable (earphone -> volume control: 60 cm; volume control -> plug: 60 cm)*	79.95 79.95	66.07 66.07
PX 210 BT 502378 *13*	Closed mini headphone with bluetooth technology *dynamic, closed • Supra-aural • 12 - 22000 Hz • 107 dB (1 kHz/1 V rms) • < 0,1 % (1 kHz/100 dB)*	179.95 179.95	148.72 148.72
PX 360 502380 *13*	Portable closed headphone with excellent sound *Dynamic, closed • Circumaural • 15 - 22000 Hz • 110 dB • <0.1% (1kHz)*	99.95 99.95	82.60 82.60
PX 360 BT 502381 *13*	Full size closed headphone with NoiseGard™ 2.0 and bluetooth 2.0, SRS surround and controls *Dynamic, closed • Circumaural • 15 - 22000 Hz • 107 dB • < 0.1% (1kHz)*	219.95 219.95	181.78 181.78
PX 95 WEST 505493 *13*	Portable open mini headphone extra sleek model *Dynamic • Supra-aural • 114 dB • < 0.1% (1 kHz, 100 dB SPL) • 1,2 m symmetrisch*	49.95 49.95	41.28 41.28
SENNHEISER / ADIDAS SPORTS			
CX 680 Sports 504034 *13*	High performance ear canal phones with ear fin holding system and energizing sound *Dynamic • Intraaural (ear canal fit) • 18 - 20000 Hz • 120 dB • < 0.5 % (1 kHz, 100 dB SPL)*	59.96 59.96	49.55 49.55

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
CX 680i 504603 *13*	High performance noice isolating ear canal headset for sports, with smart Apple remote and microphone *18 - 20,000 Hz • 120 dB • < 0.5 % • 1.2 m • 3.5 mm, straight*	60.96 60.96	50.38 50.38
CX 685 SPORTS 504966 *13*	EarFin holding system for secure and comfort fit during workouts *dynamic • 18 - 20000 Hz • 120 dB • < 0,5% • 1.2 m symmetrical cable*	59.95 59.95	49.55 49.55
MX 680 Sports 504038 *13*	High performance stereo earphones for sports *Dynamic • Intraaural • 18 - 20000 Hz • 118 dB • < 0.5 % (1 kHz, 100 dB SPL)*	39.95 39.95	33.02 33.02
MX 680i 504601 *13*	High performance regular ear canal headset for sports, with smart Apple remote and microphone *18 - 20,000 Hz • 118 dB • < 0.5 % • 1.2 m • 3.5 mm, straight*	40.62 40.62	33.57 33.57
MX 685 SPORTS 504968 *13*	MX 685 SPORTS earphones for maximum ruggedness and durability *18 - 20000 Hz • 118 dB • < 0.5 % • 1.2 m symmetrical cable • 3.5 mm angled*	39.95 39.95	33.02 33.02
OCX 685i SPORTS Black 504978 *13*	Ergonomic earhooks for optimal secure fit Black *18 - 20000 Hz • 120 dB • Omni-directional • < 0.5 % • 1.2 m symmetrical cable*	69.95 69.95	57.81 57.81
OCX 685i SPORTS White 504979 *13*	Ergonomic earhooks for optimal secure fit White *18 - 20000 Hz • 120 dB • Omni-directional • < 0.5 % • 1.2 m symmetrical cable*	69.95 69.95	57.81 57.81
OMX 680 Sports 504042 *13*	High performance clip on earphone headset for sports *Dynamic • Intraaural • 18 - 20000 Hz • 120 dB • < 0.5 % (1 kHz, 100 dB SPL)*	49.95 49.95	41.28 41.28
OMX 680i 504607 *13*	High performance regular ear canal headset with flexible ear hooks for sports, with smart Apple remote and microphone *18 - 20,000 Hz • 120 dB • < 0.5 % • 1.2 m • 3.5 mm, straight*	50.79 50.79	41.97 41.97
PMX 680 Sports 504046 *13*	High performance rugged neckband headset for sports *Dynamic • Intraaural • 18 - 20000 Hz • 120 dB • < 0.5 % (1 kHz, 100 dB SPL)*	49.95 49.95	41.28 41.28

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
PMX 680i 504604 *13*	High performance regular ear canal headset with neckband for sports, with smart Apple remote and microphone *18 - 20,000 Hz • 120 dB • < 0.5 % • 1.2 m • 3.5 mm, straight*	50.79 50.79	41.97 41.97
PMX 685i SPORTS 504980 *13*	Ergonomic neckband for secure and comfort fit during workouts *dynamic • 18 - 20000 Hz • 120 dB • Omni-directional • < 0,5%*	69.95 69.95	57.81 57.81
PX 685i SPORTS Black 504981 *13*	Ergonomic headband for secure and comfort fit during workouts Black *18-20000 Hz • 120 dB • Omni-directional • < 0.5 % • 1.2 m symmetrical cable*	69.95 69.95	57.81 57.81
PX 685i SPORTS White 504982 *13*	Ergonomic headband for secure and comfort fit during workouts White *18-20000 Hz • 120 dB • Omni-directional • < 0.5 % • 1.2 m symmetrical cable*	69.95 69.95	57.81 57.81
SENNHEISER ADIDAS ORIGINALS			
CX 310 Originals 504688 *13*	Premium ear canal phones with passive noise attenuation, adidas original edition *Dynamic, closed • Intraaural • 19 - 21000 Hz • 113 dB • < 0.2 %*	50.79 50.79	41.97 41.97
HD 220 Originals 504687 *11*	Medium size closed headphone with dynamic bass, adidas original edition *Dynamic, closed • Supraaural • 19 - 21000 Hz • 108 dB • < 0.5 %*	55.88 55.88	46.18 46.18
HD 25 adidas Original 504260 *63*	Medium size closed ENG headphone in adidas original edition with extra white earpads *Dynamic, closed • Supraaural • 16 - 22000 Hz • 120 dB • < 0.3 %*	253.18 253.18	209.24 209.24
TRAVEL			
CXC 700 504620 *13*	High-end ear-canal phones with multi-mode Digital NoiseGardTM and TalkThrough function *Dynamic, closed • Intraaural (ear canal fit) • 20 - 21000 Hz • 111 dB (1kHz/1Vrms) • < 0.5 %*	229.95 229.95	190.04 190.04
MM 450-X TRAVEL 504513 *71*	Wireless Hi-fi travel headset *Supra-aural • 100 – 10000 Hz • 15 – 22000 Hz • 107 dB • Omni directional*	299.95 299.95	247.89 247.89
MM 550-X Travel 504515 *71*	Best-of-class wireless travel headset *Closed acoustics • Circumaural • 100 – 10000 Hz • 15 – 22000 Hz • 107 dB*	349.95 349.95	289.21 289.21

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MM 80i 504129 *71*	High end ear-canal headset with superb noise isolation with smart remote for iPhone (inc. Accesoiries) *80 – 15.000 Hz • 104 dB • omni-directional • 1.3 m • 18 g*	189.95 189.95	156.98 156.98
PXC 250-II 502818 *13*	Closed, supra-aural headphones with active noise compensation *Dynamic, closed • Supraaural • 10 - 21000 Hz • 112 dB • < 0.1 % (1 kHz, 100 dB SPL)*	169.95 169.95	140.45 140.45
PXC 450 500643 *13*	Full size closed headphone with NoiseGard™ 2.0 The ultimate travelling companion *dynamic • circumaural • 8 - 28000 Hz • 108 dB • < 0,1%*	399.95 399.95	330.54 330.54
PORTABLE IN EAR MONITORING			
IE 60 504769 *13*	Sleek ergonomic design of ear-canal phones *Dynamic • Intraaural • 10 - 18000 Hz • 115 dB • < 0,1 %*	159.95 159.95	132.19 132.19
IE 80 504771 *13*	High-fidelity sound and noise attenuation with an enhanced design *Dynamic • Intraaural • 10 - 20000 Hz • 125 dB • 1.2 m*	299.95 299.95	247.89 247.89
IE 8i 504173 *13*	High fidelity ear-canal headset with unique sound tunig and superb noise isolation with smart remote for iPhone *Ear-canal • 10 - 20000 Hz • 125 dB • Omni-directional • < 0,1 %*	319.95 319.95	264.42 264.42
PROFESSIONAL			
EP 01-100 505963 *52*	Lightweight, in-ear phones in dual-sided (stereo) design - cable 100cm *20 - 20,000 Hz • 16 Ohm*	761.09 761.09	629.00 629.00
EP 01-140 505964 *52*	Lightweight, in-ear phones in dual-sided (stereo) design - cable 140cm *20 - 20,000 Hz • 16 Ohm*	761.09 761.09	629.00 629.00
EP 01-L100 505960 *52*	Lightweight, in-ear phones in single- (mono) design - cable 100cm *20 - 20,000 Hz • 16 Ohm*	482.79 482.79	399.00 399.00
EP 01-R100 505961 *52*	Lightweight, in-ear phones in single- (mono) design - cable 100cm *20 - 20,000 Hz • 16 Ohm*	482.79 482.79	399.00 399.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
EP 01-R140 505962 *52*	Lightweight, in-ear phones in single- (mono) design - cable 140cm *20 - 20,000 Hz • 16 Ohm*	482.79 482.79	399.00 399.00
HD 201 500155 *11*	Full size basic closed hi fi headphone *dynamic, closed • circumaural • 21 - 18000 Hz • 108 dB (SPL) • 24 Ω*	32.95 32.95	27.23 27.23
HD 203 504290 *11*	Closed on ear stereo headphone with powerfull sound reproduction, silver *Dynamic, closed • Supra-aural • 18 - 18000 Hz • 115 dB • <0.5%*	47.19 47.19	39.00 39.00
HD 205-II 504292 *11*	Closed around the ear headphone with rotatable ear cups *dynamic, closed • supra-aural • 14 - 20000 Hz • 112 dB(SPL) • 32 Ω*	49.95 49.95	41.28 41.28
HD 215-II 504293 *11*	Closed High quility circumaural stereo headphone with spatial sound image and high passive noise attenuation • Black *dynamic, closed • circumaural • 12 - 22000 Hz • 112 dB • 32 Ω*	99.95 99.95	82.60 82.60
HD 25 ALUMINIUM 505969 *11*	Medium size closed DJ headphone 1.2m cable. *dynamic, closed • supraaural • 16 - 22000 Hz • 16 - 22000 Hz • 120 dB*	301.29 301.29	249.00 249.00
HD 25 II 502105 *63*	Medium size closed ENG headphone. As HD 25-1 II, but with 2m steel cable, straight jack plug *dynamic, closed • supraaural • 16 - 22000 Hz • 70 Ω • < 0,3 %*	240.79 240.79	199.00 199.00
HD 25 SP II 502103 *63*	Medium size closed ENG headphone *dynamic, closed • supraaural • 30 - 16000 Hz • 60 Ω • <0,4 %*	156.09 156.09	129.00 129.00
HD 25-1 II 502188 *63*	Medium size closed ENG headphone 1.2m cable. Variants: 2m steel cable (502105), 3m coiled cable (502104), 600 Ohms 3m steel cable (502102) *dynamic, closed • supraaural • 16 - 22000 Hz • 70 Ω • < 0,3 %*	240.79 240.79	199.00 199.00
HD 25-1 II Basic 502842 *63*	Medium size closed ENG headphone basic edition without accessories *dynamic, closed • supraaural • 16 - 22000 Hz • 70 Ω • < 0,3 %*	216.59 216.59	179.00 179.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
HD 25-13 II 502102 *63*	Medium size closed ENG headphone. As HD 25-1 II, but with 600 ohm impedance, 3m steel cable, straight jack plug. *dynamic, closed • supraaural • 16 - 22000 Hz • 70 Ω • < 0,3 %*	240.79 240.79	199.00 199.00
HD 25-C II 502104 *63*	Medium size closed ENG headphone. As HD 25-1 II, but with 3m coiled cable, straight jack plug *dynamic, closed • supraaural • 16 - 22000 Hz • 70 Ω • < 0,3 %*	240.79 240.79	199.00 199.00
HD 26 PRO 505691 *63*	HD 26 PRO Professional Monitoring Headphones *dynamic, closed • supra aural • 20 to 18.000 Hz • 115 dB (1 kHz, 1V) • <0.5 % (at 1kHz)*	301.29 301.29	249.00 249.00
HD 280 PRO 004974 *63*	Closed-back, circumaural headphones *dynamic, closed • circumaural • 8 - 25000 Hz • 102 dB (IEC 268-7) • 64 Ω*	156.09	129.00
HD 280 SILVER 005327 *63*	Closed-back, circumaural headphone *dynamic, closed • circumaural • 8 - 25000 Hz • 102 dB (IEC 268-7) • 64 Ω*	156.09 156.09	129.00 129.00
HD 280-13 004975 *63*	Closed-back, circumaural headphones *dynamic, closed • circumaural • 8 - 25000 Hz • 102 dB (IEC 268-7) • 64 Ω*	180.29 180.29	149.00 149.00
HD 380 PRO 502717 *11*	Professional monitoring headphone • with E.A.R. technology • 150 Ohms *dynamic, closed • Circum-aural • 8 - 27000 Hz • 8 – 27,000 Hz • 110dB (1 kHz, 1 Vrms)*	180.29 180.29	149.00 149.00
HD 407 504257 *11*	Full size basic open hi fi headphone	29.95 29.95	24.75 24.75
HD 410-D 002146 *52*	Headphones, e.g. for the EKI 1029 bodypack receiver. Fitted with open, dynamic transducers; capsules can be rotated on the headband. The earpieces are hygienic and easy to clean. *50-15.000 Hz*	84.70 84.70	70.00 70.00
HD 439 504765 *11*	Powerful neodymium magnets for an enhanced bass experience *Dynamic, closed • 17 – 22500 Hz • 112 dB • < 0,1 % • 1.4 m and 3 m single-sided detachable OFC cables*	89.95 89.95	74.34 74.34

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
HD 600 004465 *11*	Full size open high-end headphone. *dynamic, open • circumaural • 12 - 39000 Hz • 97 dB at 1 mW • 300 Ω*	399.95 399.95	330.54 330.54
HD 650 009969 *11*	Full size open high-end headphone. *dynamic, open • circumaural • 10 - 39500 Hz • 103 dB • 300 Ω*	459.95 459.95	380.12 380.12
HD6 MIX 505791 *11*	Closed professional headphones *dynamic, closed • circumaural • 8 – 30,000 Hz • 112 dB (1 kHz/1Vrms) • <0.1%*	250.47 250.47	207.00 207.00
HD7 DJ 505790 *11*	Closed DJ Headphones *dynamic, closed • circumaural • 8 – 30,000 Hz • 115 dB (1 kHz/1Vrms) • <0.1%*	299.95 299.95	247.89 247.89
HD8 DJ 505792 *11*	Closed DJ headphones *dynamic, closed • circumaural • 8 – 30,000 Hz • 115 dB (1 kHz/1Vrms) • <0.1%*	350.90 350.90	290.00 290.00
HP 02-100 505965 *52*	*20 - 20,000 Hz • 32 Ohm*	446.49 446.49	369.00 369.00
HP 02-140 505966 *52*	*20 - 20,000 Hz • 32 Ohm*	446.49 446.49	369.00 369.00
IE 60 504769 *13*	Sleek ergonomic design of ear-canal phones *Dynamic • Intraaural • 10 - 18000 Hz • 115 dB • < 0,1 %*	159.95 159.95	132.19 132.19
NP 02-100 505967 *52*	Neckband Headphones Stereo - Ideal for all mobile audio sources *20 - 20,000 Hz • 32 Ohm*	446.49 446.49	369.00 369.00
NP 02-140 505968 *52*	Neckband Headphones Stereo - Ideal for all mobile audio sources *20 - 20,000 Hz • 32 Ohm*	446.49 446.49	369.00 369.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
HEADPHONE ACCESSORIES			
BA 300 500898 *31*	Lithium polymer rechargeable battery for Set 900, RI 900, Set 840-TV, RR 840, Set 840 S, RR 840 S, Set 830-TV, RI 830, Set 830 S, RI 830 S, IS 410, RI 410, RS 4200, RR 4200, HDI 830 *dynamic • circumaural • 18 - 20000 Hz • 18 Hz - 21000 Hz • 120 dB*	34.95 34.95	28.88 28.88
BA 370 PX 535105 *71*	Accu for PX 210 BT/ PXC 310/ 310 BT/ PX(C) 360 BT/ MM 400/ 450/ 550 *dynamic • circumaural • 18 - 20000 Hz • 18 Hz - 21000 Hz • 120 dB*	39.95	33.02
BTD 300 Audio 502388 *13*	Bluetooth audio dongle (2.5 mm / 3.5 mm jack)	60.96 60.96	50.38 50.38
BTD 300 i 502389 *13*	Wireless stereo audio transmitter for iPod and iPhone	60.96 60.96	50.38 50.38
HH 10 510615 *90*	Headphone holder	18.95 18.95	15.66 15.66
RI 410 500684 *31*	Single receiver for IS 410 stereo • 50...150.000 Hz • 125 dB • 100 mtr	119.95 119.95	99.13 99.13
RR 4200 500685 *31*	Single receiver for RS 4200 stereo • 50...150.000 Hz • 125 dB • 100 mtr *intraaural • < 1 % (1 kHz) • FM Stereo • Receiver: 200 x 135 x 20mm • Receiver: 53g*	129.95 129.95	107.40 107.40

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
AVIATION BOOMSETS			
HMD 46-3-6 500849 *62*	Lightweight open boomset with ActiveGard TM *dynamic, open • supraaural • 20 - 14,000 Hz • super-cardioid • < 1 % - 95 dB SPL (300 - 3.000 Hz)*	379.94 379.94	314.00 314.00
HME 100 004701 *62*	Pilot's headset with closed ear protector headphones *circumaural • 45.....15000 Hz • 150 Ohm -mono/300 Ohm-stereo • 350 g • ca. 10 N*	320.65 320.65	265.00 265.00
HME 110 500679 *62*	Pilot´s headset with closed ear protector headphones *dynamic • circumaural • 45 - 15000 Hz • 150 Ohm mono/ 300 Ohm stereo • 350g*	467.05 467.05	385.99 385.99
HME 26-II-100 505779 *63*	Professional broadcast headset • 50 ohm mono • 100 ohm stereo *supra-aural • 40 Hz - 20.000 Hz • 40 to 18.000 Hz • < 0,5 % • 200 g*	531.19 531.19	439.00 439.00
HME 26-II-100(4) 505778 *63*	Professional broadcast headset , 100 Ohms per system, pre-polarised condenser microphone, Cardiod *supra-aural • 40 Hz - 20.000 Hz • 40 to 18.000 Hz • < 0,5 % • 200 g*	555.39 555.39	459.00 459.00
HME 43-3 502148 *62*	Pilot's headset with closed ear protector headphones and ultra noisecanceling microphone *dynamic, closed, supraaural • 400 - 4.500 Hz • 100 - 6000 Hz • < 1% at 105 dB SPL • 1.9 m single-sided cable with open ends*	162.14 162.14	134.00 134.00
HME 43-K 500774 *62*	Pilot's headset with closed ear protector headphones and ultra noisecanceling microphone *dynamic • closed, supra-aural • 200 - 6000 Hz • < 1 % bei 110 dB SPL at 1kHz • approx. 95 g*	229.90 229.90	190.00 190.00
HME 46-3-6 500467 *62*	Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-cardioid • 300 Ohm headphone impedance • with open end cable length 1.85 m easy to exchange *dynamic, open • supra-aural • 20 - 14,000 Hz • < 1 % at 95 dB SPL (300 - 3,000 Hz) • approx. 150 g*	500.94 500.94	414.00 414.00
HME 46-3S 502592 *62*	ATC Headset, open *dynamic, open • supra-aural • 20 - 14000 Hz • < 1 % at 98 dB SPL (350 - 3,000 Hz) • approx. 110 g*	393.25 393.25	325.00 325.00
HME 46-V-K 500465 *62*	Open boomset with Peak-Level-Protection • volume control • with noise compensated microphone • PJ-055 • PJ068 connector. *supra-aural, open • 350 - 6,000 Hz • 1 % at 110 dB SPL (350 - 3,000Hz) • approx. 150 g • approx. 3 N*	550.55 550.55	455.00 455.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
HME 95 500747 *62*	Entry headset with passive noise attenuation *dynamic, closed • circumaural • 8 - 28.000 Hz • 100 dB SPL - 1 kHz, 1 V stereo; 97 dB SPL - 1 kHz, 1V mono (passive) • 225 Ohm mono, 300 Ohm stereo*	217.80 217.80	180.00 180.00
HMEC 250 500748 *62*	Foldable aviation headset • Noise Gard • talk through function *dynamic, closed • circum-aural • 8 - 28000 Hz • 98 dB SPL - 1 kHz, 1 mW / 100 dB SPL - 1 kHz, 1 V (passive/active) • passiv: 150 Ohm mono/ 300 Ohm stereo; active: 600 Ohm mono/ 1200 Ohm stereo*	526.35	435.00
HMEC 350 500561 *62*	NoiseGard™-headset • closed P/N 300-231-4150 *circumaural • 45.....15000 Hz • 370 g • ca. 10 N • typ. 16 VDC (8-16 VDC, 8-25 mA)*	780.45 780.45	645.00 645.00
HMEC 46 500854 *62*	Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-cardioid • 300 Ohm headphone impedance • NoiseGard™ • without cable *dynamic, open • supra-aural • 12 - 14000 Hz • 600 Ohm mono/1200 Ohm stereo (active/passive) • < 1% at 1kHz, 90dB SPL*	484.00 484.00	400.00 400.00
HMEC 460 500788 *62*	Full-cup closed NoiseGard™ boomset • 6,3 mm stereo jack • 2,5 mm jack cellphone in socket • 3.5 mm jack audio in socket • PJ-068 • XLR-3 connector • no ETSO/ TSO approval *dynamic • circumaural, closed • 20 – 20.000 Hz • 93 dB passive (at 1kHz, 1V), 95 dB active (at 1kHz, 1V) • <1%*	968.00 968.00	800.00 800.00
S1 DIGITAL 504212 *62*	Headset with NoiseGard™ / digital for General Aviation *dynamic • circum-aural, closed • 20 - 16000 Hz • 98 dB SPL at 1kHz, 1V, 90 dB at 1 kHz, 1mW • 2,4 GHz - 2,48 GHz*	1,006.32 1,006.32	831.67 831.67
BROADCAST & COMMUNICATIONS			
HMD 26-II-100 505771 *63*	Binaural hyper-cardioid professional broadcast headset *supra-aural • 40 Hz - 16.000 Hz • 40 to 16.000 Hz • 300 Ohm • < 0,5 %*	531.19 531.19	439.00 439.00
HMD 26-II-100-8 505772 *63*	Binaural hyper-cardioid professional broadcast headset - 100 Ohms per system, Hyper Cardiod Microphone. *supra-aural • 40 Hz - 16.000 Hz • 40 to 16.000 Hz • 300 Ohm • < 0,5 %*	580.80 580.80	480.00 480.00
HMD 26-II-600 505773 *63*	Binaural hyper-cardioid professional broadcast headset - 600 Ohms per system, Hyper Cardiod Microphone. *supra-aural • 40 Hz - 16.000 Hz • 40 to 16.000 Hz • 300 Ohm • < 0,5 %*	532.40 532.40	440.00 440.00
HMD 26-II-600-8 505774 *63*	Binaural hyper-cardioid professional broadcast headset - 600 Ohms per system, Hyper Cardiod Microphone. With unterminated Steel wire cable *supra-aural • 40 Hz - 16.000 Hz • 40 to 16.000 Hz • 300 Ohm • < 0,5 %*	580.80 580.80	480.00 480.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	VAT Excl. BELUX NL
HMD 26-II-600S 505775 *63*	Monoaural professional broadcast headset, 600 Ohm *supra-aural • 40 Hz - 16.000 Hz • 40 to 16.000 Hz • 300 Ohm • < 0,5 %*	506.99 506.99	419.00 419.00
HMD 26-II-600-X3K1 505776 *63*	Binaural hyper-cardioid professional broadcast headset - 600 Ohms per system, Hyper Cardiod Microphone. With Steel wire and XLR 3 connector / 6.3 mm jack. *supra-aural • 40 Hz - 16.000 Hz • 40 to 16.000 Hz • 300 Ohm • < 0,5 %*	614.08 614.08	507.50 507.50
HMD 280 PRO 004976 *63*	Professional headset for communications in high-noise environments *dynamic • circumaural • 8 - 25000 Hz • 102 dB(IEC 268-7) • Supercardioid*	350.90 350.90	290.00 290.00
HMD 280-XQ-2 502714 *63*	Dual-Ear Headset with Supercardioid Boom Microphone	350.90 350.90	290.00 290.00
HMD 281 PRO 004978 *63*	Single-sided professional headset for talkback situations in film and TV applications *dynamic • circumaural • 8 - 25000 Hz • 102 dB (nach IEC 268-7) • supercardioid*	314.60 314.60	260.00 260.00
HMD 46-3-6 500466 *62*	Open supra-aural headset • dynamic • noisecompensated mic super-cardioid • 300 Ohmheadphone impedance • with open end cablelength 1.85 m easy to exchange *dynamic, open • supraaural • 20 - 14,000 Hz • super-cardioid • < 1 % - 95 dB SPL (300 - 3.000 Hz)*	422.29 422.29	349.00 349.00
HMD 46-3-6 500849 *62*	Lightweight open boomset with ActiveGard TM *dynamic, open • supraaural • 20 - 14,000 Hz • super-cardioid • < 1 % - 95 dB SPL (300 - 3.000 Hz)*	379.94 379.94	314.00 314.00
HMDC 26-II-600 505777 *63*	Broadcast Headset 1200 Ohms per system, Dynamic microphone, Hyper cardiod *supra-aural • 40 Hz - 16.000 Hz • 20 to 18.000 Hz • 300 Ohm • < 0,5 %*	623.15 623.15	515.00 515.00
HME 26-II-100 505779 *63*	Professional broadcast headset • 50 ohm mono • 100 ohm stereo *supra-aural • 40 Hz - 20.000 Hz • 40 to 18.000 Hz • < 0,5 % • 200 g*	531.19 531.19	439.00 439.00
HME 26-II-100(4) 505778 *63*	Professional broadcast headset , 100 Ohms per system, pre-polarised condenser microphone, Cardiod *supra-aural • 40 Hz - 20.000 Hz • 40 to 18.000 Hz • < 0,5 % • 200 g*	555.39 555.39	459.00 459.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	VAT Excl. BELUX NL
HME 26-II-600 505781 *63*	Professional broadcast headset • 600 ohm mono *supra-aural • 40 Hz - 16.000 Hz • 40 to 18.000 Hz • < 0,5% • approx. 130 g*	532.40 532.40	440.00 440.00
HME 26-II-600(4) 505780 *63*	Broadcast headsets: condenser microphone (cardioid character) *supra-aural • 40 Hz - 20.000 Hz • 40 to 18.000 Hz • < 0.5 % • 200 g*	532.40 532.40	440.00 440.00
HME 43-3 502148 *62*	Pilot's headset with closed ear protector headphones and ultra noisecanceling microphone *dynamic, closed, supraaural • 400 - 4.500 Hz • 100 - 6000 Hz • < 1% at 105 dB SPL • 1.9 m single-sided cable with open ends*	162.14 162.14	134.00 134.00
HME 43-K 500774 *62*	Pilot's headset with closed ear protector headphones and ultra noisecanceling microphone *dynamic • closed, supra-aural • 200 - 6000 Hz • < 1 % bei 110 dB SPL at 1kHz • approx. 95 g*	229.90 229.90	190.00 190.00
HME 46-3-6 500467 *62*	Open supra-aural headset • pre-polarized condenser microphone (electret) noise compensated super-cardioid • 300 Ohm headphone impedance • with open end cable length 1.85 m easy to exchange *dynamic, open • supra-aural • 20 - 14,000 Hz • < 1 % at 95 dB SPL (300 - 3,000 Hz) • approx. 150 g*	500.94 500.94	414.00 414.00
HME 46-3S 502592 *62*	ATC Headset, open *dynamic, open • supra-aural • 20 - 14000 Hz • < 1 % at 98 dB SPL (350 - 3,000 Hz) • approx. 110 g*	393.25 393.25	325.00 325.00
HME 46-V-K 500465 *62*	Open boomset with Peak-Level-Protection • volume control • with noise compensated microphone • PJ-055 • PJ068 connector. *supra-aural, open • 350 - 6,000 Hz • 1 % at 110 dB SPL (350 - 3,000Hz) • approx. 150 g • approx. 3 N*	550.55 550.55	455.00 455.00
INTERNET TELEPHONY			
PC 100 504124 *71*	All-in-one-headset in ear *80 – 15.000 Hz • 109 dB • Omni-directional • 1,2 m / 4 ft • 2 kΩ*	19.95 19.95	16.49 16.49
PC 11 504125 *71*	Over the ear ultralight headset *80 – 15.000 Hz • 113 dB • Omni-directional • 2 m / 6,5 ft • ~2k Ω*	19.95 19.95	16.49 16.49
PC 2 CHAT 504194 *71*	The affordable PC 2 CHAT headset is all-round family friendly *on-the-ear, open design • 90 - 15000 Hz • 42 – 17000Hz • 95 dB • Noise Canceling*	16.95 16.95	14.01 14.01

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
PC 21 502769 *71*	Over the head monaural VoIP headset *80 – 15.000 Hz • 109 dB • 3 m • ~2000 Ohm • -39 dB*	24.95 24.95	20.62 20.62
PC 26 USB 502772 *71*	Over the head monaural VoIP headset with USB connector *80 – 15.000 Hz • 109 dB • Noise-canceling • 3 m • ~2000 Ohm*	49.95 49.95	41.28 41.28
PC 3 CHAT 504195 *71*	The affordable PC 3 CHAT is extremely lightweight for hours of fun *on-the-ear, open design • 90 - 15000 Hz • 42 - 17000 Hz • 95 dB • Uni-directional*	19.95 19.95	16.49 16.49
PC 31 502770 *71*	Over the head binaural VoIP headset *80 – 15.000 Hz • 109 dB • 3 m • ~2000 Ohm • -38 dB*	29.95 29.95	24.75 24.75
PC 36 USB 502773 *71*	Over the head binaural VoIP headset with USB connector *Noise-canceling • 3 m / 9.8 ft • ~2 kΩ • 80 – 15,000 Hz • -38 dBV/Pa*	54.95 54.95	45.41 45.41
PC 7 USB 504196 *71*	The affordable PC 7 USB features super-easy USB plug and play *on-the-ear, open design • 90 - 15000 Hz • 42 - 17000 Hz • 95 dB • Noise Cancelling*	29.95 29.95	24.75 24.75
PC 8 USB 504197 *71*	The affordable PC 8 USB – featuring a Sennheiser USB soundcard *on-the-ear, open design • 90 - 15000 Hz • 42 - 17000 Hz • 95 dB • Uni-direktional*	34.95 34.95	28.88 28.88
GAMING			
PC 163D 504128 *71*	Over the head binaural gaming headset,open with integrated volume/mute control and 7.1 channel surround sound (powered by Dolby) *80–15000 Hz • 114 dB • 2m 0.3m 1.2m (headset 3D G4ME1 USB extension cable) • 200 g • ~2 kΩ*	119.95 119.95	99.13 99.13
PC 300 G4ME 504000 *71*	Ear canal headset with integrated inline volume control *80 Hz – 15.000 Hz • 106 dB • omni-directional • 1 m 2 m extension • ~2,2 kΩ*	79.95 79.95	66.07 66.07
PC 310 504123 *71*	Essential gaming headset *On-the-ear, open-acoustic design • 80–15000 Hz • 17 - 22000 Hz • 118 dB • noise cancelling*	49.95 49.95	41.28 41.28

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	VAT Excl. BELUX NL
PC 320 504120 *71*	The PC 320 is an ultra-comfortable headset. *around-the-ear, open acoustic design • 70 - 15000 Hz • 15 - 23000 Hz • 113 dB • Uni-directional*	79.95 79.95	66.07 66.07
PC 323D 504127 *71*	Premium gaming headset with 7.1 surround powered by Dolby® *around-the-ear • 15 – 23000 Hz • 113 dB • Noise Cancelleing • 2 m + 1,2 m*	129.95 129.95	107.40 107.40
PC 330 504121 *71*	Over the head binaural gaming headset, open with integrated volume/mute control and rotatable earcups *on-the-ear, closed acoustic design • 70 – 15,000 Hz • 14 – 22,000 Hz • 112 dB • Noise canceling*	99.95 99.95	82.60 82.60
PC 333D 504126 *71*	Over the head binaural gaming headset, open with integrated volume/mute control and rotatable earcups *on-the-ear, closed acoustic design • 70 – 15000 Hz • 14 – 22000 Hz • 112 dB • 2m + 0.3m + 1.2m (headset + 3D G4ME1 USB soundcard + USB extension cable)*	149.95 149.95	123.93 123.93
PC 350 502141 *71*	Over the head binaural gaming headset *50 – 16000 Hz • 108 dB • Noise Cancelling • 3m (9.8feet) • 305 g*	189.95 189.95	156.98 156.98
PC 360 504122 *71*	Professional gaming headset with open acoustics *around-the-ear, open acoustic design • 50 – 16,000 Hz • 15 – 28000 Hz • 112 dB • Noise canceling*	199.95 199.95	165.25 165.25
U 320 504568 *71*	Multi-platform Gaming Headset *15 – 23000 Hz • 15 – 23000 Hz • 113 dB • Uni-directional • 4 m*	129.95 129.95	107.40 107.40
X 2 504198 *71*	Upgrade your Xbox 360® with the X 2 *90 - 15000 Hz • 95 dB • Noise canceling • 1.1 m (3.6 feet) • 54 g*	19.95 19.95	16.49 16.49
X 320 504199 *71*	Give your Xbox® gaming a boost with the X 320 *70 - 15000 Hz • 105 dB • Noise canceling • 4 m (13.12 feet) • 280 g*	79.94 79.94	66.07 66.07
MUSIC & ENTERTAINMENT			
PC 131 500912 *71*	Over the head, binaural headset *monaural • 80.....15000 Hz • 30 - 18000 Hz • 112 dB • Noise Cancelling*	49.95 49.95	41.28 41.28

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
PC 141 500916 *71*	Behind the neck, binaural headset *on-the-ear, open design • 80.....15000 Hz • 40 - 20000 Hz • 109 dB • Noise Cancelling*	49.95 49.95	41.28 41.28
PC 230 504119 *71*	Binaural lightweight headset *on-the-ear, open design • 18 – 22,000 Hz • 18 - 22000 Hz • 113 dB • Noise canceling*	49.95 49.95	41.28 41.28
COMMUNICATION HEADSETS			
EZX 60 504108 *71*	Bluetooth over the ear headset with digital noise and echo cancellation technology *300 – 3.400 Hz • 300 - 3400 Hz • 12 g • 300 - 3400 Hz • Up to 300h*	49.95 49.95	41.28 41.28
EZX 80 504529 *71*	Bluetooth® mono headset *Ear hook • 300 – 3400 Hz • 10 g • Up to 10 days • Up to 10 hours*	79.95 79.95	66.07 66.07
VMX 200 504134 *71*	Top-of-the line Bluetooth® mono headset *300 - 3400 Hz • 10 g • 10 days • Up to 6 hours • Over-the-ear with an optional ear hook*	99.83 99.83	82.50 82.50
UNIFIED COMMUNICATIONS			
BTD 800 USB 504579 *72*	PC dongle designed to work seamlessly with PRESENCE™and Mobile Business Pro Series headsets. *2 g • 25 m (device dependent) • USB Version 2.0 • Bluetooth® v4.0 / supported profiles: A2DP 1.2, HSP 1.2, HFP 1.6 • 2,4 GHz*	83.49 83.49	69.00 69.00
BTD 800 USB ML 504578 *72*	PC dongle designed to work seamlessly with a PRESENCE™ and Mobile Business Pro Series headsets. *2 g • 25 m (device dependent) • USB Version 2.0 • Bluetooth® v4.0 / supported profi les: HSP 1.2, HFP 1.6 , A2DP 1.2, AVRCP 1.4 • 2,4 GHz*	83.49 83.49	69.00 69.00
BW 900 500749 *72*	Bluetooth® wireless office headset *26 g / 0.9 oz • Up to 100 meters / 330 ft • Bluetooth Class 1, version 1.2 • 4 to 5 hours • Over-the-ear, left or right ear wearing*	240.79 240.79	199.00 199.00
BW 900 Mobile 502599 *72*	Premium wireless headset package *Bluetooth Class 1, version 1.2 • approx. 4.5 hours • Over-the-ear (left or right ear) • 3 adjustment speaker rings • Sennheiser specific "Adaptive Intelligence™" decision-making*	180.29 180.29	149.00 149.00
DW Office 504300 *72*	Singlesided DECT headset with high definition sound for desk and softphones *300 Hz - 3.500 Hz • 50 g • +5°C to + 45 °C (+41°F to +113 °F) • Battery (Lithium Polymere) • ø 50 mm / 1.96 inches*	422.29 422.29	349.00 349.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
DW Office Pro 1 504304 *72*	DECT CAT-iq Wireless Office headset with base station, for desk phone and PC, adjustable mic arm + ultra NC Mic, Monaural *65 g • +5 °C to + 45 °C (+41°F to +113 °F) • ø 50 mm / 1.96 inches • 100 h • -20 °C to + 70 °C (-4 °F to +158 °F)*	434.39 434.39	359.00 359.00
DW Office Pro 2 504308 *72*	DECT CAT-iq Wireless Office headset with base station, for desk phone and PC, adjustable mic arm + ultra NC Mic, Binaural *85 g • +5 °C to + 45 °C (+41°F to +113 °F) • 150 - 6800 Hz broadband • ø 50 mm / 1.96 inches • 100 h*	446.49 446.49	369.00 369.00
Presence UC ML 504575 *72*	Presence UC ML *150-6.800Hz • Max 118dB (SPL) limited by ActiveGard® • 13 g • 14 days • Up to 10 h*	204.49 204.49	169.00 169.00
Presence™ UC 504576 *72*	PRESENCE™ is a series of premium Bluetooth® headsets for mobile professionals demanding consistently clear communication for themselves and their listeners around the office, in the car and outdoors.Fully compatible with all leading Unified Communication platforms, UC variants are designed for multi connectivity, allowing users to switch seamlessly between softphone and mobile calls while enjoying the freedom of mobile wireless connectivity. *150-6.800Hz • Max 118dB (SPL) limited by ActiveGard® • 13 g • 14 days • Up to 10 h*	204.49 204.49	169.00 169.00
SC 630 504556 *72*	Century™ SC 630 and SC 660 are premium wired headsets for all-day use with desk phones in busy call center or offices. Built to withstand the rigors of the toughest call center or office, they are designed for quality-conscious contact center and office professionals requiring HD voice clarity, durability and all-day comfort. *150 hz - 6.800 Hz (wideband) • 1000 mm • 77 g (SC 630) and 110 g (SC 660) • ~200 ohm • Headband*	192.39 192.39	159.00 159.00
SC 632 504558 *72*	SC 632 - CENTURY 600 series	192.39 192.39	159.00 159.00
SC 660 504557 *72*	Century™ SC 630 and SC 660 are premium wired headsets for all-day use with desk phones in busy call center or offices. Built to withstand the rigors of the toughest call center or office, they are designed for quality-conscious contact center and office professionals requiring HD voice clarity, durability and all-day comfort. *150 hz - 6.800 Hz (wideband) • 1000 mm • 77 g (SC 630) and 110 g (SC 660) • ~200 ohm • Headband*	240.79 240.79	199.00 199.00
SC 660 USB CTRL 504555 *72*	Premium wired headsets designed specifically for all-day use with Unified Communications (UC) and softphones in busy contact centers and offices. Built to withstand the rigors of the toughest contact center or office, they are designed for quality-conscious professionals requiring HD voice clarity, durability and all-day comfort. Users can manage calls seamlessly through the call control unit and enjoy the stereo sound quality from the high quality neodymium speakers. *150 hz - 6.800 Hz (wideband) • 2900 mm • 134 g (SC 630) and 167 g (SC 660) • Headband • Ultra noise-canceling*	264.99 264.99	219.00 219.00
SC 660 USB ML 504553 *72*	Premium wired headsets optimized for Microsoft Lync. Built to withstand the rigors of the toughest contact center, office or Unified Communications (UC) environment, they are designed for quality-conscious professionals requiring HD voice clarity, durability and all-day comfort. Users can manage calls seamlessly through the call control unit and enjoy the stereo sound quality from the high quality neodymium speakers. *150 hz - 6.800 Hz (wideband) • 2900 mm • 134 g (SC 630) and 167 g (SC 660) • Headband • Ultra noise-canceling*	264.99 264.99	219.00 219.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
VMX Office 502473 72	Bluetooth wireless office headset *100 - 8 Hz • Lithium battery • 94 dB SPL at 1mW @ 1kHz • More than 100 hours • 5 hours*	216.59 216.59	179.00 179.00
STANDARD HEADSETS			
CC 510 005357 72	Extremely robust monaural headset. *300 Hz - 3400 Hz • 300 - 3400 Hz • Max. 103 dB limited by ActiveGard • < 1% • 1 m / 3.3 ft Kevlar®* reinforced (*Teflon® and Kevlar® are trademarks of Dupont)*	169.40	140.00
CC 515 500215 72	Over the head, monaural headset with extra-large ear cap *300 Hz ? 3400 Hz • 300 - 3400 Hz • Max. 103 dB limited by ActiveGard • < 1% • 1 m / 3.3 ft Kevlar®* reinforced*	169.40 169.40	140.00 140.00
CC 515 IP 504015 72	Extremely robust single-sided wideband headse *150 Hz – 6.800 Hz • 150 Hz – 6.800 Hz • Max. 103 dB limited by ActiveGard™ • < 1% • 1 m / 3.3 ft Kevlar®* reinforced (*Kevlar® is a trademark of Dupont)*	169.40 169.40	140.00 140.00
CC 520 005358 72	Over the head, binaural headse *300 Hz - 3400 Hz • 300 - 3400 Hz • 103 dB • < 1% • 1 m / 3.3 ft Kevlar®* reinforced (*Kevlar® is a trademark of Dupont)*	193.60	160.00
CC 520 IP 504016 72	Durable ultra-noise-cancelling headset *150 Hz – 6.800 Hz • 150 Hz – 6.800 Hz • Max. 103 dB limited by ActiveGard™ • < 1% • 1 m / 3.3 ft Kevlar®* reinforced*	193.60 193.60	160.00 160.00
CC 530 005359 72	2-in-1 solution, monoaural headset *300 Hz - 3400 Hz • 300 - 3400 Hz • Max. 103 dB limited by ActiveGard™ • < 1% • 1 m / 3.3 ft Kevlar®* reinforced (*Kevlar® is a trademark of Dupont)*	205.70	170.00
CC 540 005360 72	Over the head, binaural headset *300 Hz ? 3400 Hz • 300 - 3400 Hz • 103 dB • < 1% • 1 m / 3.3 ft Kevlar®* reinforced (*Kevlar® is a reg. trademark of DuPont)*	205.70	170.00
CC 550 005361 72	Over the head, binaural headset *300 Hz ? 3400 Hz • 300 - 3400 Hz • 103 dB • < 1% • 1 m / 3.3 ft Kevlar®* reinforced*	217.80	180.00
CC 550 IP 504017 72	Professional ultra-noise-cancelling double-sided headset *150 Hz – 6.800 Hz • 150 Hz – 6.800 Hz • Max. 103 dB limited by ActiveGard© • < 1% • 1 m / 3.3 ft Kevlar®* reinforced*	217.80 217.80	180.00 180.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SC 230 504401 *72*	SC 230 - The efficient working tool *150 - 6800 Hz • 150 - 6800 Hz • max. 103 dB • Noise Cancelling • 1 m*	114.95 114.95	95.00 95.00
SC 230 USB 504403 *72*	Sennheiser HD voice clarity – wideband sound for natural listening experiences *150 Hz – 6,800 Hz • 150 Hz – 6,800 Hz • Max. 113 dB limited by ActiveGard™ • 2.9 m / 9.5 ft • 58g*	114.95 114.95	95.00 95.00
SC 230 USB CTRL 504405 *72*	single-sided headset with USB and call control *150 Hz – 6,800 Hz • 150 Hz – 6,800 Hz • Max. 113 dB limited by ActiveGard™ • 2.9 m / 9.5 ft • 58g*	133.10 133.10	110.00 110.00
SC 230 USB ML 504407 *72*	single-sided headset, optimized for Microsoft Lync *150 Hz – 6800 Hz • Max. 113 dB limited by ActiveGard™ • 2.9 m / 9.5 ft • 58 g • Headband*	133.10 133.10	110.00 110.00
SC 232 504409 *72*	single-sided headset with ED *150 Hz – 6,800 Hz • Max. 104 dB limited by ActiveGard™ • 1 m / 3.3 ft • 58g • ~55 Ω*	114.95 114.95	95.00 95.00
SC 260 504402 *72*	dual-sided headset with ED *150 - 6800 Hz • 150 Hz – 6,800 Hz • 103 dB limited by ActiveGard™ • Noise-canceling • 1 m / 3.3 ft*	145.20 145.20	120.00 120.00
SC 260 USB 504404 *72*	dual-sided headset with USB *150 Hz – 6,800 Hz • 150 Hz – 6,800 Hz • Max. 113 dB limited by ActiveGard™ • 1 m / 3.3 ft • 86g*	145.20 145.20	120.00 120.00
SC 260 USB CTRL 504406 *72*	dual-sided headset with USB and call control *150 Hz – 6,800 Hz • 150 Hz – 6,800 Hz • Max. 113 dB limited by ActiveGard™ • 2.9 m / 9.5 ft • 86g*	163.35 163.35	135.00 135.00
SC 260 USB ML 504408 *72*	dual-sided headset, optimized for Microsoft Lync *150 Hz – 6,800 Hz • 150 Hz – 6,800 Hz • Max. 113 dB limited by ActiveGard™ • 2,9 m / 9,5 ft • 86 g*	163.35 163.35	135.00 135.00
SC 262 504410 *72*	dual-sided headset with ED *150 Hz – 6,800 Hz • Max. 104 dB limited by ActiveGard™ • 1 m / 3.3 ft • 86g • ~55 Ω*	145.20 145.20	120.00 120.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SC 30 USB CTRL 504548 72	Single-sided wideband headset *Multimedia: 60 Hz – 16 kHz • Max. 113 dB limited by ActiveGard™ • 2.1 m / 6.89 ft • 82 g / 2.87 oz • communication/telecommunication: 150 Hz – 6.800 Hz (Wideband)*	60.50 60.50	50.00 50.00
SC 30 USB ML 504546 72	Single-sided wideband headset optimized for Microsoft Lync *60 Hz – 16 kHz • Max. 113 dB limited by ActiveGard™ • 2.1 m / 6.89 ft • 82 g / 2.87 oz • 150 Hz – 6.800 Hz (Wideband)*	60.50 60.50	50.00 50.00
SC 60 USB CTRL 504549 72	Dual-sided headset optimized for Microsoft Lync *multimedia: 60 Hz – 16 kHz • Max. 113 dB limited by ActiveGard™ • 2,1 m / 6,89 ft • 106 g / 3.71 oz • communication/telecommunication: 150 Hz – 6.800 Hz (Wideband)*	72.60 72.60	60.00 60.00
SC 60 USB ML 504547 72	Dual-sided headset optimized for Microsoft Lync *60 Hz – 16 kHz • Max. 113 dB limited by ActiveGard™ • 2.1 m • 106 g / 3.71 oz • 150 Hz – 6.800 Hz (Wideband)*	72.60 72.60	60.00 60.00
SH 230 500222 72	Over the head, monoaural headset *300 Hz - 3.400 Hz • 300 Hz - 3.400 Hz • max. 104 dB limited by ActiveGard • < 1% • 1 m / 3.3 ft Kevlar reinforced*	107.69 107.69	89.00 89.00
SH 230 IP 504012 72	Lightweight wideband headset packed with safety and comfort *monaural (single sided) • 150 Hz – 6.800 Hz • 150 Hz - 6.800 Hz • Max. 103 dB limited by ActiveGard™ • < 1%*	107.69 107.69	89.00 89.00
SH 230 IP USB 504011 72	Premium computer sound single-sided headset *150 Hz – 6.800 Hz • Max. 103 dB limited by ActiveGard™ • < 1% • 3 m / 9.9 ft Kevlar®* reinforced • ~180 Ω*	127.05 127.05	105.00 105.00
SH 250 500223 72	Over the head, binaural headset *300 Hz - 3400 Hz • 300 Hz - 3400 Hz • Max. 103 dB limited by ActiveGard • < 1% • 1 m / 3.3ft Kevlar reinforced*	143.99 143.99	119.00 119.00
SH 300 502177 72	Ultra light independent over-the-ear headset *300 Hz - 3400 Hz • 1 m / 3.3 ft Kevlar®* reinforced • 29 g / 0.67 oz • Over-the-ear (left or right ear) • 3 adjustment speaker rings*	145.20 145.20	120.00 120.00
SH 330 005354 72	Over the head, monoaural headset *300 Hz - 3400 Hz • 300 Hz - 3400 Hz • Max. 103 dB limited by ActiveGard™ • < 1% • 1 m / 3.3 ft Kevlar®* reinforced*	145.20	120.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SH 330 IP 504013 72	Stylish and quality all-round single-sided office headset *150 Hz – 6.800 Hz • 150 Hz - 6.800 Hz • Max. 103 dB limited by ActiveGard™ • < 1% • 1 m / 3.3 ft Kevlar®* reinforced*	145.20 145.20	120.00 120.00
SH 335 500631 72	2-in-1 solution ear clip or monaural ear piece headset *100 Hz - 4500 Hz • 300 Hz - 3400 Hz • Max. 103 dB limited by ActiveGard™ • < 1% • 1 m / 3.3 ft Kevlar®* reinforced*	169.40 169.40	140.00 140.00
SH 338 iP 504178 72	Wideband quality with call control *dynamic • monaural (single-sided) • 150 - 6800 Hz • 150 Hz – 6800 Hz • Max. 103 dB limited by ActiveGard™*	169.40 169.40	140.00 140.00
SH 350 005356 72	Over the head, binaural headset *300 Hz - 3400 Hz • 300 Hz - 3400 Hz • Max. 104 dB SPL begrenzt durch ActiveGard™ • < 1% • 1 m / 3.3 ft Kevlar®* reinforced*	181.50	150.00
SH 350 IP 504014 72	Double-sided headset with noise-cancelling microphone *150 Hz – 6.800 Hz • 150 Hz – 6.800 Hz • max. 103 dB by ActiveGard™ • < 1% • 1 m / 3.3 ft Kevlar®* verstärkt*	181.50 181.50	150.00 150.00
SH 358 iP 504179 72	Wideband quality with call control *150 - 6800 Hz • 150 - 6800 Hz • Max. 103dB limited by ActiveGard™ • Noise Cancelling • < 1%*	205.70 205.70	170.00 170.00
HEADSET ACCESSORIES			
BW 900 Travel Kit 502525 72	Charger kit for BW 900 *dynamic • circumaural • 18 - 20000 Hz • 18 Hz - 21000 Hz • 120 dB*	57.84	47.80
Cable D-3PTT -M 500930 62	Cable with PTT and mini DIN plug • 1,85 m • HMD 46	254.10 254.10	210.00 210.00
Cable E-3PTT - M 500931 62	Cable with PTT and mini DIN plug • 1,85 m • HME 46	254.10 254.10	210.00 210.00
Cable -PTT -6 500844 62	Cable open ended with PTT button • 1,85 m • HMD / E 46	258.94 258.94	214.00 214.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
Cable -PTT -L 500845 *62*	Cable with PTT and LEMO connector FFP.3S.310. CLA.252A • 1,85 m • HMD / E 46	417.45 417.45	345.00 345.00
Cable -PTT - LA 502187 *62*	Cable with PTT and LEMO connector FHG.2B.310.CLAD52Z • 1,85 m • HMD / E 46	429.55 429.55	355.00 355.00
Cable-6 500836 *62*	Cable open ended • 1,85 m • HMD / E 46	71.39 71.39	59.00 59.00
Cable-7 502360 *62*	Unterminated steel wire cable • twin cable (can be used with two connectors) • 2 m	71.39 71.39	59.00 59.00
Cable-B-7 502470 *63*	steel cable, with battery control unit, open ended, 2 m length	229.90 229.90	190.00 190.00
Cable-H-6 502533 *63*	Unterminated coiled copper cable • 3 m	84.70 84.70	70.00 70.00
Cable-H-X3K1 502456 *63*	Coiled copper cable with XLR-3 male connector and _" jack • 3 m	96.80 96.80	80.00 80.00
Cable-H-X4F 502457 *63*	Coiled copper cable with XLR-4Fem connector • 3 m	96.80 96.80	80.00 80.00
Cable-H-X5 502458 *63*	Coiled copper cable with XLR-5 male connector • 3 m	96.80 96.80	80.00 80.00
Cable-X3K1 502459 *63*	Steel wire cable with XLR-3 male connector and _" jack • 2 m	102.85 102.85	85.00 85.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
Cable-X3K1-P48 502460 *63*	Steel wire cable with XLR-3 male connector and _" jack with P48 Phantom • 2 m	181.50 181.50	150.00 150.00
Cable-X4F 502461 *63*	Steel wire cable with XLR-4Fem connector • 2 m	84.70 84.70	70.00 70.00
Cable-X5 502462 *63*	Steel wire cable with XLR-5 male connector • 2 m	102.85 102.85	85.00 85.00
DW BS - EU Basestation 504330 *72*	DW Base set, DECT CAT-iq, for desk phone and PC, inluding base station, EU power supply, cables, safety guide (no headset). Delivery only on demand - 3 month lead time	235.95 235.95	195.00 195.00
DW Office headset 504324 *72*	DECT Wireless Office headset with accessories	192.39 192.39	159.00 159.00
DW Office PRO1 headset 504325 *72*	DECT Wireless Office headset with accessories	204.49 204.49	169.00 169.00
DW Office PRO2 headset 504326 *72*	DECT Wireless Office headset with accessories	216.59 216.59	179.00 179.00
HZK 01 92831 *71*	Headband pad PC151 / 156 *dynamic • circumaural • 18 - 20000 Hz • 18 Hz - 21000 Hz • 120 dB*	11.95	09.88
HZK 04 96969	Headband pad leatherette PC151 / 156	19.95 19.95	16.49 16.49
HZP 07 92827 *71*	Foam earpads for PC111 *dynamic • circumaural • 18 - 20000 Hz • 18 Hz - 21000 Hz • 120 dB*	07.95	06.57

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
HZP 08 92828 *71*	Foam earpads for PC121 *dynamic • circumaural • 18 - 20000 Hz • 18 Hz - 21000 Hz • 120 dB*	07.95	06.57
HZP 10 92830 *71*	Ring earpads for PC151 / 156 *dynamic • circumaural • 18 - 20000 Hz • 18 Hz - 21000 Hz • 120 dB*	11.95	09.88
HZP 13 500786 *71*	Ring earpad PC161 / PC166 *dynamic • circumaural • 18 - 20000 Hz • 18 Hz - 21000 Hz • 120 dB*	14.52	12.00
HZP 15 502895 *71*	Foam earpad for PC 350 *dynamic • circumaural • 18 - 20000 Hz • 18 Hz - 21000 Hz • 120 dB*	25.41	21.00
HZP 17 504065 *72*	Foam earpaf for PC series *dynamic • circumaural • 18 - 20000 Hz • 18 Hz - 21000 Hz • 120 dB*	07.26	06.00
NO IMAGE **PCV 01** 92826 *71*	Volume control/mute for PC111 / 121	23.95 24.35	19.79 20.13
PS 01 91540 *72*	Popshield (microphone windscreen) *dynamic • circumaural • 18 - 20000 Hz • 18 Hz - 21000 Hz • 120 dB*	02.78	02.30
NO IMAGE **UU SB1 4** 5374 *71*	USB cable: 2 x 3,5mm plug to USB connector To be used as direct connection to USB source	71.39 71.39	59.00 59.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MUSIC & RECORDING			
e 602-II 500797 *44*	Cardioid bass instrument microphone *20 - 16000 Hz • cardioid • 350 Ω • Ø 60 x 153 mm • 318 g*	192.39 192.39	159.00 159.00
e 604 004519 *44*	Cardioid mic for close-miking drums, brass and woodwind instruments *cardioid • 350 Ω • 60 g • Ø 33 x 59 mm • 60 g*	156.09 156.09	129.00 129.00
e 608 004520 *44*	Very small dynamic microphone, full-size sound quality *super-cardioid • 250 Ω • 20 g • Ø 17 x 185 mm • 20 g*	192.39 192.39	159.00 159.00
e 609 Silver 500074 *44*	Super-cardioid e 609 silver instrument microphone *super-cardioid • 350 Ohm • 55 x 34 x 134 mm • 140 g • 40.....15000 Hz*	156.09 156.09	129.00 129.00
e 614 009895 *44*	A pre-polarized condenser instrument microphone with super-cardioid pick-up pattern *pre-polarised condenser microphone • 40 - 20000 Hz • super-cardioid • 50 Ω • 93 g*	216.59 216.59	179.00 179.00
e 835 004513 *44*	Cardioid vocal microphone *cardioid • 350 Ω • 330 g • Ø 48 x 180 mm • 330 g*	107.69 107.69	89.00 89.00
e 835 fx 505681 *44*	Cardioid vocal microphone with Mic Control™ *Dynamic • 40 Hz to 18.000 Hz • cardioid • 350 Ohm • 372 g*	107.69 107.69	89.00 89.00
e 835-S 004514 *44*	Variant of e 835 with noiseless on/off switch *dynamic • 40.....16000 Hz • cardioid • 350 Ohm • Ø 48 x 180 mm*	107.69 107.69	89.00 89.00
e 845 004515 *44*	Super-cardioid high output vocal microphone *super-cardioid • 350 Ω • 330 g • Ø 46 x 185 mm • 330 g*	131.89 131.89	109.00 109.00
e 845-S 004516 *44*	Variant of e 845 with noiseless on/off switch *super-cardioid • 350 Ω • 330 g • Ø 46 x 185 mm • 330 g*	131.89 131.89	109.00 109.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	VAT Excl. BELUX NL
e 865 004846 *44*	Permanently Polarized Condenser Microphone *super-cardioid • 200 Ω • 311 g • Ø 47 x 193 mm • 311 g*	277.09 277.09	229.00 229.00
e 865-S 004847 *44*	Variant of e 865 with noiseless on/off switch *super-cardioid • 200 Ω • 311 g • Ø 47 x 193 mm • 311 g*	277.09 277.09	229.00 229.00
e 901 500198 *44*	Half-cardioid condenser boundary layer mic with integrated amp. *20 - 20000 Hz • half-cardioid • < 100 Ω • 126,5 x 105 x 26,5 mm • 550 g*	337.59 337.59	279.00 279.00
e 902 500199 *44*	Cardioid dynamic bass instr. mic *20 - 16000 Hz • cardioid • 350 Ω • 128,5 x 60 mm • 440 g*	240.79 240.79	199.00 199.00
e 904 500200 *44*	Cardioid dynamic instr. mic specially designed for drums *40 - 18000 Hz • cardioid • 350 Ω • 63 x 41 mm • 125 g*	192.39 192.39	159.00 159.00
e 906 500202 *44*	Supercardioid dynamic instr. mic for guitar amp. *40 - 18000 Hz • super-cardioid • 350 Ω • 55 x 34 x 134 mm • 140 g*	216.59 216.59	179.00 179.00
e 908 B 500203 *44*	The e 908 B condenser instrument microphone was specially designed for brass instruments. Comes with multifunctional MZH 908 B horn clamp. *40 - 20000 Hz • cardioid • 100 Ohm (e908B & e908D) • Ø 47 x 193 mm • ca. 140 g*	325.49 325.49	269.00 269.00
e 908 B-ew 500204 *44*	Wireless version of the e 908 B, without phantom power adaptor, for use with any evolution wireless bodypack/instrument transmitter. The e 908 B ew has been designed for saxophones. For miking trumpets, trombones and flugelhorns, we would recommend using the e 908 T ew, which has a lower sensitivity. *40 - 20000 Hz • cardioid • 100 Ohm (e908B & e908D) • Ø 47 x 193 mm • ca. 140 g*	204.49 204.49	169.00 169.00
e 908 D 500205 *44*	The e 908 D condenser instrument microphone was specially designed for drums and percussion. Comes with multifunctional MZH 908 D drum clamp. *40 - 20000 Hz • cardioid • 100 Ohm (e908B & e908D) • Ø 47 x 193 mm • ca. 140 g*	325.49 325.49	269.00 269.00
e 908 T-ew 500632 *44*	Wireless version of the e 908, developed for trumpets, trombones and flugelhorns. The e 908 T ew can be used with any evolution wireless bodypack/instrument transmitter. For turning the e 908 T ew into a wired mic, please use the MZA 900 P phantom power adaptor (needs to be ordered separately). *40 - 20000 Hz • cardioid • 100 Ohm (e908B & e908D) • Ø 47 x 193 mm • ca. 140 g*	204.49 204.49	169.00 169.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
e 912 - BK 500647 *44*	Condenser boundary layer mic with integrated amp, black edition. *half-cardioid • < 100 Ohm • 126,5 x 105 x 26,5 mm • ca. 550 g • 1,1 mA*	363.00 363.00	300.00 300.00
e 912 S BK 500875 *44*	Condenser boundary layer mic with integrated amp, black edition. *half-cardioid • 126.5 x 105 x 26.5 mm • 550 g • < 100 Ohm • 2,8 mA*	363.00 363.00	300.00 300.00
e 914 500206 *44*	Condenser cardioid microphone for cymbals, hi-hat, choirs and orchestras *20 - 20000 Hz • cardioid • 100 Ω • Ø 24 x 157 mm • 198 g*	434.39 434.39	359.00 359.00
e 935 009421 *44*	Professional cardioid vocal microphone *cardioid • 350 Ω • 47 x 151 mm • 355 g • 40 - 18000 Hz*	228.69 228.69	189.00 189.00
e 945 009422 *44*	Professional super-cardioid vocal microphone *super-cardioid • 350 Ω • 47 x 186 mm • 365 g • 40 - 18000 Hz*	240.79 240.79	199.00 199.00
e 965 500881 *44*	Professional microphone with switchable pick up pattern *40 - 20.000 Hz • cardioid/super-cardioid, switchable • 50 Ω • 396 g • 0°C - +40°C*	603.79 603.79	499.00 499.00
epack e 835 502518 *44*	The epack e 835 provides all you need for your live performance. *cardioid • 350 Ω • 330 g • base: diam. 700 mm, height 845-1475 mm • 2,1 kg*	131.89 131.89	109.00 109.00
epack e 835 S 502519 *44*	The epack e 835 S provides all you need for your live performance. *cardioid • 350 Ω • 330 g • base: diam. 700 mm, height 845-1475 mm • 2,1 kg*	131.89 131.89	109.00 109.00
MK 4 504298 *44*	Large-diaphragm studio microphone (1") in true condenser design *20 Hz - 20 kHz • Cardioid • ca. 50 Ω • 160 x 57 mm (L x D) • 485 g*	361.79 361.79	299.00 299.00
MK 8 506195 *44*	MK 8 studio microphone - five independant polar patterns *externally polarised condenser microphone, 1" diaphragm • 20 Hz – 20 kHz • Switchable: omni-directional, wide cardioid, cardioid, super-cardioid, figure-of-eight • 50 Ohms • 160 x 57 mm (L x D)*	765.33 765.33	632.50 632.50

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
CLASSIC MICROPHONES			
MD 21-U 000292 *41*	Reporter's microphone *omni-directional • 200 Ω • 137 x 65 x 67 mm • ca. 280 g • 40 - 18000 Hz*	567.49 567.49	469.00 469.00
MD 421 II 000984 *41*	Dynamic mic, optimal for recording drums, guitars, many other instruments and even group vocals *cardioid • 200 Ω • 215 x 46 x 49 mm • 385 g • 30 - 17000 Hz*	482.79 482.79	399.00 399.00
MD 431 II 001605 *41*	Dynamic mic for live vocals *super-cardioid • 250 Ω • Ø 49 x 200 mm • ca. 230 g • 40 - 18000 Hz*	543.29 543.29	449.00 449.00
MD 441-U 000762 *41*	Dynamic studio microphone (super-cardioid) *super-cardioid • 200 Ω • 270 x 33 x 36 mm • ca. 450 g • 30 - 20000 Hz*	966.79 966.79	799.00 799.00
REPORTER'S MICROPHONES			
MD 21-U 000292 *41*	Reporter's microphone *omni-directional • 200 Ω • 137 x 65 x 67 mm • ca. 280 g • 40 - 18000 Hz*	567.49 567.49	469.00 469.00
MD 42 005173 *41*	High-quality reporter's microphone with an omni-directional pick-up pattern *40 ... 18 000 Hz • omni-directional • 350 Ω • 360 g • 49 x 250 mm*	302.50 302.50	250.00 250.00
MD 46 005172 *41*	Dynamic reporter's microphone *40 - 18000 Hz • cardioid • 350 Ω • Ø 49 x 250 mm • 360 g*	302.50 302.50	250.00 250.00
MKE 400 502047 *42*	Small shot gun microphone for semi-professional use *40 - 20000 Hz • super-cardioid, lobar • approx. 200 mm • 130 x 21 x 62 mm • approx. 60 g*	220.83 220.83	182.50 182.50
MKE 44-P 003330 *42*	Elektret Stereo microphone. *2 x cardioid • 250 Ω • 125 g • d 44 x 90, Griff d 24 mm • 125 g*	845.79 845.79	699.00 699.00
MKE 600 505453 *42*	Professional shotgun microphone with excellent directivity, ideal for video journalists *40 Hz to 20 kHz • diameter 20 mm, length 256 mm • 128 g (without battery) • approx. 150 hrs • 48 V +/- 4V (P48, IEC 61938) or battery/rechargeable batt. 1,5V/1,2V AA size*	361.79 361.79	299.00 299.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
HEADSET MICROPHONES			
Ear Set 1-4 black lemo 504230 *44*	Ear-worn microphone with omni-directional MKE 1 capsule: Black with lemo connector *20.....20.000 Hz ± 3 dB • omni-directional • 1 kΩ • 1,6 m • 2,3 g*	544.50 544.50	450.00 450.00
Ear Set 1-4-3 beige lemo 504231 *44*	Ear-worn microphone with omni-directional MKE 1 capsule: Beige with lemo connector *20.....20.000 Hz ± 3 dB • omni-directional • 1 kΩ • 1,6 m • 2,3 g*	544.50 544.50	450.00 450.00
Ear Set 1-ew black TRS 504232 *44*	Ear-worn microphone with omni-directional MKE 1 capsule: Black with TRS connector *20.....20.000 Hz ± 3 dB • omni-directional • 1 kΩ • 1,6 m • 2,3 g*	543.29 543.29	449.00 449.00
Ear Set 1-ew-3 beige TRS 504233 *44*	Ear-worn microphone with omni-directional MKE 1 capsule: Black with TRS connector *20.....20.000 Hz ± 3 dB • omni-directional • 1 kΩ • 1,6 m • 2,3 g*	543.29 543.29	449.00 449.00
Ear Set 4-4 black lemo 504234 *44*	Ear-worn microphone with omni-directional cardioid HSP 4 capsule: Black with lemo connector *40 ..... 20.000 Hz ± 3 dB • cardioid • 1 kΩ (at 1 kHz) • 1,6 m • 4,6 g*	544.50 544.50	450.00 450.00
Ear Set 4-4-3 beige lemo 504235 *44*	Ear-worn microphone with omni-directional cardioid HSP 4 capsule: Beige with lemo connector *40 ..... 20.000 Hz ± 3 dB • cardioid • 1 kΩ (at 1 kHz) • 1,6 m • 4,6 g*	544.50 544.50	450.00 450.00
Ear Set 4-ew black TRS 504236 *44*	Ear-worn microphone with omni-directional cardioid HSP 4 capsule: Black with TRS connector *40 ..... 20.000 Hz ± 3 dB • cardioid • 1 kΩ (at 1 kHz) • 1,6 m • 4,6 g*	543.29 543.29	449.00 449.00
Ear Set 4-ew-3 beige TRS 504237 *44*	Ear-worn microphone with omni-directional cardioid HSP 4 capsule: Beige with TRS connector *40 ..... 20.000 Hz ± 3 dB • cardioid • 1 kΩ (at 1 kHz) • 1,6 m • 4,6 g*	543.29 543.29	449.00 449.00
HS 2 beige TRS BNHS2-EW-BEIGE *88*	Omni-directional condenser headset microphone beige, with TRS connector *omni-directional • 1000 Ohm • 1,6 m • 142 dB • 26 dB(A)*	459.80 459.80	380.00 380.00
HS 2 black lemo 005336 *42*	Omni-directional condenser headset microphone: Lemo Black *omni-directional • 1000 Ohm • 1,6 m • 34,4 g • 142 dB*	543.29 543.29	449.00 449.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
HS 2 black TRS BNHS2-EW-BLACK *88*	Omni-directional condenser headset microphone black, with TRS connector *omni-directional • 1000 Ohm • 1,6 m • 142 dB • 26 dB(A)*	459.80 459.80	380.00 380.00
HS 2-1-5 beige open 500219 *42*	Omni-directional condenser headset microphone: Open end beige *omni-directional • 1000 Ohm • 1,6 m • 34,4 g • 142 dB*	543.29 543.29	449.00 449.00
HS 2-5 black open 500218 *42*	Omni-directional condenser headset microphone: Open end black *omni-directional • 1000 Ohm • 1,6 m • 34,4 g • 142 dB*	543.29 543.29	449.00 449.00
HS 2-P black phantom BNHS2-P *42*	Omni-directional condenser headset microphone: Black with phantom powering adapter *omni-directional • 1000 Ohm • 1,6 m • 142 dB • 26 dB(A)*	605.00 605.00	500.00 500.00
HSP 2 black lemo 009862 *44*	High-quality polarized condenser headmic with omni-directional pick-up pattern: Black lemo connector *20 - 20000 Hz • omni-directional • 1000 Ω • 1,6 m microphone head • 4,5-15 V*	659.45 659.45	545.00 545.00
HSP 2-3 beige lemo 009863 *44*	High-quality polarized condenser headmic with omni-directional pick-up pattern: Beige lemo connector *20 - 20000 Hz • omni-directional • 1000 Ω • 1,6 m microphone head • 4,5-15 V*	659.45 659.45	545.00 545.00
HSP 2-3-M beige lemo 500690 *44*	High-quality polarized condenser headmic with omni-directional pick-up pattern: Beige lemo connector with shorter boom and smaller headband. *20 - 20000 Hz • omni-directional • 1000 Ω • 1,6 m microphone head • 4,5-15 V*	623.15 623.15	515.00 515.00
HSP 2-EW black TRS 009866 *44*	High-quality polarized condenser headmic with omni-directional pick-up pattern: Black steel wire cable with TRS connector *20 - 20000 Hz • omni-directional • 1000 Ω • 1,6 m microphone head • 4,5-15 V*	659.45 659.45	545.00 545.00
HSP 2-EW-3 beige TRS 009872 *44*	High-quality polarized condenser headmic with omni-directional pick-up pattern: Beige wire cable with TRS connector *20 - 20000 Hz • omni-directional • 1000 Ω • 1,6 m microphone head • 4,5-15 V*	659.45 659.45	545.00 545.00
HSP 2-EW-3-M beige TRS 500692 *44*	High-quality polarized condenser headmic with omni-directional pick-up pattern: Beige wire cable with TRS connector, with shorter boom and smaller headband. *20 - 20000 Hz • omni-directional • 1000 Ω • 1,6 m microphone head • 4,5-15 V*	659.45 659.45	545.00 545.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
HSP 2-EW-M black TRS 500693 *44*	High-quality polarized condenser headmic with omni-directional pick-up pattern: Black steel wire cable with TRS connector, with shorter boom and smaller headband. *20 - 20000 Hz • omni-directional • 1000 Ω • 1,6 m microphone head • 4,5-15 V*	659.45 659.45	545.00 545.00
HSP 2-M black lemo 500694 *44*	High-quality polarized condenser headmic with omni-directional pick-up pattern: Black lemo connector with shorter boom and smaller headband. *20 - 20000 Hz • omni-directional • 1000 Ω • 1,6 m microphone head • 4,5-15 V*	623.15 623.15	515.00 515.00
HSP 4 black lemo 009864 *44*	High-quality pre-polarized condenser headmic with cardioid pick-up pattern: Black with lemo connector *40 - 20 000 Hz • cardioid • 1000 Ω • 1,6 m Microphone • 4,5 - 15 V*	659.45 659.45	545.00 545.00
HSP 4-3 beige lemo 009865 *44*	High-quality pre-polarized condenser headmic with cardioid pick-up pattern: Beige with lemo connector *40 - 20 000 Hz • cardioid • 1000 Ω • 1,6 m Microphone • 4,5 - 15 V*	659.45 659.45	545.00 545.00
HSP 4-5-M black open 500697 *44*	High-quality pre-polarized condenser headmic with cardioid pick-up pattern: Black with open end cable but with shorter microphone boom and smaller neckband. *40...20 000 Hz • cardioid • 1000 Ohm • 1,6 m Microphone • 4,5-15 V*	623.15 623.15	515.00 515.00
HSP 4-EW black TRS 009867 *44*	High-quality pre-polarized condenser headmic with cardioid pick-up pattern: Black with TRS connector *40 - 20 000 Hz • cardioid • 1000 Ω • 1,6 m Microphone • 4,5 - 15 V*	659.45 659.45	545.00 545.00
HSP 4-EW-3 beige TRS 009873 *44*	High-quality pre-polarized condenser headmic with cardioid pick-up pattern: Beige with TRS connector *40 - 20 000 Hz • cardioid • 1000 Ω • 1,6 m Microphone • 4,5 - 15 V*	659.45 659.45	545.00 545.00
HSP 4-EW-3-M beige TRS 500698 *44*	High-quality pre-polarized condenser headmic with cardioid pick-up pattern: Beige with TRS connector but with shorter microphone boom and smaller neckband. *40 - 20 000 Hz • cardioid • 1000 Ω • 1,6 m Microphone • 4,5 - 15 V*	659.45 659.45	545.00 545.00
HSP 4-EW-M black TRS 500699 *44*	High-quality pre-polarized condenser headmic with cardioid pick-up pattern: Black with TRS connector but with shorter microphone boom and smaller neckband. *40 - 20 000 Hz • cardioid • 1000 Ω • 1,6 m Microphone • 4,5 - 15 V*	659.45 659.45	545.00 545.00
HSP 4-M black lemo 500700 *44*	High-quality pre-polarized condenser headmic with cardioid pick-up pattern: Black with lemo connector with shorter microphone boom and smaller neckband. *40 - 20 000 Hz • cardioid • 1000 Ω • 1,6 m Microphone • 4,5 - 15 V*	623.15 623.15	515.00 515.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ME 3 EXTREME black BN ME3 EXTREME BL *88*	Extreme headset microphone for aerobics. Permanent polarized condenser elektret. Black *Electret Condenser • 1.5 m • 25 grams • 125 dB • 50 Hz - 18 Khz*	180.29 180.29	149.00 149.00
ME 3 EXTREME yellow BNME3EXTREMEYEL *88*	Extreme headset microphone for aerobics. Permanent polarized condenser elektret. Yellow *Electret Condenser • 1.5 m • 25 grams • 125 dB • 50 Hz - 18 Khz*	180.29 180.29	149.00 149.00
ME 3-ew black TRS 503155 *21*	Headset microphone for singers and speakers (cardiod) *Cardioid • 1.6m • 150 dB • electret • 3.5 mm jack*	192.39 192.39	159.00 159.00
LAVALIER MICROPHONES			
ME 102 003837	Modular mini-microphone series, omni-directional. General specifications. *omni-directional • 1000 Ω • 1 g • d 6 x 12 mm • ca. 250 µA*	165.00 165.00	136.36 136.36
ME 102-NI 003838 *42*	ME 102 modular mini-microphone nickel. *omni-directional • 1000 Ω • 1 g • d 6 x 12 mm • ca. 250 µA*	240.79 240.79	199.00 199.00
ME 104 - ANT 004227 *42*	Cardioid miniature microphone, modular, anthracite *cardioid • 1000 Ω • 1 g • d 6 x 12 mm • ca. 250 µA*	264.99 264.99	219.00 219.00
ME 104-NI 004228 *42*	Cardioid miniature microphone, modular, nickel *cardioid • 1000 Ω • 1 g • d 6 x 12 mm • ca. 250 µA*	264.99 264.99	219.00 219.00
ME 105-ANT 005301 *42*	ME 105 modular mini-microphone system, anthracite *100 - 20000 Hz • super-cardioid • 800 Ω • Ø 6 x 12 mm • 1 g*	277.09 277.09	229.00 229.00
ME 105-NI 005302 *42*	ME 105 modular mini-microphone system, nickel *100 - 20000 Hz • super-cardioid • 800 Ω • 1 g • Ø 6 x 12 mm*	277.09 277.09	229.00 229.00
ME 2 083241 *89*	Permanently polarized Condenser Microphone *omni-directional • 1,6 m • 7,5 V • d 6,5 mm • 130 dB*	156.09 156.09	129.00 129.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ME 2 US 005213 *21*	Permanently polarized Condenser Microphone *omni-directional • 1,6 m • 7,5 V • d 6,5 mm • 130 dB*	143.99 143.99	119.00 119.00
ME 4 005020 *21*	Permanently polarized Condenser Microphone *cardioid • 1,6 m • 7,5 V • Ø 12.5 mm • 120 dB*	156.09 156.09	129.00 129.00
MKE 1 black lemo 502167 *42*	Miniature lavalier microphone: MKE 1 black, incl. 3-pol Lemo connector, 1,6m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	423.50 423.50	350.00 350.00
MKE 1-4-1 white lemo 502833 *42*	Miniature lavalier microphone: MKE 1 white, incl. 3-pol Lemo connector, 1,6m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	423.50 423.50	350.00 350.00
MKE 1-4-2 brown lemo 502834 *42*	Miniature lavalier microphone: MKE 1 brown, incl. 3-pol Lemo connector, 1,6m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	423.50 423.50	350.00 350.00
MKE 1-4-3 beige lemo 502168 *42*	Miniature lavalier microphone: MKE 1 beige, incl. 3-pol Lemo connector, 1,6m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	423.50 423.50	350.00 350.00
MKE 1-4-M light beige paintable 502881 *42*	Miniature lavalier microphone: MKE 1 light beige, paintable, incl. 3-pol Lemo connector, 1,6m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	423.50 423.50	350.00 350.00
MKE 1-5 black open end 502046 *42*	Miniature lavalier microphone: MKE 1 black, open ended cable, 3m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	422.29 422.29	349.00 349.00
MKE 1-5-1 white open end 502835 *42*	Miniature lavalier microphone: MKE 1 white, open ended cable, 3m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	422.29 422.29	349.00 349.00
MKE 1-5-2 brown open end 502836 *42*	Miniature lavalier microphone: MKE 1 brown, open ended cable, 3m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	422.29 422.29	349.00 349.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MKE 1-5-3 beige open end 502169 *42*	Miniature lavalier microphone: MKE 1 beige, open ended cable, 3m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	422.29 422.29	349.00 349.00
MKE 1-5-M light beige paint. open end 502880 *42*	Miniature lavalier microphone: MKE 1 light beige, paintable, open ended cable, 3m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	423.50 423.50	350.00 350.00
MKE 1-EW black TRS 502876 *42*	Miniature lavalier microphone: MKE 1 black, incl. TRS connector, 1,6m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	422.29 422.29	349.00 349.00
MKE 1-EW-1 white TRS 502877 *42*	Miniature lavalier microphone: MKE 1 white, incl. TRS connector, 1,6m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	422.29 422.29	349.00 349.00
MKE 1-EW-2 brown TRS 502878 *42*	Miniature lavalier microphone: MKE 1 brown, incl. TRS connector, 1,6m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	422.29 422.29	349.00 349.00
MKE 1-EW-3 beige TRS 502879 *42*	Miniature lavalier microphone: MKE 1 beige, incl. TRS connector, 1,6m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	422.29 422.29	349.00 349.00
MKE 1-EW-M light beige paint. TRS 504637 *42*	Miniature lavalier microphone: MKE 1 light beige, paintable, incl. TRS connector, 1,6m *20 - 20000 Hz ± 2,5 dB • Omni-directional • 1000 Ω • -4 and -4-3: 1,6 m; -5 and -5-3: 3 m • 0,1 g*	422.29 422.29	349.00 349.00
MKE 2-60 GOLD-C 004733 *42*	Sub-miniature clip-on lavalier microphone suitable for K6/K6-P powering modules, cable length 3 m, black *omni-directional • 1000 Ω • 1,6 m • 7,5 V • d 4,8 mm*	277.09 277.09	229.00 229.00
MKE 2-EW GOLD 009831 *21*	Sub-miniature clip-on lavaliere microphone with TRS-connector for EW-series, cable length 1.6 m, black incl. MZW 2 and MZQ 2 *omni-directional • 1000 Ω • 1,6 m • 7,5 V • d 4,8 mm*	337.59 337.59	279.00 279.00
MKE 2-EW-3 GOLD 009832 *21*	Sub-miniature clip-on lavalier microphone with TRS-connector for EW-series, cable length 1.6 m, beige incl. MZW 2 and MZQ 2 *omni-directional • 1000 Ω • 1,6 m • 7,5 V • d 4,8 mm*	337.59 337.59	279.00 279.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MKE 2-P-C 004224 *42*	Sub-miniature clip-on lavalier microphone with XLR-3 plug incl. phantom power adapter, cable length 3 m, black *omni-directional • 1000 Ω • 1,6 m • 7,5 V • d 4,8 mm*	458.59 458.59	379.00 379.00
MKE 40-1053 004046 *42*	Clip-on microphone with cardioid pattern, with 1-pins Lemo connector. *40...20.000 Hz • cardioid • d=12mm, l=26mm • 118 dB (k=1%) • 42 mV/Pa - 3dB*	385.99 385.99	319.00 319.00
MKE 40-4 003579 *42*	Clip-on microphone with cardioid pattern, with 3-pins Lemo connector. *40 - 20000 Hz • cardioid • d=12mm, l=26mm • 118 dB (k=1%) • 42 mV/Pa +- 3dB*	514.25 514.25	425.00 425.00
MKE 40-EW 500527 *21*	Cardioid microphone for ew, available in different variants. *40 - 20000 Hz • cardioid • d=12mm, l=26mm • 118 dB (k=1%) • 42 mV/Pa +- 3dB*	385.99 385.99	319.00 319.00
MKE PLATINUM beige 005277 *42*	Permanently polarized Condenser Microphone, beige *omni • 1 kOhm • 1,6 m • 1 g • 18 kOhm/7,5 V*	399.30 399.30	330.00 330.00
MKE PLATINUM black 005276 *42*	Permanently polarized Condenser Microphone, black *omni • 1 kOhm • 1,6 m • 4,8 mm Durchmesser • 1 g*	399.30 399.30	330.00 330.00
MZ 1 504060 *42*	Accessory kit for MKE 1 microphone	119.79 119.79	99.00 99.00
MZ 2 004225 *42*	Accessory kit for MKE 2	42.35 42.35	35.00 35.00
MZA 900 P 500226 *44*	Phantom Power Adapter with lockable 3.5 mm jack socket (as evolution wireless) *20 - 20000 Hz (-1 dB) • 100 Ω • Ø 19/22 mm, L 100 mm • 60 g • -20.....+60 °C*	216.59 216.59	179.00 179.00
MZA 900 P-4 500872 *44*	Phantom powered pre-amplifier with lockable 3-pin special socket. *20 - 20000 Hz (-1 dB) • 100 Ω • Ø 19/22 mm, L 100 mm • 60 g • -20.....+60 °C*	242.00 242.00	200.00 200.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SPEECHLINE MICROPHONES			
ITK 14-40 PPT 505926 *53*	In-table kit contain: MZS 31 shock mount + MEG 14-40 goose-neck	262.09 262.09	216.60 216.60
ITK 34-40 PPT 505927 *42*	In-table kit contain: MZS 31 shock mount + MZH 3040 goose-neck + ME 34	375.89 375.89	310.65 310.65
ITK 35-40 PPT 505928 *42*	In-table kit contain: MZS 31 shock mount + MZH 3040 goose-neck + ME 35	375.89 375.89	310.65 310.65
ITK 36-40 PPT 505929 *42*	In-table kit contain: MZS 31 shock mount + MZH 3040 goose-neck + ME 36	467.85 467.85	386.65 386.65
KE 13-227-2 506257	KE 13-227-2, 25 pcs	1,179.45 1,179.45	974.75 974.75
KE 4-211 506253	KE 4-211, 200 pcs	3,893.78 3,893.78	3,218.00 3,218.00
KE 4-211-2 506254 *42*	KE 4-211-2, 200 pcs	6,534.00 6,534.00	5,400.00 5,400.00
KE 4-211-2I-1 506255	KE 4-211-2I-1, 200 pcs	5,916.90 5,916.90	4,890.00 4,890.00
KE 4-211-7 506256	KE 4-211-7, 200 pcs	4,767.40 4,767.40	3,940.00 3,940.00
MAS 1 B 505618 *53*	Rugged microphone button *Height: 81 mm (8 mm above surface), Diameter: 28.5 mm • 60 g • 1 ° ... +50 °C • LED ring: 3 mA • 12 V (1.5 mA max.)*	95.59 95.59	79.00 79.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MAS 1 G 505620 *53*	Rugged microphone button *Height: 81 mm (8 mm above surface), Diameter: 28.5 mm • 60 g • 1 ° ... +50 °C • LED ring: 3 mA • 12 V (1.5 mA max.)*	95.59 95.59	79.00 79.00
NO IMAGE **MAS 1 W** 505619 *53*	Rugged microphone button *Height: 81 mm (8 mm above surface), Diameter: 28.5 mm • 60 g • 1 ° ... +50 °C • LED ring: 3 mA • 12 V (1.5 mA max.)*	95.59 95.59	79.00 79.00
MAS 133 505621 *53*	Inline switch box for integrated mic solutions *150 x 44 x 44 mm (WxDxH) • 212 g • −10 ° - +50 °C • 4.5 mA • output voltage > 2.4 V*	156.09 156.09	129.00 129.00
NO IMAGE **MAT 133 B** 505622 *53*	Tablestand *120 x 170 x 43 mm (WxDxH) • 1,210 g • -10 ° - +50 °C • 1.9 mA • P 24 - P 48*	163.35 163.35	135.00 135.00
MAT 133 NX 505623 *53*	Tablestand *120 x 170 x 43 mm (WxDxH) • 1,210 g • -10 ° - +50 °C • 1.9 mA • P 24 - P 48*	163.35 163.35	135.00 135.00
NO IMAGE **MAT 133-S B** 505624 *53*	Tablestand *120 x 170 x 43 mm (BTH / WDH) • 1210 g • 3.7 mA • high level output voltage > 2.4 V, low level output voltage < 0.4 V • P 24 - P 48*	211.75 211.75	175.00 175.00
MAT 133-S NX 505625 *53*	Tablestand *120 x 170 x 43 mm (BTH / WDH) • 1210 g • 3.7 mA • high level output voltage > 2.4 V, low level output voltage < 0.4 V • P 24 - P 48*	211.75 211.75	175.00 175.00
ME 34 black 005060 *42*	Cardioid miniature microphone head black *cardoid • ø12 x L18 mm • approx. 3 oz • 50 Ω • 250 µA*	180.29 180.29	149.00 149.00
ME 34 nextel 500816 *42*	Cardioid miniature microphone head nextel *cardoid • ø12 x L18 mm • approx. 3 oz • 50 Ω • 250 µA*	180.29 180.29	149.00 149.00
ME 34 white 005061 *42*	Cardioid miniature microphone head white *cardoid • ø12 x L18 mm • approx. 3 oz • 50 Ω • 250 µA*	180.29 180.29	149.00 149.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ME 35 black 005063 *42*	Super-cardioid miniature microphone head black *super-cardioid • ø12 x L18 mm • approx. 3 oz • 50 Ω • 250 µA*	180.29 180.29	149.00 149.00
ME 35 nextel 500817 *42*	Super-cardioid miniature microphone head nextel *super-cardioid • ø12 x L18 mm • approx. 3 oz • 50 Ω • 250 µA*	180.29 180.29	149.00 149.00
ME 35 white 005064 *42*	Super-cardioid miniature microphone head white *super-cardioid • ø12 x L18 mm • approx. 3 oz • 50 Ω • 250 µA*	180.29 180.29	149.00 149.00
ME 36 black 005065 *42*	Short shotgun miniature microphone head black *super-cardioid / lobar • ø 8.2 x L96 mm • approx. 6 oz • 50 Ω • 250 µA*	277.09 277.09	229.00 229.00
ME 36 nextel 500818 *42*	Short shotgun miniature microphone head, nextel *super-cardioid / lobar • Ø 8.2 x L96 mm • approx. 6 oz • 50 Ω • 250 µA*	277.09 277.09	229.00 229.00
ME 36 white 005066 *42*	Short shotgun miniature microphone head white *super-cardioid / lobar • Ø 8.2 x L96 mm • approx. 6 oz • 50 Ω • 250 µA*	277.09 277.09	229.00 229.00
MEB 102 B 505600 *53*	Installation boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • omni-directional • 200 Ohm • Height: 83 mm (12 mm above surface), Diameter 28.5 mm*	192.39 192.39	159.00 159.00
MEB 102 G 505602 *53*	Installation boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • omni-directional • 200 Ohm • Height: 83 mm (12 mm above surface), Diameter 28.5 mm*	192.39 192.39	159.00 159.00
MEB 102 W 505601 *53*	Installation boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • omni-directional • 200 Ohm • Height: 83 mm (12 mm above surface), Diameter 28.5 mm*	192.39 192.39	159.00 159.00
MEB 102-L B 505603 *53*	Installation boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • omni-directional • 200 Ohm • Height: 83 mm (12 mm above surface), Diameter 28.5 mm*	204.49 204.49	169.00 169.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MEB 102-L G **505605** *53*	Installation boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • omni-directional • 200 Ohm • Height: 83 mm (12 mm above surface), Diameter 28.5 mm*	204.49 204.49	169.00 169.00
NO IMAGE **MEB 102-L W** **505604** *53*	Installation boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • omni-directional • 200 Ohm • Height: 83 mm (12 mm above surface), Diameter 28.5 mm*	204.49 204.49	169.00 169.00
NO IMAGE **MEB 104 B** **505606** *53*	Installation boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • cardioid • 200 Ohm • Height: 90 mm (19 mm above surface), Diameter:28.5 mm*	192.39 192.39	159.00 159.00
NO IMAGE **MEB 104 G** **505608** *53*	Installation boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • cardioid • 200 Ohm • Height: 90 mm (19 mm above surface), Diameter:28.5 mm*	192.39 192.39	159.00 159.00
NO IMAGE **MEB 104 W** **505607** *53*	Installation boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • cardioid • 200 Ohm • Height: 90 mm (19 mm above surface), Diameter:28.5 mm*	192.39 192.39	159.00 159.00
NO IMAGE **MEB 104-L B** **505609** *53*	Installation boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • cardioid • 200 Ohm • Height: 90 mm (19 mm above surface), Diameter:28.5 mm*	204.49 204.49	169.00 169.00
MEB 104-L G **505611** *53*	Installation boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • cardioid • 200 Ohm • Height: 90 mm (19 mm above surface), Diameter:28.5 mm*	204.49 204.49	169.00 169.00
NO IMAGE **MEB 104-L W** **505610** *53*	Installation boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • cardioid • 200 Ohm • Height: 90 mm (19 mm above surface), Diameter:28.5 mm*	204.49 204.49	169.00 169.00
NO IMAGE **MEB 114 B** **505612** *53*	On-table boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • cardioid • 200 Ohm • 85 x 100 x 25 mm (WxDxH)*	272.25 272.25	225.00 225.00
MEB 114 G **505614** *53*	On-table boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • cardioid • 200 Ohm • 85 x 100 x 25 mm (WxDxH)*	272.25 272.25	225.00 225.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MEB 114 W 505613 *53*	On-table boundary layer microphone *pre-polarized condenser microphone • 40 Hz – 20 kHz • cardioid • 200 Ohm • 85 x 100 x 25 mm (WxDxH)*	272.25 272.25	225.00 225.00
MEB 114-S B 505615 *53*	*pre-polarized condenser microphone • 40 Hz – 20 kHz • cardioid • 200 Ohm • 85 x 100 x 25 mm (WxDxH)*	332.75 332.75	275.00 275.00
MEB 114-S G 505617 *53*	*pre-polarized condenser microphone • 40 Hz – 20 kHz • cardioid • 200 Ohm • 85 x 100 x 25 mm (WxDxH)*	332.75 332.75	275.00 275.00
MEB 114-S W 505616 *53*	*pre-polarized condenser microphone • 40 Hz – 20 kHz • cardioid • 200 Ohm • 85 x 100 x 25 mm (WxDxH)*	332.75 332.75	275.00 275.00
MEG 14-40 B 504791 *53*	Gooseneck microphone with cardioid directivity *cardioid • L 450 mm (17,72") • 147 g (4,72 oz) • 0 ... +40°C • < 100 Ohm*	228.69 228.69	189.00 189.00
MEG 14-40-L B 504792 *53*	Gooseneck microphone with cardioid, integrated lightring *cardioid • L 450 mm (17,72") • 147 g (4,72 oz) • 0 ... +40°C • < 100 Ohm*	277.09 277.09	229.00 229.00
MZC 30 black 005088 *42*	Connecting cable with XLR-3M black	180.29 180.29	149.00 149.00
MZC 30 white 005089 *42*	Connecting cable with XLR-3M White	180.29 180.29	149.00 149.00
MZFS 60 500650 *42*	Floor stand 60cm	240.79 240.79	199.00 199.00
MZFS 60 nx 500891 *42*	Floor stand 60cm, nextel	240.79 240.79	199.00 199.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MZFS 80 500651 *42*	Floor stand 80cm	264.99 264.99	219.00 219.00
MZFS 80 nx 500892 *42*	Floor stand 80cm, nextel	264.99 264.99	219.00 219.00
MZH 30 black 005090 *42*	Ceiling mount black	18.15 18.15	15.00 15.00
MZH 3015 black 005074 *42*	Metal gooseneck 15 cm black *150 mm • 73 g • P 12 - P48 V • 6 mm • XLR 3*	156.09 156.09	129.00 129.00
MZH 3015 nx 500809 *42*	Metal gooseneck 15 cm • XLR3 *73 g • P 12 - P48 V • 6 mm • XLR 3 • 150 mm*	156.09 156.09	129.00 129.00
MZH 3015 white 504608 *42*	Metal gooseneck 15 cm white *150 mm • 73 g • P 12 - P48 V • 6 mm • XLR 3*	156.09 156.09	129.00 129.00
MZH 3015-L 009435 *42*	Metal gooseneck 15 cm with LED ring *73 g • P 12 - P48 V • 6 mm • XLR 3 • 150 mm*	204.49 204.49	169.00 169.00
MZH 3040 005076 *42*	Metal gooseneck 40 cm, black *400 mm • 120 g • P 12 - P48 V • 6 mm • XLR 3*	168.19 168.19	139.00 139.00
MZH 3040 nx 500810 *42*	Metal gooseneck 40 cm, nextel *120 g • P 12 - P48 V • 6 mm • XLR 3 • 400 mm*	168.19 168.19	139.00 139.00
MZH 3040-L 009436 *42*	Metal gooseneck 40 cm with LED ring *120 g • P 12 - P48 V • 6 mm • XLR 3 • 400 mm*	228.69 228.69	189.00 189.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MZH 3042 009384 *42*	Metal gooseneck with two flexible sections *400 mm • 110 g • P 12 - P48 V • 6 mm • XLR 3*	216.59 216.59	179.00 179.00
MZH 3042 nx 500811 *42*	Metal gooseneck with two flexible sections *110 g • P 12 - P48 V • 6 mm • XLR 3 • 400 mm*	216.59 216.59	179.00 179.00
MZH 3042-L 009437 *42*	Metal gooseneck with two flexible sections in black finish with red LED ring and XLR-5 connector. *110 g • P 12 - P48 V • 6 mm • XLR 3 • 400 mm*	272.25 272.25	225.00 225.00
MZH 3062 500652 *42*	Metal gooseneck 60 cm with two flexible sections *600 mm • 160 g • P 12 - P48 V • 6 mm • XLR 3*	349.69 349.69	289.00 289.00
MZH 3062 nx 500812 *42*	Metal gooseneck 60 cm with two flexible sections, nextel *160 g • P 12 - P48 V • 6 mm • XLR 3 • 600 mm*	349.69 349.69	289.00 289.00
MZH 3062-L 504609 *42*	Metal gooseneck 60 cm with two flexible sections and light ring *600 mm • 160 g • P 12 - P48 V • 6 mm • XLR 3*	422.29 422.29	349.00 349.00
MZH 3072 black 500653 *42*	Metal gooseneck 70 cm with two flexible sections black *700 mm • 173 g • P 12 - P48 V • 6 mm • XLR 3*	361.79 361.79	299.00 299.00
MZH 3072 nextel 500813 *42*	Metal gooseneck 70 cm with two flexible sections nextel *700 mm • 173 g • P 12 - P48 V • 6 mm • XLR 3*	361.79 361.79	299.00 299.00
MZH 3072-L 504610 *42*	Metal gooseneck 70 cm with two flexible sections black with light ring *700 mm • 173 g • P 12 - P48 V • 6 mm • XLR 3*	422.29 422.29	349.00 349.00
MZS 31 005087 *42*	Shock mount *60 mm • 74 mm • 50 mm • 51 mm*	47.19 47.19	39.00 39.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MZTX 31 500455 *42*	Table stand black	180.29 180.29	149.00 149.00
MZTX 31 nx 500814 *42*	Table stand nextel	180.29 180.29	149.00 149.00
MZTX 31 PTT 500457 *42*	Table stand push to talk / on-off button	199.00 199.00	199.00 199.00
MZTX 31 PTT nx 500815 *42*	Table stand push to talk / on-off button, nextel	199.00 199.00	199.00 199.00
NO IMAGE **TSK 14-40** 505930 *53*	Table Stand Kit (TSK) contain: MZTX 31 table stand + MEG 14-40 goose-neck	388.53 388.53	321.10 321.10
NO IMAGE **TSK 14-40 PPT** 505931 *53*	Table Stand Kit (TSK) with Push-To-Talk PPT contain: MZTX 31 table stand + MEG 14-40 goose-neck	446.01 446.01	368.60 368.60
NO IMAGE **TSK 34-40** 505932 *42*	Table Stand Kit (TSK) contain: MZTX 31 table stand + MZH 3040 goose-neck + ME 34	502.33 502.33	415.15 415.15
NO IMAGE **TSK 34-40 PPT** 505933 *42*	Table Stand Kit (TSK) with Push-To-Talk PPT contain: MZTX 31 table stand + MZH 3040 goose-neck + ME 34	559.81 559.81	462.65 462.65
NO IMAGE **TSK 35-40** 505934 *42*	Table Stand Kit (TSK) contain: MZTX 31 table stand + MZH 3040 goose-neck + ME 35	502.33 502.33	415.15 415.15
NO IMAGE **TSK 35-40 PPT** 505935 *42*	Table Stand Kit (TSK) with Push-To-Talk PPT contain: MZTX 31 table stand + MZH 3040 goose-neck + ME 35	559.81 559.81	462.65 462.65

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
TSK 36-40 505936 *42*	Table Stand Kit (TSK) contain: MZTX 31 table stand + MZH 3040 goose-neck + ME 36	594.29 594.29	491.15 491.15
TSK 36-40 PPT 505937 *42*	Table Stand Kit (TSK) with Push-To-Talk PPT contain: MZTX 31 table stand + MZH 3040 goose-neck + ME 36	651.77 651.77	538.65 538.65
K6 MICROPHONES			
K 6 003279 *42*	Powering module for battery/phantom powering *200 Ω • d 22 x 94 mm (netto) • ca. 45 g • max. 150 h • 2,2 mA*	264.99 264.99	219.00 219.00
K 6CL 004032 *42*	As K6 but with lower output and basic packaging (-14db)	240.79 240.79	199.00 199.00
K 6P 003280 *42*	Powering module for phantom powering *pre-polarised condenser microphone • 200 Ohm, symm. • d 22 x 52 mm (netto) • 2,2 mA • 0 dB*	204.49 204.49	169.00 169.00
ME 62 003281 *42*	Omni-directional microphone head *omni-directional • 200 Ω (K6) • Ø 22,5 x 94 mm • 130 dB / 1 kHz (K = 1%) • 15 dB*	168.19 168.19	139.00 139.00
ME 64 003282 *42*	Cardioid microphone head *cardioid • 200 Ω (K6) • Ø 22,5 x 106 mm • 130 dB /1 kHz (K = 1%) • 16 dB*	192.39 192.39	159.00 159.00
ME 65 003283 *42*	Super-cardioid microphone head *super-cardioid • 200 Ω (K6) • Ø 44 x 131 mm • 142 dB / 1 kHz (K = 3%) • 20 dB*	240.79 240.79	199.00 199.00
ME 66 003284 *42*	Short gun microphone head *super-cardioid/lobar • 200 Ω (K6) • Ø 22,5 x 221 mm • 125 dB / 1 kHz (K = 1%) • 10 dB*	216.59 216.59	179.00 179.00
ME 67 003285 *42*	Long gun microphone head *lobar • 200 Ω (K6) • Ø 22,5x 343 mm • 125 dB / 1 kHz (K = 1%) • 10 dB*	301.29 301.29	249.00 249.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MKH CONDENSER MICROPHONES			
MKH 20 002857 *43*	Main microphone for orchestras and solo instruments *omni-directional • 150 Ω • Ø 25 x 153 mm • 2 mA • 134 dB / 1 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
MKH 30 002872 *43*	Condenser microphone with a figure-of-eight pick-up pattern. *figure-of-eight • 150 Ω • Ø 25 x 174 mm • 2 mA • 134 db / 1 kHz*	2,057.00 2,057.00	1,700.00 1,700.00
MKH 40 002645 *43*	Condenser cardioid microphone *cardioid • 150 Ω • Ø 25 x 153 mm • 2 mA • 134 (142) dB / 1 kHz*	1,845.25 1,845.25	1,525.00 1,525.00
MKH 416 001511 *43*	Versatile, medium-length and extremely rugged interference tube microphone. *super-cardioid/lobar • 25 Ω • Ø 19 x 250 mm • 2 mA • 130 dB*	1,028.50 1,028.50	850.00 850.00
MKH 418 S 005284 *43*	M-S stereo shotgun microphone *M: super-cardioid/lobar (S: Figure-of-eight) • Ø 19 x 280 mm • 220 g • -20 à +60 °C • 1000 Ω*	1,936.00 1,936.00	1,600.00 1,600.00
MKH 50 003109 *43*	Super-cardioid condenser microphone *super-cardioid • 150 Ω • Ø 25 x 153 mm • 2 mA • 134 (142) dB / 1 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
MKH 60 003148 *43*	Lightweight short gun microphone *super-cardioid/lobar • 150 Ω • Ø 25 x 280 mm • 150 • 48 +- 4 V Phantom*	1,936.00 1,936.00	1,600.00 1,600.00
MKH 70 003149 *43*	Lightweight long gun microphone *super-cardioid/lobar • 150 Ω • Ø 25 x 410 mm • 2 mA • 124 (132) dB at 1 kHz*	2,299.00 2,299.00	1,900.00 1,900.00
MKH 800 004927 *43*	Superior microphone for all recording situations *omni-directional, cardioid, figure-of-eight • 150 Ω • Ø 27 x 176 mm • 3 mA • 136 (142) dB / 1 kHz*	3,932.50 3,932.50	3,250.00 3,250.00
MKH 800 TWIN nextel 502083 *43*	Universal studio condenser microphone nickel nextel *omni-directional, cardioid, figure-of-eight • 100 Ohm • d 27 mm, l 136 mm • 172 g • 2 x 3.1 mA*	3,932.50 3,932.50	3,250.00 3,250.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MKH 800 TWIN nickel 502431 *43*	Universal studio condenser microphone nickel *omni-directional, cardioid, figure-of-eight • 100 Ohm • d 27 mm, l 136 mm • 172 g • 2 x 3.1 mA*	3,932.50 3,932.50	3,250.00 3,250.00
MKH 8000 SERIES			
MKH 8020 500965 *43*	Omni-directional microphone *10 - 60.000 Hz • omni-directional • 25 Ω • 19 mm diameter, lenght 74 mm (41 mm excluding XLR module) • 55g (25 g excluding XLR module)*	1,331.00 1,331.00	1,100.00 1,100.00
NO IMAGE **MKH 8020 stereoset** 502092 *43*	Set of two omni-directional microphones *10 - 60.000 Hz • omni-directional • 25 Ω • 19 mm diameter, lenght 74 mm (41 mm excluding XLR module) • 55g (25 g excluding XLR module)*	2,541.00 2,541.00	2,100.00 2,100.00
MKH 8040 500966 *43*	Cardioid microphone *30 - 50000 Hz • cardioid • 25 Ω • Ø 19 mm, L 41 mm (74 mm with XLR module) • 25 g (55 g with XLR module)*	1,331.00 1,331.00	1,100.00 1,100.00
NO IMAGE **MKH 8040 stereoset** 502093 *43*	Set of two cardioid microphones *30 - 50000 Hz • cardioid • 25 Ω • Ø 19 mm, L 41 mm (74 mm with XLR module) • 25 g (55 g with XLR module)*	2,541.00 2,541.00	2,100.00 2,100.00
MKH 8050 500967 *43*	Super-cardioid microphone *30 - 50000 Hz • super-cardioid • 25 Ω • Ø 19 mm, L 41 mm (74 mm with XLR module) • 25 g (55 g with XLR module)*	1,331.00 1,331.00	1,100.00 1,100.00
MKH 8060 504240 *43*	Modular RF-Condenser-Microphone, super-cardioid/lobar *50 - 25000 Hz • super-cardioid/lobar • 25 Ohm • diameter 19 mm, lenght 175 mm (145 mm excluding XLR module) • 112 g (80 g excluding XLR module)*	1,331.00 1,331.00	1,100.00 1,100.00
MKH 8070 504241 *43*	Modular RF-Condenser-Microphone, lobar *45 - 20000 Hz • lobar • 25 Ohm • diameter 19 mm, lenght 465 mm (432 mm excluding XLR module) • 332 g (300 g excluding XLR module)*	1,633.50 1,633.50	1,350.00 1,350.00
MKH 8090 505597 *43*	The MKH 8090 is suitable for top classical recordings. Its wide cardioid characteristics suits perfectly as main microphone as well as spot microphone. *RF condenser microphone • 30 Hz to 50 kHz • wide cardioid • 25 Ω • XLR-3M balanced, transformerless, floating*	1,331.00 1,331.00	1,100.00 1,100.00
MKHC 8020 502094 *43*	Omni Directional Microphone module	1,089.00 1,089.00	900.00 900.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MKHC 8040 502095 *43*	Cardioid Microphone module	1,089.00 1,089.00	900.00 900.00
MKHC 8050 502096 *43*	Super Cardioid Microphone module	1,089.00 1,089.00	900.00 900.00
MZD 8000 502097 *43*	Digital module *10 Hz - 80 kHz • 96 mm • 65 g • -10 °C - 60°C • 10V DPP (AES 42-phantom power)*	919.60 919.60	760.00 760.00
MZE 8015 502315 *43*	Extension tube • 15 cm	314.60 314.60	260.00 260.00
MZE 8030 502433 *43*	Extension tube • 30 cm	326.70 326.70	270.00 270.00
MZE 8060 502316 *43*	Extension tube • 60 cm	338.80 338.80	280.00 280.00
MZE 8120 502317 *43*	Extension tube • 120 cm	375.10 375.10	310.00 310.00
MZEF 8060 502318 *43*	Vertical bar • 60 cm	145.20 145.20	120.00 120.00
MZEF 8120 502319 *43*	Vertical bar • 120 cm	169.40 169.40	140.00 140.00
MZF 8000 502320 *43*	Filter module *50 Ohm • at 0 dB: max. 14 dBV, at -10 dB: max. 9 dBV • Ø 19 x 29 mm • 26 g • -10°C -10°C to +60°C*	484.00 484.00	400.00 400.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MZFS 8000 502322 *43*	Floor stand	242.00 242.00	200.00 200.00
MZG 8000 502323 *43*	Swivel joint	278.30 278.30	230.00 230.00
MZGE 8000 502324 *43*	Bar connector • one extension tube	157.30 157.30	130.00 130.00
MZGE 8002 502325 *43*	Bar connector • two extension tubes	175.45 175.45	145.00 145.00
MZL 8003 502326 *43*	Remote cable 3 meter	145.20 145.20	120.00 120.00
MZL 8010 502327 *43*	Remote cable 10 meter	181.50 181.50	150.00 150.00
MZQ 8000 502328 *43*	Microphone clip	60.50 60.50	50.00 50.00
MZQ 8001 502329 *43*	Mini clip	72.60 72.60	60.00 60.00
MZS 8000 502330 *43*	Shock mount	108.90 108.90	90.00 90.00
MZT 8000 502331 *43*	Table stand	211.75 211.75	175.00 175.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MZT 8001 502332 *43*	Table stand with acrylic base	211.75 211.75	175.00 175.00
MZW 8000 502333 *43*	Windshield	12.10 12.10	10.00 10.00
MZX 8000 502098 *43*	XLR module for MKHC	242.00 242.00	200.00 200.00
MICROPHONE ACCESORIES			
ACCESSORIES MUSIC & RECORDING			
MKS 4 504299 *44*	Elastic suspension for MK4 microphone	118.58 118.58	98.00 98.00
MKW 4 504611 *44*	Windscreen for MK4 Microphone	35.09 35.09	29.00 29.00
MZH 604 005299 *44*	Universal drum clamp for e 604	50.82 50.82	42.00 42.00
MZH 908 B 500540 *44*	Universal clamp for e 608 + e 908	47.19 47.19	39.00 39.00
MZH 908 D 500541 *44*	Universal clamp for e 608 + e 908	47.19 47.19	39.00 39.00
MZP 40 003132 *42*	Popshield for all microphones	90.75 90.75	75.00 75.00
MZQ 100 002155 *42*	Quick release clamp	35.09 35.09	29.00 29.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MZQ 800 004711	Microphone clamp	12.10 12.10	10.00 10.00
MZT 417-1 001945 *42*	Light • collapsable plastic table stand	42.35 42.35	35.00 35.00
ACCESSORIES CLASSIC MICROPHONES			
MZA 4031 026072 *82*	Clamp for MD 425 / 431	42.35 42.35	35.00 35.00
MZA 421 013032 *82*	Clamp for MD 421	42.35 42.35	35.00 35.00
MZQ 441 002615 *41*	Quick release clamp for MD 441	54.45 54.45	45.00 45.00
MZW 4032 002978 *41*	Foam windshield for SKM 3072 anthracite *102 mm • 63 mm*	59.29 59.29	49.00 49.00
MZW 416-1 A 001536 *41*	Foam windshield for MD 21 and MD 43 microphones	30.25 30.25	25.00 25.00
MZW 421 A 000536 *41*	Foam, ball type windscreen for the MD421 microphone *Ø 90 mm*	42.35 42.35	35.00 35.00
MZW 441 A 000976 *41*	Foam windshield for MD 441 and BF 541 microphones	42.35 42.35	35.00 35.00
ACCESSORIES K 6 MICROPHONES			
KA 100 S-60 ANTR. 004239 *42*	Straight cable for K6 system	114.95 114.95	95.00 95.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MKE 2-60 GOLD-C 004733 *42*	Sub-miniature clip-on lavalier microphone suitable for K6/K6-P powering modules, cable length 3 m, black *omni-directional • 1000 Ω • 1,6 m • 7,5 V • d 4,8 mm*	277.09 277.09	229.00 229.00
MZQ 200 003289 *42*	Quick release clamp for K6 system	35.09 35.09	29.00 29.00
MZQ 6 003288 *42*	Video camera lighting mount adapter for K6 system	54.45 54.45	45.00 45.00
MZS 6 003287 *42*	Shockmount for K6 system	54.45 54.45	45.00 45.00
MZSK 6 502844 *42*	Shockmount video lighting adapter for K6 system	54.45 54.45	45.00 45.00
MZW 64 003703 *42*	Foam windshield for ME 62 / 64	30.25 30.25	25.00 25.00
MZW 64 PRO 003711 *42*	Foam windshield for ME 62 / 64 (velourised)	47.19 47.19	39.00 39.00
MZW 65 PRO 003757 *42*	Foam windshield for ME 65 (velourised)	83.49 83.49	69.00 69.00
MZW 66 003704 *42*	Foam windshield for ME 66	47.19 47.19	39.00 39.00
MZW 66 PRO 003712 *42*	Foam windshield for ME 66 (velourised)	83.49 83.49	69.00 69.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MZW 67PRO 003832 *42*	Foam windshield for ME 67 (velourised)	119.79 119.79	99.00 99.00
ACCESSORIES MKH CONDENSOR MICROPHONES			
MZD 30 002990 *43*	Dual clip	72.60 72.60	60.00 60.00
MZQ 100 002155 *42*	Quick release clamp	35.09 35.09	29.00 29.00
MZS 20-1 003609 *43*	Suspension/pistol grip	399.30 399.30	330.00 330.00
MZW 415 000895 *43*	Foam windshield for MKH 416	60.50 60.50	50.00 50.00
ACCESSORIES MKH 8000 SERIES			
MZE 8015 502315 *43*	Extension tube • 15 cm	314.60 314.60	260.00 260.00
MZE 8030 502433 *43*	Extension tube • 30 cm	326.70 326.70	270.00 270.00
MZE 8060 502316 *43*	Extension tube • 60 cm	338.80 338.80	280.00 280.00
MZE 8120 502317 *43*	Extension tube • 120 cm	375.10 375.10	310.00 310.00
MZEF 8060 502318 *43*	Vertical bar • 60 cm	145.20 145.20	120.00 120.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MZEF 8120 502319 *43*	Vertical bar • 120 cm	169.40 169.40	140.00 140.00
MZFS 8000 502322 *43*	Floor stand	242.00 242.00	200.00 200.00
MZG 8000 502323 *43*	Swivel joint	278.30 278.30	230.00 230.00
MZGE 8000 502324 *43*	Bar connector • one extension tube	157.30 157.30	130.00 130.00
MZGE 8002 502325 *43*	Bar connector • two extension tubes	175.45 175.45	145.00 145.00
MZH 80-1 504737 *43*	Basket windshield for MKH 8060/70	248.05 248.05	205.00 205.00
MZL 8003 502326 *43*	Remote cable 3 meter	145.20 145.20	120.00 120.00
MZL 8010 502327 *43*	Remote cable 10 meter	181.50 181.50	150.00 150.00
MZQ 8000 502328 *43*	Microphone clip	60.50 60.50	50.00 50.00
MZQ 8001 502329 *43*	Mini clip	72.60 72.60	60.00 60.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MZS 8000 502330 *43*	Shock mount	108.90 108.90	90.00 90.00
MZT 8000 502331 *43*	Table stand	211.75 211.75	175.00 175.00
MZT 8001 502332 *43*	Table stand with acrylic base	211.75 211.75	175.00 175.00
MZW 8000 502333 *43*	Windshield	12.10 12.10	10.00 10.00
MZW 80-1 504738 *43*	Hairy cover MKH 8060/70	350.90 350.90	290.00 290.00
ACCESSORIES FOR ENG (K6 OR MKH)			
KA 600 505633 *42*	coiled connecting cable from an XLR-3 connector to a 3.5 mm jack plug	15.61 15.61	12.90 12.90
KA 600 i 505799 *42*	coiled connecting cable from an XLR-3 connector to a 3.5 mm jack plug	15.61 15.61	12.90 12.90
MKE 2-60 GOLD-C 004733 *42*	Sub-miniature clip-on lavalier microphone suitable for K6/K6-P powering modules, cable length 3 m, black *omni-directional • 1000 Ω • 1,6 m • 7,5 V • d 4,8 mm*	277.09 277.09	229.00 229.00
MZG 415-3 001955 *43*	Swivel mount for MKH416	60.50 60.50	50.00 50.00
MZH 600 505454 *42*	MKE 600 Windshield	59.29 59.29	49.00 49.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MZQ 600 505571 *42*	Microphone clamp incl. wing screw to 3/8" and 5/8" thread	11.98 11.98	09.90 09.90
MZS 415-3 001956 *43*	Shockmount for MKH416	121.00 121.00	100.00 100.00
MZW 400 502364 *42*	Fur microphone cover • accessory kit	42.35 42.35	35.00 35.00
MZW 600 505569 *42*	Foam windshield that reduces wind noise by around 25 dB	11.50 11.50	09.50 09.50
ACCESSORIES LAVALIER MICROPHONES			
KA 100 S-4 ANTR. 004235 *42*	Straight cable with 3-pin special connector for SK 50 / 250 /3063 / 5012 / 5212 Anthracite	114.95 114.95	95.00 95.00
KA 100 S-4 BEIGE 004236 *42*	Straight cable with 3-pin special connector for K 50 /250 / 3063 / 5012 / 5212 Beige	114.95 114.95	95.00 95.00
KA 100 S-P ANTR. 004243 *42*	Sennheiser KA 100 S-P ANT cabel for ME102/104 with Phantompower, black, XLR-out.	252.89 252.89	209.00 209.00
KA 100-4 ANTR. 004233 *42*	Rt angled cable with 3-pin special connector for SK 50 /250 / 3063 / 5012 / 5212 Anthracite	131.89 131.89	109.00 109.00
KA 100-4 GREY 004234 *42*	Rt angled cable with 3-pin special connector for SK 50 / 250 / 3063 / 5012 / 5212 Grey	131.89 131.89	109.00 109.00
KA 100-P ANTR. 004241 *42*	Sennheiser KA 100 S-P ANT cabel for ME102/104 with Phantompower, black, XLR-out. Rt angled.	264.99 264.99	219.00 219.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
LAV Tape 502756 *42*	LAV tape 10 m, transparent, can be covered with make-up	35.09 35.09	29.00 29.00
MZM 2, MZM 10 001866 *42*	Magnetic clamp and mount for attachment of MKE 2, MKE platinum and ME 102/ME 104/ME 105	47.19 47.19	39.00 39.00
ACCESORIES FOR GOOSENECK MICS			
MZT 30 005085 *42*	Flush mount with XLR-3 socket	26.62 26.62	22.00 22.00
MZT 30-L 009446 *42*	Flush mount with XLR-5 socket	47.19 47.19	39.00 39.00
MZW 34 005067 *42*	Windshield for ME34	53.24 53.24	44.00 44.00
MZW 36 083297 *89*	Windshield for ME 36	23.99 23.99	19.83 19.83
MZW 36 B 005069 *42*	Velourised Windshield for ME 36	53.24 53.24	44.00 44.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
PROFESSIONAL WIRELESS			
9000 SERIES			
A 9000 A1-A8 504705 *25*	Omni Antenna for 9000 series *N-type connector • 3,2 dBi • AB 9000 A1-A8 : 470-638 MHz*	1,633.50 1,633.50	1,350.00 1,350.00
A 9000 B1-B8 504706 *25*	Omni Antenna for 9000 series *N-type connector • 3,2 dBi • AB 9000 A1-A8 : 470-638 MHz*	1,633.50 1,633.50	1,350.00 1,350.00
AB 9000 A1-A8 504708 *25*	Highly selective filters, linear RF amplifier *N-socket • 80 x 64 x 24 mm • approx. 265 g • max. 160 mA at 12 V • 17 dB*	1,149.50 1,149.50	950.00 950.00
AB 9000 B1-B8 504709 *25*	Highly selective filters, linear RF amplifier *N-socket • 80 x 64 x 24 mm • approx. 265 g • max. 160 mA at 12 V • 17 dB*	1,149.50 1,149.50	950.00 950.00
AD 9000 A1-A8 504711 *25*	*Max. 160 mA at 12 V • N-type connector • 4,6 dBi • AB 9000 B1-B8 : 630-798 MHz*	1,694.00 1,694.00	1,400.00 1,400.00
AD 9000 B1-B8 504712 *25*	*Max. 160 mA at 12 V • N-type connector • 4,6 dBi • AB 9000 B1-B8 : 630-798 MHz*	1,694.00 1,694.00	1,400.00 1,400.00
B 60 504700 *25*	Batterypack for SKM 9000	223.85 223.85	185.00 185.00
B 61 504701 *25*	Batterypack for SK 9000	223.85 223.85	185.00 185.00
BA 60 504702 *25*	Rechargeable Pack for SKM 9000	242.00 242.00	200.00 200.00
BA 61 504703 *25*	Rechargeable Pack for SK 9000	242.00 242.00	200.00 200.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
EM 9046 AAO 502508 *25*	Flexible, digital transmission with superior audio quality and ease-of-use *20 - 20000 Hz (± 0,5 dB) • < 0,01 % ; Mode LR : < 0,03 % • max. 250 W • Mode HD: uncompressed audio • 2x N-type*	4,827.90 4,827.90	3,990.00 3,990.00
EM 9046 CAB 504757 *25*	Loop through Cable Set	60.50 60.50	50.00 50.00
EM 9046 CC 502510 *25*	Flexible, digital transmission with superior audio quality and ease-of-use *20 - 20000 Hz (± 0,5 dB) • < 0,01 % ; Mode LR : < 0,03 % • max. 250 W • Mode HD: uncompressed audio • 2x N-type*	60.50 60.50	50.00 50.00
EM 9046 DAO 502511 *25*	Flexible, digital transmission with superior audio quality and ease-of-use *20 - 20000 Hz (± 0,5 dB) • < 0,01 % ; Mode LR : < 0,03 % • max. 250 W • Mode HD: uncompressed audio • 2x N-type*	2,044.90 2,044.90	1,690.00 1,690.00
EM 9046 DRX 502512 *25*	Flexible, digital transmission with superior audio quality and ease-of-use *20 - 20000 Hz (± 0,5 dB) • < 0,01 % ; Mode LR : < 0,03 % • max. 250 W • Mode HD: uncompressed audio • 2x N-type*	2,286.90 2,286.90	1,890.00 1,890.00
EM 9046 SU 502513 *25*	EM 9046 SU, User Manual on CD-ROM, Ethernet cable, 3 power cords (EU,UK,US), self adhesive rubber feet *20 - 20000 Hz (± 0,5 dB) • < 0,01 % ; Mode LR : < 0,03 % • max. 250 W • Mode HD: uncompressed audio • 2x N-type*	24,187.90 24,187.90	19,990.00 19,990.00
GZL 9000-A10 505456 *25*	Antenna Cable 10m N-Connectors	108.90 108.90	90.00 90.00
GZL 9000-A20 505457 *25*	Antenna Cable 20m N-Connectors	139.15 139.15	115.00 115.00
GZL 9000-A5 505455 *25*	Antenna Cable 5m N-Connectors	90.75 90.75	75.00 75.00
KA 9000 COM 504735 *25*	Command Cable for SK 9000	211.75 211.75	175.00 175.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
L 60 504704 *25*	Battery Charger 9000 series	302.50 302.50	250.00 250.00
MD 9235 BK 502585 *25*	Microphone Head, Dynamic, Super Cardioid *cardioid • 163 dB • pressure gradient, dynamic microphone • 1,88 mV/Pa • 163 dB*	605.00 605.00	500.00 500.00
MD 9235 NI 502586 *25*	Microphone Head, Dynamic, Super Cardioid *cardioid • 163 dB • pressure gradient, dynamic microphone • 1,88 mV/Pa • 163 dB*	605.00 605.00	500.00 500.00
MD 9235 NI/BK 502591 *25*	Microphone Head, Dynamic, Super Cardioid *cardioid • 163 dB • pressure gradient, dynamic microphone • 1,88 mV/Pa • 163 dB*	605.00 605.00	500.00 500.00
ME 9002 502587 *25*	*139 dB • Omnidirectional • pressure microphone, pre-polarized condenser microphone • 3,35 mV/Pa*	665.50 665.50	550.00 550.00
ME 9004 502588 *25*	*145 dB • cardioid • pressure gradient, pre-polarized condenser microphone • 1,88 mV/Pa*	665.50 665.50	550.00 550.00
ME 9005 502589 *25*	*145 dB • Super-cardioid • pressure gradient, pre-polarized condenser microphone • 2 mV/Pa*	665.50 665.50	550.00 550.00
SK 9000 A1-A4 504730 *25*	Body Pack Transmitter Range A1-A4 *88 MHz • Mic: 60-20000 Hz (3 dB) • Mode LR : 25 mW rms, 50 mW en crête • max. 960 mW • Mode HD: uncompressed audio*	2,891.90 2,891.90	2,390.00 2,390.00
SK 9000 A5-A8 504731 *25*	Body Pack Transmitter Range A5-A8 *88 MHz • Mic: 60-20000 Hz (3 dB) • Mode LR : 25 mW rms, 50 mW en crête • max. 960 mW • Mode HD: uncompressed audio*	2,891.90 2,891.90	2,390.00 2,390.00
SK 9000 B1-B4 504732 *25*	Body Pack Transmitter Range B1-B4 *88 MHz • Mic: 60-20000 Hz (3 dB) • Mode LR : 25 mW rms, 50 mW en crête • max. 960 mW • Mode HD: uncompressed audio*	2,891.90 2,891.90	2,390.00 2,390.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SK 9000 B5-B8 504733 *25*	Body Pack Transmitter Range B5-B8 *88 MHz • Mic: 60-20000 Hz (3 dB) • Mode LR : 25 mW rms, 50 mW en crête • max. 960 mW • Mode HD: uncompressed audio*	2,891.90 2,891.90	2,390.00 2,390.00
SKM 9000 BK A1-A4 504718 *25*	Handheld Transmitter Range A1-A4, Black *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	2,891.90 2,891.90	2,390.00 2,390.00
SKM 9000 BK A5-A8 504719 *25*	Handheld Transmitter Range A5-A8, Black *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	2,891.90 2,891.90	2,390.00 2,390.00
SKM 9000 BK B1-B4 504720 *25*	Handheld Transmitter Range B1-B4, Black *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	2,891.90 2,891.90	2,390.00 2,390.00
SKM 9000 BK B5-B8 504721 *25*	Handheld Transmitter Range B5-B8, Black *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	2,891.90 2,891.90	2,390.00 2,390.00
SKM 9000 BK COM A1-A4 504714 *25*	Handheld Transmitter Range A1-A4, Black, Command Button *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	3,146.00 3,146.00	2,600.00 2,600.00
SKM 9000 BK COM A5-A8 504715 *25*	Handheld Transmitter Range A5-A8, Black, Command Button *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	3,146.00 3,146.00	2,600.00 2,600.00
SKM 9000 BK COM B1-B4 504716 *25*	Handheld Transmitter Range B1-B4, Black, Command Button *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	3,146.00 3,146.00	2,600.00 2,600.00
SKM 9000 BK COM B5-B8 504717 *25*	Handheld Transmitter Range B5-B8, Black, Command Button *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	3,146.00 3,146.00	2,600.00 2,600.00
SKM 9000 NI A1-A4 504726 *25*	Handheld Transmitter Range A1-A4, Nickel *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	2,891.90 2,891.90	2,390.00 2,390.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKM 9000 NI A5-A8 504727 *25*	Handheld Transmitter Range A5-A8, Nickel *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	2,891.90 2,891.90	2,390.00 2,390.00
SKM 9000 NI B1-B4 504728 *25*	Handheld Transmitter Range B1-B4, Nickel *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	2,891.90 2,891.90	2,390.00 2,390.00
SKM 9000 NI B5-B8 504729 *25*	Handheld Transmitter Range B5-B8, Nickel *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	2,891.90 2,891.90	2,390.00 2,390.00
SKM 9000 NI COM A1-A4 504722 *25*	Handheld Transmitter Range A1-A4, Nickel, Command Button *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	3,146.00 3,146.00	2,600.00 2,600.00
SKM 9000 NI COM A5-A8 504723 *25*	Handheld Transmitter Range A5-A8, Nickel, Command Button *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	3,146.00 3,146.00	2,600.00 2,600.00
SKM 9000 NI COM B1-B4 504724 *25*	Handheld Transmitter Range B1-B4, Nickel, Command Button *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	3,146.00 3,146.00	2,600.00 2,600.00
SKM 9000 NI COM B5-B8 504725 *25*	Handheld Transmitter Range B5-B8, Nickel, Command Button *88 MHz • 80 - 20000 Hz (3 dB) • Mode HD: 10 mW rms, 50 mW peak • max. 960 mW • Mode HD: uncompressed audio*	3,146.00 3,146.00	2,600.00 2,600.00
3000 / 5000 SERIES			
AC 3200 II 505497 *23*	Active 8-channel 0 dB antenna combiner, 500 - 870 MHz, 250 mW peak per input. *max. 90 W • 500 – 870 MHz • BNC • 436 x 215 x 44 mm • approx. 4 kg*	4,477.00 4,477.00	3,700.00 3,700.00
ASA 3000 009423 *23*	Active antenna splitter for multi-channel wireless microphone systems *50 Ω • 470 - 870 MHz • BNC • 19 ", 1U • ~ 3 kg*	2,407.90 2,407.90	1,990.00 1,990.00
EK 3241-U-A 500971 *23*	Slot-in true diversity receiver designed for use with camcorders Range A (450-626 MHz) *36 MHz • Sennheiser HiDyn plus™ • ≤ 1 %, typ. 0,8 % per System • ≥ 100 dB(A) • wideband-FM*	1,573.00 1,573.00	1,300.00 1,300.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
EK 3241-U-B 500972 *23*	Slot-in true diversity receiver designed for use with camcorders Range B (590-834 MHz) *36 MHz • Sennheiser HiDyn plus™ • ≤ 1 %, typ. 0,8 % per System • ≥ 100 dB(A) • wideband-FM*	1,573.00 1,573.00	1,300.00 1,300.00
EK 3241-U-C 500973 *23*	Slot-in true diversity receiver designed for use with camcorders Range C (798-960 MHz) *36 MHz • Sennheiser HiDyn plus™ • ≤ 1 %, typ. 0,8 % per System • ≥ 100 dB(A) • wideband-FM*	1,573.00 1,573.00	1,300.00 1,300.00
EM 20-NT 003699 *25*	Power supply for the EM 203 MF	423.50 423.50	350.00 350.00
EM 3731-II L 504073 *23*	Single channel receiver 184 MHz Range L (470-638 MHz) *Up to 184 MHz • Sennheiser HiDyn plus emulated by DSP, Latency <= 1.9 ms • 40 - 20000 Hz • ≤ 0,3 % • +-56 kHz*	3,859.90 3,859.90	3,190.00 3,190.00
EM 3731-II N 504074 *23*	Single channel receiver 184 MHz Range N (614-798 MHz) *Up to 184 MHz • Sennheiser HiDyn plus emulated by DSP, Latency <= 1.9 ms • 40 - 20000 Hz • ≤ 0,3 % • +-56 kHz*	3,859.90 3,859.90	3,190.00 3,190.00
EM 3731-II P 504075 *23*	Single channel receiver 184 MHz Range P (776-960 MHz) *Up to 184 MHz • Sennheiser HiDyn plus emulated by DSP, Latency <= 1.9 ms • 40 - 20000 Hz • ≤ 0,3 % • +-56 kHz*	3,859.90 3,859.90	3,190.00 3,190.00
EM 3732 COM-II L 504079 *23*	Two channel receiver 184 Mhz, special command version with a second XLR-3 audio output for talk-back purposes. Range L (570-638 MHz) *Up to 184 MHz • Sennheiser HiDyn plus emulated by DSP, Latency <= 1.9 ms • 40 - 20000 Hz • ≤ 0,3 % • +-56 kHz*	5,687.00 5,687.00	4,700.00 4,700.00
EM 3732 COM-II N 504080 *23*	Two channel receiver 184 Mhz, special command version with a second XLR-3 audio output for talk-back purposes. Range N (614-798 MHz) *Up to 184 MHz • Sennheiser HiDyn plus emulated by DSP, Latency <= 1.9 ms • 40 - 20000 Hz • ≤ 0,3 % • +-56 kHz*	5,687.00 5,687.00	4,700.00 4,700.00
EM 3732 COM-II P 504081 *23*	Two channel receiver 184 Mhz, special command version with a second XLR-3 audio output for talk-back purposes. Range P (776-960 MHz) *Up to 184 MHz • Sennheiser HiDyn plus emulated by DSP, Latency <= 1.9 ms • 40 - 20000 Hz • ≤ 0,3 % • +-56 kHz*	5,687.00 5,687.00	4,700.00 4,700.00
EM 3732-II L 504076 *23*	Two channel receiver 184 Mhz Range L (470-638 MHz) *Up to 184 MHz • Sennheiser HiDyn plus emulated by DSP, Latency <= 1.9 ms • 40 - 20000 Hz • ≤ 0,3 % • +-56 kHz*	5,082.00 5,082.00	4,200.00 4,200.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
EM 3732-II N 504077 *23*	Two channel receiver 184 Mhz Range N (614-798 MHz) *Up to 184 MHz • Sennheiser HiDyn plus emulated by DSP, Latency <= 1.9 ms • 40 - 20000 Hz • ≤ 0,3 % • +-56 kHz*	5,082.00 5,082.00	4,200.00 4,200.00
EM 3732-II P 504078 *23*	Two channel receiver 184 Mhz Range P (776-960 MHz) *Up to 184 MHz • Sennheiser HiDyn plus emulated by DSP, Latency <= 1.9 ms • 40 - 20000 Hz • ≤ 0,3 % • +-56 kHz*	5,082.00 5,082.00	4,200.00 4,200.00
QP 3041 005105 *23*	Quadpack • mini-rack with slots for four EK 3041	3,025.00 3,025.00	2,500.00 2,500.00
SK 250 UHF-A 005525 *25*	Bodypack Transmitter UHF Range A 450 - 580 MHz *24 MHz • HiDyn plus • 16 • 250 mW • +/- 56 kHz*	4,235.00 4,235.00	3,500.00 3,500.00
SK 250 UHF-B 005526 *25*	Bodypack Transmitter UHF Range B 540 - 730 MHz *24 MHz • HiDyn plus • 16 • 250 mW • +/- 56 kHz*	4,235.00 4,235.00	3,500.00 3,500.00
SK 250 UHF-C 005527 *25*	Bodypack Transmitter UHF Range C 680 - 860 MHz *24 MHz • HiDyn plus • 16 • 250 mW • +/- 56 kHz*	4,235.00 4,235.00	3,500.00 3,500.00
SK 250 UHF-D 005377 *25*	Bodypack Transmitter UHF Range D 800 - 960 MHz *24 MHz • HiDyn plus • 16 • 250 mW • +/- 56 kHz*	4,235.00	3,500.00
SK 3063-U A 005608 *23*	Bodypack transmitter A Range *24 MHz • HiDyn plus • 16 • 30 mW • +/- 56 kHz*	1,911.80 1,911.80	1,580.00 1,580.00
SK 3063-U B 005609 *23*	Bodypack transmitter B Range *24 MHz • HiDyn plus • 16 • 30 mW • +/- 56 kHz*	1,911.80 1,911.80	1,580.00 1,580.00
SK 3063-U C 005610 *23*	Bodypack transmitter C Range *24 MHz • HiDyn plus • 16 • 30 mW • +/- 56 kHz*	1,911.80 1,911.80	1,580.00 1,580.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SK 3063-U D 005387 *23*	Bodypack transmitter D Range *24 MHz • HiDyn plus • 16 • 30 mW • +/- 56 kHz*	1,911.80 1,911.80	1,580.00 1,580.00
SK 5212 A 500621 *25*	Pocket transmitter • 36 MHz switching bandwidth • "HiDyn Plus" • 10/50 mW RF output power • Power with 1 AA battery Range A (450-638 MHz) *36 MHz • HiDynplus • switchable typ. 10 mW / 50 mW • < 0,3 % • +/- 56 kHz*	2,420.00 2,420.00	2,000.00 2,000.00
SK 5212 B 500622 *25*	Pocket transmitter • 36 MHz switching bandwidth • "HiDyn Plus" • 10/50 mW RF output power • Power with 1 AA battery Range B (602-798 MHz) *36 MHz • HiDynplus • switchable typ. 10 mW / 50 mW • < 0,3 % • +/- 56 kHz*	2,420.00 2,420.00	2,000.00 2,000.00
SK 5212 C 500623 *25*	Pocket transmitter • 36 MHz switching bandwidth • "HiDyn Plus" • 10/50 mW RF output power • Power with 1 AA battery Range C (762-960 MHz) *36 MHz • HiDynplus • switchable typ. 10 mW / 50 mW • < 0,3 % • +/- 56 kHz*	2,420.00 2,420.00	2,000.00 2,000.00
SK 5212-II L 504083 *25*	Extremely small bodypack transmitter Range L (470-638 MHz) *Up to 184 MHz • HiDyn plus • typ. 50 mW (PWR.HI), 10 mW (PWR.LO), 10 mW (PWR.LoI) • < 0,3 % • +/- 56 kHz*	2,783.00 2,783.00	2,300.00 2,300.00
SK 5212-II N 504085 *25*	Extremely small bodypack transmitter Range N (614-798 MHz) *Up to 184 MHz • HiDyn plus • typ. 50 mW (PWR.HI), 10 mW (PWR.LO), 10 mW (PWR.LoI) • < 0,3 % • +/- 56 kHz*	2,783.00 2,783.00	2,300.00 2,300.00
SK 5212-II P 504086 *25*	Extremely small bodypack transmitter Range P (776-886 MHz) *Up to 184 MHz • HiDyn plus • typ. 50 mW (PWR.HI), 10 mW (PWR.LO), 10 mW (PWR.LoI) • < 0,3 % • +/- 56 kHz*	2,783.00 2,783.00	2,300.00 2,300.00
SKM 3072-U A 005611 *23*	Hand-held transmitter with super-cardioid condenser microphone head. A Range *32 MHz • HiDyn plus • 32 • super- cardioid • 30 mW*	1,452.00 1,452.00	1,200.00 1,200.00
SKM 3072-U B 005612 *23*	Hand-held transmitter with super-cardioid condenser microphone head. B Range. *32 MHz • HiDyn plus • 32 • super- cardioid • 30 mW*	1,452.00 1,452.00	1,200.00 1,200.00
SKM 3072-U C 005463 *23*	Hand-held transmitter with super-cardioid condenser microphone head. C Range. *32 MHz • HiDyn plus • 32 • super- cardioid • 30 mW*	1,452.00 1,452.00	1,200.00 1,200.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKM 3072-U D 005388 *23*	Hand-held transmitter with super-cardioid condenser microphone head. D Range. *32 MHz • HiDyn plus • 32 • super- cardioid • 30 mW*	1,452.00 1,452.00	1,200.00 1,200.00
SKM 3072-U-X A 005613 *23*	Variant of the SKM 3072-U, optimised for greater talking distances. A Range.	1,452.00 1,452.00	1,200.00 1,200.00
SKM 3072-U-X B 005614 *23*	Variant of the SKM 3072-U, optimised for greater talking distances. B Range.	1,452.00 1,452.00	1,200.00 1,200.00
SKM 3072-U-X C 005464 *23*	Variant of the SKM 3072-U, optimised for greater talking distances. C Range. *32 MHz • HiDyn plus • 32 • super- cardioid • 30 mW*	1,452.00 1,452.00	1,200.00 1,200.00
SKM 3072-U-X D 005389 *23*	Variant of the SKM 3072-U, optimised for greater talking distances. D Range.	1,452.00 1,452.00	1,200.00 1,200.00
SKM 5200 BK-A 500448 *25*	Handheld transmitter black version, battery pack and capsule excluded. Range A (450-570 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
SKM 5200 BK-B 500449 *25*	Handheld transmitter black version, battery pack and capsule excluded. Range B (534-674 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
SKM 5200 BK-C 500450 *25*	Handheld transmitter black version, battery pack and capsule excluded. Range C (638-762 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
SKM 5200 BK-D 500451 *25*	Handheld transmitter black version, battery pack and capsule excluded. Range D (726-866 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
SKM 5200 BK-E 500630 *25*	Handheld transmitter black version, battery pack and capsule excluded. Range E (830-960 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKM 5200 BL-A 500434 *25*	Handheld transmitter steel blue version, battery pack and capsule excluded. Range A (450-570 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
SKM 5200 BL-B 500435 *25*	Handheld transmitter steel blue version, battery pack and capsule excluded. Range B (534-674 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
SKM 5200 BL-C 500436 *25*	Handheld transmitter steel blue version, battery pack and capsule excluded. Range C (638-762 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
SKM 5200 BL-D 500437 *25*	Handheld transmitter steel blue version, battery pack and capsule excluded. Range D (726-866 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
SKM 5200 BL-E 500628 *25*	Handheld transmitter steel blue version, battery pack and capsule excluded. Range E (830-960 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
SKM 5200 NI-A 500441 *25*	Handheld transmitter nickel version, battery pack and capsule excluded. Range A (450-570 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
SKM 5200 NI-B 500442 *25*	Handheld transmitter nickel version, battery pack and capsule excluded. Range B (534-674 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
SKM 5200 NI-C 500443 *25*	Handheld transmitter nickel version, battery pack and capsule excluded. Range C (638-762 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
SKM 5200 NI-D 500444 *25*	Handheld transmitter nickel version, battery pack and capsule excluded. Range D (726-866 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00
SKM 5200 NI-E 500629 *25*	Handheld transmitter nickel version, battery pack and capsule excluded. Range E (830-960 MHz) *36 MHz • 60 - 20.000 Hz • 50 mW (-3 dB) a 50 Ω • < 0,5% • +/- 56 kHz*	1,875.50 1,875.50	1,550.00 1,550.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKM 5200-II BK-L 504098 *25*	Handheld transmitter black version, battery pack and capsule excluded. Range L (470-638 MHz) *Up to 184 MHz • HiDyn plus • 60 - 20.000 Hz • typ. 50 mW • < 0,5%*	2,413.95 2,413.95	1,995.00 1,995.00
SKM 5200-II BK-N 504200 *25*	Handheld transmitter black version, battery pack and capsule excluded. Range N (614-798 MHz) *Up to 184 MHz • HiDyn plus • 60 - 20.000 Hz • typ. 50 mW • < 0,5%*	2,413.95 2,413.95	1,995.00 1,995.00
SKM 5200-II BK-P 504201 *25*	Handheld transmitter black version, battery pack and capsule excluded. Range P (776-886 MHz) *Up to 184 MHz • HiDyn plus • 60 - 20.000 Hz • typ. 50 mW • < 0,5%*	2,413.95 2,413.95	1,995.00 1,995.00
SKM 5200-II BL-L 504088 *25*	Handheld transmitter steel blue version, battery pack and capsule excluded. Range L (470-638 MHz) *Up to 184 MHz • HiDyn plus • 60 - 20.000 Hz • typ. 50 mW • < 0,5%*	2,413.95 2,413.95	1,995.00 1,995.00
SKM 5200-II BL-N 504090 *25*	Handheld transmitter steel blue version, battery pack and capsule excluded. Range N (614-798 MHz) *Up to 184 MHz • HiDyn plus • 60 - 20.000 Hz • typ. 50 mW • < 0,5%*	2,413.95 2,413.95	1,995.00 1,995.00
SKM 5200-II BL-P 504091 *25*	Handheld transmitter steel blue version, battery pack and capsule excluded. Range P (776-886 MHz) *Up to 184 MHz • HiDyn plus • 60 - 20.000 Hz • typ. 50 mW • < 0,5%*	2,413.95 2,413.95	1,995.00 1,995.00
SKM 5200-II NI-L 504093 *25*	Handheld transmitter nickel version, battery pack and capsule excluded. Range L (470-638 MHz) *Up to 184 MHz • HiDyn plus • 60 - 20.000 Hz • typ. 50 mW • < 0,5%*	2,413.95 2,413.95	1,995.00 1,995.00
SKM 5200-II NI-N 504095 *25*	Handheld transmitter nickel version, battery pack and capsule excluded. Range N (614-798 MHz) *Up to 184 MHz • HiDyn plus • 60 - 20.000 Hz • typ. 50 mW • < 0,5%*	2,413.95 2,413.95	1,995.00 1,995.00
SKM 5200-II NI-P 504096 *25*	Handheld transmitter nickel version, battery pack and capsule excluded. Range P (776-886 MHz) *Up to 184 MHz • HiDyn plus • 60 - 20.000 Hz • typ. 50 mW • < 0,5%*	2,413.95 2,413.95	1,995.00 1,995.00
SKP 3000-U-A 009974 *23*	Plug-on Transmitter, 36 MHz bandwidth Range A (518-554 MHz) *36 MHz • HiDyn plus • typ. 30 mW • < 0,9 % • +/- 48 kHz*	1,149.50 1,149.50	950.00 950.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKP 3000-U-B 009975 *23*	Plug-on Transmitter, 36 MHz bandwidth Range B (626-662 MHz) *36 MHz • HiDyn plus • typ. 30 mW • < 0,9 % • +/- 48 kHz*	1,149.50 1,149.50	950.00 950.00
SKP 3000-U-C 009976 *23*	Plug-on Transmitter, 36 MHz bandwidth Range C (740-776 MHz) *36 MHz • HiDyn plus • typ. 30 mW • < 0,9 % • +/- 48 kHz*	1,149.50 1,149.50	950.00 950.00
SKP 3000-U-D 009977 *23*	Plug-on Transmitter, 36 MHz bandwidth Range D (786-822 MHz) *36 MHz • HiDyn plus • typ. 30 mW • < 0,9 % • +/- 48 kHz*	1,149.50 1,149.50	950.00 950.00
SKP 3000-U-E 009981 *23*	Plug-on Transmitter, 36 MHz bandwidth Range E (830-866 MHz) *36 MHz • HiDyn plus • typ. 30 mW • < 0,9 % • +/- 48 kHz*	1,149.50 1,149.50	950.00 950.00
SKP 3000-U-F 009982 *23*	Plug-on Transmitter, 36 MHz bandwidth Range F (556-592 MHz) *36 MHz • HiDyn plus • typ. 30 mW • < 0,9 % • +/- 48 kHz*	1,149.50 1,149.50	950.00 950.00
SKP 3000-U-G 009983 *23*	Plug-on Transmitter, 36 MHz bandwidth Range G (576-612 MHz) *36 MHz • HiDyn plus • typ. 30 mW • < 0,9 % • +/- 48 kHz*	1,149.50 1,149.50	950.00 950.00
SKP 3000-U-H 009984 *23*	Plug-on Transmitter, 36 MHz bandwidth Range H (670-706 MHz) *36 MHz • HiDyn plus • typ. 30 mW • < 0,9 % • +/- 48 kHz*	1,149.50 1,149.50	950.00 950.00
SKP 3000-U-I 009985 *23*	Plug-on Transmitter, 36 MHz bandwidth Range I (696-732 MHz) *36 MHz • HiDyn plus • typ. 30 mW • < 0,9 % • +/- 48 kHz*	1,149.50 1,149.50	950.00 950.00
2000 SERIES			
EK 2000 AW-X 503814 *21*	Adaptive diversity camera receiver, AW Range (516 ... 558 MHz) *max. 75 MHz • Sennheiser HDX • 25 ... 18000 Hz • max. 64 • > 120 dB(A)*	1,089.00 1,089.00	900.00 900.00
EK 2000 BW-X 503818 *21*	Adaptive diversity camera receiver, BW Range (626 ... 698 MHz) *max. 75 MHz • Sennheiser HDX • 25 ... 18000 Hz • max. 64 • > 120 dB(A)*	1,089.00 1,089.00	900.00 900.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
EK 2000 CW-X 503820 *21*	Adaptive diversity camera receiver, CW Range (718 ... 790 MHz) *max. 75 MHz • Sennheiser HDX • 25 ... 18000 Hz • max. 64 • > 120 dB(A)*	1,089.00 1,089.00	900.00 900.00
EK 2000 DW-X 503822 *21*	Adaptive diversity camera receiver, DW Range (790 ... 865 MHz) *max. 75 MHz • Sennheiser HDX • 25 ... 18000 Hz • max. 64 • > 120 dB(A)*	1,089.00 1,089.00	900.00 900.00
NO IMAGE EK 2000 GBW 504946 *21*	Adaptive-diversity camera receiver *max. 75 MHz • Sennheiser HDX • 25 ... 18000 Hz • max. 64 • > 120 dB(A)*	1,089.00 1,089.00	900.00 900.00
EK 2000 GW-X 503816 *21*	Adaptive diversity camera receiver, GW Range (558 ... 626 MHz) *max. 75 MHz • Sennheiser HDX • 25 ... 18000 Hz • max. 64 • > 120 dB(A)*	1,089.00 1,089.00	900.00 900.00
EK 2000 IEM AW-X 503861 *21*	Adaptive diversity receiver for wireless monitoring, including IE 4, AW Range (516 ... 558 MHz) *max. 75 MHz • 25 - 15000 Hz • max. 32 • > 90 dB(A) • 3,5 mm Jack*	907.50 907.50	750.00 750.00
EK 2000 IEM BW-X 503865 *21*	Adaptive diversity receiver for wireless monitoring, including IE 4, BW Range (626 ... 698 MHz) *max. 75 MHz • 25 - 15000 Hz • max. 32 • > 90 dB(A) • 3,5 mm Jack*	907.50 907.50	750.00 750.00
EK 2000 IEM CW-X 503867 *21*	Adaptive diversity receiver for wireless monitoring, including IE 4, CW Range (718 ... 790 MHz) *max. 75 MHz • 25 - 15000 Hz • max. 32 • > 90 dB(A) • 3,5 mm Jack*	907.50 907.50	750.00 750.00
EK 2000 IEM DW-X 503869 *21*	Adaptive diversity receiver for wireless monitoring, including IE 4, DW Range (790 ... 865 MHz) *max. 75 MHz • 25 - 15000 Hz • max. 32 • > 90 dB(A) • 3,5 mm Jack*	907.50 907.50	750.00 750.00
EK 2000 IEM GW-X 503863 *21*	Adaptive diversity receiver for wireless monitoring, including IE 4, GW Range (558 ... 626 MHz) *max. 75 MHz • 25 - 15000 Hz • max. 32 • > 90 dB(A) • 3,5 mm Jack*	907.50 907.50	750.00 750.00
NO IMAGE EK 2000 IEM-GBW 504947 *21*	Adaptive-diversity receiver for wireless monitoring *max. 75 MHz • 25 - 15000 Hz • max. 32 • > 90 dB(A) • 3,5 mm Jack*	907.50 907.50	750.00 750.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
 EM 2000 AW-X 503719 *21*	True diversity receiver with PC control 2000 series, AW Range (516 ... 558 MHz) *max. 75 MHz • HDX • 25 - 18000 Hz • max. 64 • < 0,9 %*	2,238.50 2,238.50	1,850.00 1,850.00
 EM 2000 BW-X 503727 *21*	True diversity receiver with PC control 2000 series, BW Range (626 ... 698 MHz) *max. 75 MHz • HDX • 25 - 18000 Hz • max. 64 • < 0,9 %*	2,238.50 2,238.50	1,850.00 1,850.00
 EM 2000 CW-X 503731 *21*	True diversity receiver with PC control 2000 series, CW Range (718 ... 790 MHz) *max. 75 MHz • HDX • 25 - 18000 Hz • max. 64 • < 0,9 %*	2,238.50 2,238.50	1,850.00 1,850.00
 EM 2000 DW-X 503735 *21*	True diversity receiver with PC control 2000 series, DW Range (790 ... 865 MHz) *max. 75 MHz • HDX • 25 - 18000 Hz • max. 64 • < 0,9 %*	2,238.50 2,238.50	1,850.00 1,850.00
NO IMAGE **EM 2000 GBW** 504948 *21*	True diversity receiver with PC control *max. 75 MHz • HDX • 25 - 18000 Hz • max. 64 • < 0,9 %*	2,238.50 2,238.50	1,850.00 1,850.00
 EM 2000 GW-X 503723 *21*	True diversity receiver with PC control 2000 series, GW Range (558 ... 626 MHz) *max. 75 MHz • HDX • 25 - 18000 Hz • max. 64 • < 0,9 %*	2,238.50 2,238.50	1,850.00 1,850.00
 EM 2050 AW-X 503739 *21*	True diversity twin receiver with PC control, AW Range (516 ... 558 MHz) *max. 75 MHz • HDX • 25 - 18000 Hz • max. 64 • < 0,9 %*	3,569.50 3,569.50	2,950.00 2,950.00
 EM 2050 BW-X 503747 *21*	True diversity twin receiver with PC control, BW Range (626 ... 698 MHz) *max. 75 MHz • HDX • 25 - 18000 Hz • max. 64 • < 0,9 %*	3,569.50 3,569.50	2,950.00 2,950.00
 EM 2050 CW-X 503751 *21*	True diversity twin receiver with PC control, CW Range (718 ... 790 MHz) *max. 75 MHz • HDX • 25 - 18000 Hz • max. 64 • < 0,9 %*	3,569.50 3,569.50	2,950.00 2,950.00
 EM 2050 DW-X 503755 *21*	True diversity twin receiver with PC control, DW Range (790 ... 865 MHz) *max. 75 MHz • HDX • 25 - 18000 Hz • max. 64 • < 0,9 %*	3,569.50 3,569.50	2,950.00 2,950.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
NO IMAGE **EM 2050 GBW** 504949 *21*	True diversity twin receiver with PC control *max. 75 MHz • HDX • 25 - 18000 Hz • max. 64 • < 0,9 %*	3,569.50 3,569.50	2,950.00 2,950.00
 EM 2050 GW-X 503743 *21*	True diversity twin receiver with PC control, GW Range (558 ... 626 MHz) *max. 75 MHz • HDX • 25 - 18000 Hz • max. 64 • < 0,9 %*	3,569.50 3,569.50	2,950.00 2,950.00
 SK 2000 AW-X 503759 *21*	Bodypack transmitter with enhanced AF frequency response, AW Range (516 ... 558 MHz) *max. 75 MHz • HDX • Line: 25 .... 18000 Hz, Mic: 80 ... 18000 Hz • max. 64 • 10, 30, 50 mW (US: 100 mW)*	968.00 968.00	800.00 800.00
 SK 2000 BW-X 503763 *21*	Bodypack transmitter with enhanced AF frequency response, BW Range (626 ... 698 MHz) *max. 75 MHz • HDX • Line: 25 .... 18000 Hz, Mic: 80 ... 18000 Hz • max. 64 • 10, 30, 50 mW (US: 100 mW)*	968.00 968.00	800.00 800.00
 SK 2000 CW-X 503765 *21*	Bodypack transmitter with enhanced AF frequency response, CW Range (718 ... 790 MHz) *max. 75 MHz • HDX • Line: 25 .... 18000 Hz, Mic: 80 ... 18000 Hz • max. 64 • 10, 30, 50 mW (US: 100 mW)*	968.00 968.00	800.00 800.00
 SK 2000 DW-X 503767 *21*	Bodypack transmitter with enhanced AF frequency response, DW Range (790 ... 865 MHz) *max. 75 MHz • HDX • Line: 25 .... 18000 Hz, Mic: 80 ... 18000 Hz • max. 64 • 10, 30, 50 mW (US: 100 mW)*	968.00 968.00	800.00 800.00
NO IMAGE **SK 2000 GBW** 504950 *21*	Bodypack transmitter with enhanced AF frequency response *max. 75 MHz • HDX • Line: 25 .... 18000 Hz, Mic: 80 ... 18000 Hz • max. 64 • 10, 30, 50 mW (US: 100 mW)*	968.00 968.00	800.00 800.00
 SK 2000 GW-X 503761 *21*	Bodypack transmitter with enhanced AF frequency response, GW Range (558 ... 626 MHz) *max. 75 MHz • HDX • Line: 25 .... 18000 Hz, Mic: 80 ... 18000 Hz • max. 64 • 10, 30, 50 mW (US: 100 mW)*	968.00 968.00	800.00 800.00
 SKM 2000 AW-X BK 503770 *21*	Hand-held transmitter with rock-n-roll design Black Edition, AW Range (516 ... 558 MHz) *max. 75 MHz • HDX • 80...18000 Hz • max. 64 • 10, 30, 50 mW (US : 100 mW)*	907.50 907.50	750.00 750.00
 SKM 2000 AW-X NI 503781 *21*	Hand-held transmitter with rock-n-roll design Nickel Edition, AW Range (516 ... 558 MHz) *max. 75 MHz • HDX • 80...18000 Hz • max. 64 • 10, 30, 50 mW (US : 100 mW)*	907.50 907.50	750.00 750.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKM 2000 BW-X BK 503774 *21*	Hand-held transmitter with rock-n-roll design Black Edition, BW Range (626 ... 698 MHz) *max. 75 MHz • HDX • 80...18000 Hz • max. 64 • 10, 30, 50 mW (US : 100 mW)*	907.50 907.50	750.00 750.00
SKM 2000 BW-X NI 503785 *21*	Hand-held transmitter with rock-n-roll design Nickel Edition, BW Range (626 ... 698 MHz) *max. 75 MHz • HDX • 80...18000 Hz • max. 64 • 10, 30, 50 mW (US : 100 mW)*	907.50 907.50	750.00 750.00
SKM 2000 CW-X BK 503776 *21*	Hand-held transmitter with rock-n-roll design Black Edition, CW Range (718 ... 790 MHz) *max. 75 MHz • HDX • 80...18000 Hz • max. 64 • 10, 30, 50 mW (US : 100 mW)*	907.50 907.50	750.00 750.00
SKM 2000 CW-X NI 503787 *21*	Hand-held transmitter with rock-n-roll design Nickel Edition, CW Range (718 ... 790 MHz) *max. 75 MHz • HDX • 80...18000 Hz • max. 64 • 10, 30, 50 mW (US : 100 mW)*	907.50 907.50	750.00 750.00
SKM 2000 DW-X BK 503778 *21*	Hand-held transmitter with rock-n-roll design Black Edition, DW Range (790 ... 865 MHz) *max. 75 MHz • HDX • 80...18000 Hz • max. 64 • 10, 30, 50 mW (US : 100 mW)*	907.50 907.50	750.00 750.00
SKM 2000 DW-X NI 503789 *21*	Hand-held transmitter with rock-n-roll design Nickel Edition, DW Range (790 ... 865 MHz) *max. 75 MHz • HDX • 80...18000 Hz • max. 64 • 10, 30, 50 mW (US : 100 mW)*	907.50 907.50	750.00 750.00
SKM 2000 GBW BK 504951 *21*	Hand-held transmitter with rock-n-roll design Black Edition, GBW Range (606 ... 678 MHz) *max. 75 MHz • HDX • 80...18000 Hz • max. 64 • 10, 30, 50 mW (US : 100 mW)*	907.50 907.50	750.00 750.00
SKM 2000 GBW NI 504952 *21*	Hand-held transmitter with rock-n-roll design Nickel Edition, GBW Range (606 ...678 MHz) *max. 75 MHz • HDX • 80...18000 Hz • max. 64 • 10, 30, 50 mW (US : 100 mW)*	907.50 907.50	750.00 750.00
SKM 2000 GW-X BK 503772 *21*	Hand-held transmitter with rock-n-roll design Black Edition, GW Range (558 ... 626 MHz) *max. 75 MHz • HDX • 80...18000 Hz • max. 64 • 10, 30, 50 mW (US : 100 mW)*	907.50 907.50	750.00 750.00
SKM 2000 GW-X NI 503783 *21*	Hand-held transmitter with rock-n-roll design Nickel Edition, GW Range (558 ... 626 MHz) *max. 75 MHz • HDX • 80...18000 Hz • max. 64 • 10, 30, 50 mW (US : 100 mW)*	907.50 907.50	750.00 750.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
 SKP 2000 AW-X 503803 *21*	Plug-on transmitter with phantom powering 2000 series, AW Range (516 ... 558 MHz) *max. 75 MHz • HDX • 80 - 18000 Hz • 10, 30, 50 mW (US : 100 mW) • < 0,9 %*	786.50 786.50	650.00 650.00
 SKP 2000 BW-X 503807 *21*	Plug-on transmitter with phantom powering 2000 series, BW Range (626 ... 698 MHz) *max. 75 MHz • HDX • 80 - 18000 Hz • 10, 30, 50 mW (US : 100 mW) • < 0,9 %*	786.50 786.50	650.00 650.00
 SKP 2000 CW-X 503809 *21*	Plug-on transmitter with phantom powering 2000 series, CW Range (718 ... 790 MHz) *max. 75 MHz • HDX • 80 - 18000 Hz • 10, 30, 50 mW (US : 100 mW) • < 0,9 %*	786.50 786.50	650.00 650.00
 SKP 2000 DW-X 503811 *21*	Plug-on transmitter with phantom powering 2000 series, DW Range (790 ... 865 MHz) *max. 75 MHz • HDX • 80 - 18000 Hz • 10, 30, 50 mW (US : 100 mW) • < 0,9 %*	786.50 786.50	650.00 650.00
NO IMAGE **SKP 2000 GBW** 504953 *21*	Plug-on transmitter with phantom powering *max. 75 MHz • HDX • 80 - 18000 Hz • 10, 30, 50 mW (US : 100 mW) • < 0,9 %*	786.50 786.50	650.00 650.00
 SKP 2000 GW-X 503805 *21*	Plug-on transmitter with phantom powering 2000 series, GW Range (558 ... 626 MHz) *max. 75 MHz • HDX • 80 - 18000 Hz • 10, 30, 50 mW (US : 100 mW) • < 0,9 %*	786.50 786.50	650.00 650.00
 SR 2000 IEM AW-X 503825 *21*	Wireless monitoring transmitter with variable output power 2000 series, AW range (516 ... 558 Mhz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	2,359.50 2,359.50	1,950.00 1,950.00
 SR 2000 IEM BW-X 503833 *21*	Wireless monitoring transmitter with variable output power 2000 series, BW range (516 ... 558 Mhz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	2,359.50 2,359.50	1,950.00 1,950.00
 SR 2000 IEM CW-X 503837 *21*	Wireless monitoring transmitter with variable output power 2000 series, CW range (718 ... 790 Mhz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	2,359.50 2,359.50	1,950.00 1,950.00
 SR 2000 IEM DW-X 503841 *21*	Wireless monitoring transmitter with variable output power 2000 series, DW range (790 ... 865 Mhz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	2,359.50 2,359.50	1,950.00 1,950.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SR 2000 IEM GW-X 503829 *21*	Wireless monitoring transmitter with variable output power 2000 series, GW range (558 ... 626 Mhz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	2,359.50 2,359.50	1,950.00 1,950.00
SR 2000 IEM-GBW 504954 *21*	Wireless monitoring transmitter with variable output power *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	2,359.50 2,359.50	1,950.00 1,950.00
SR 2050 IEM AW-X 503843 *21*	Twin transmitter for wireless monitoring with PC control 2000 series, AW range (516 ... 558 MHz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	3,569.50 3,569.50	2,950.00 2,950.00
SR 2050 IEM BW-X 503851 *21*	Twin transmitter for wireless monitoring with PC control 2000 series, BW range (626 ... 698 MHz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	3,569.50 3,569.50	2,950.00 2,950.00
SR 2050 IEM CW-X 503855 *21*	Twin transmitter for wireless monitoring with PC control 2000 series, CW range (718 ... 790 MHz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	3,569.50 3,569.50	2,950.00 2,950.00
SR 2050 IEM DW-X 503859 *21*	Twin transmitter for wireless monitoring with PC control 2000 series, DW range (790 ... 865 MHz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	3,569.50 3,569.50	2,950.00 2,950.00
SR 2050 IEM GW-X 503847 *21*	Twin transmitter for wireless monitoring with PC control 2000 series, GW range (558 ... 626 MHz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	3,569.50 3,569.50	2,950.00 2,950.00
SR 2050 IEM-GBW 504955 *21*	Twin transmitter for wireless monitoring with PC control *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	3,569.50 3,569.50	2,950.00 2,950.00
2000 IEM			
EK 2000 IEM AW-X 503861 *21*	Adaptive diversity receiver for wireless monitoring, including IE 4, AW Range (516 ... 558 MHz) *max. 75 MHz • 25 - 15000 Hz • max. 32 • > 90 dB(A) • 3,5 mm Jack*	907.50 907.50	750.00 750.00
EK 2000 IEM BW-X 503865 *21*	Adaptive diversity receiver for wireless monitoring, including IE 4, BW Range (626 ... 698 MHz) *max. 75 MHz • 25 - 15000 Hz • max. 32 • > 90 dB(A) • 3,5 mm Jack*	907.50 907.50	750.00 750.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
EK 2000 IEM CW-X 503867 *21*	Adaptive diversity receiver for wireless monitoring, including IE 4, CW Range (718 ... 790 MHz) *max. 75 MHz • 25 - 15000 Hz • max. 32 • > 90 dB(A) • 3,5 mm Jack*	907.50 907.50	750.00 750.00
EK 2000 IEM DW-X 503869 *21*	Adaptive diversity receiver for wireless monitoring, including IE 4, DW Range (790 ... 865 MHz) *max. 75 MHz • 25 - 15000 Hz • max. 32 • > 90 dB(A) • 3,5 mm Jack*	907.50 907.50	750.00 750.00
EK 2000 IEM GW-X 503863 *21*	Adaptive diversity receiver for wireless monitoring, including IE 4, GW Range (558 ... 626 MHz) *max. 75 MHz • 25 - 15000 Hz • max. 32 • > 90 dB(A) • 3,5 mm Jack*	907.50 907.50	750.00 750.00
NO IMAGE EK 2000 IEM-GBW 504947 *21*	Adaptive-diversity receiver for wireless monitoring *max. 75 MHz • 25 - 15000 Hz • max. 32 • > 90 dB(A) • 3,5 mm Jack*	907.50 907.50	750.00 750.00
IE 4 500432 *21*	In-ear earphones *dynamic • In-The Ear • 106 dB(SPL) (1mW) • 16 Ohm • ca. 1.4 m*	83.49 83.49	69.00 69.00
SR 2000 IEM AW-X 503825 *21*	Wireless monitoring transmitter with variable output power 2000 series, AW range (516 ... 558 Mhz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	2,359.50 2,359.50	1,950.00 1,950.00
SR 2000 IEM BW-X 503833 *21*	Wireless monitoring transmitter with variable output power 2000 series, BW range (516 ... 558 Mhz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	2,359.50 2,359.50	1,950.00 1,950.00
SR 2000 IEM CW-X 503837 *21*	Wireless monitoring transmitter with variable output power 2000 series, CW range (718 ... 790 Mhz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	2,359.50 2,359.50	1,950.00 1,950.00
SR 2000 IEM DW-X 503841 *21*	Wireless monitoring transmitter with variable output power 2000 series, DW range (790 ... 865 Mhz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	2,359.50 2,359.50	1,950.00 1,950.00
SR 2000 IEM GW-X 503829 *21*	Wireless monitoring transmitter with variable output power 2000 series, GW range (558 ... 626 Mhz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	2,359.50 2,359.50	1,950.00 1,950.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
NO IMAGE **SR 2000 IEM-GBW** 504954 *21*	Wireless monitoring transmitter with variable output power *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	2,359.50 2,359.50	1,950.00 1,950.00
SR 2050 IEM AW-X 503843 *21*	Twin transmitter for wireless monitoring with PC control 2000 series, AW range (516 ... 558 MHz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	3,569.50 3,569.50	2,950.00 2,950.00
SR 2050 IEM BW-X 503851 *21*	Twin transmitter for wireless monitoring with PC control 2000 series, BW range (626 ... 698 MHz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	3,569.50 3,569.50	2,950.00 2,950.00
SR 2050 IEM CW-X 503855 *21*	Twin transmitter for wireless monitoring with PC control 2000 series, CW range (718 ... 790 MHz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	3,569.50 3,569.50	2,950.00 2,950.00
SR 2050 IEM DW-X 503859 *21*	Twin transmitter for wireless monitoring with PC control 2000 series, DW range (790 ... 865 MHz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	3,569.50 3,569.50	2,950.00 2,950.00
SR 2050 IEM GW-X 503847 *21*	Twin transmitter for wireless monitoring with PC control 2000 series, GW range (558 ... 626 MHz) *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	3,569.50 3,569.50	2,950.00 2,950.00
NO IMAGE **SR 2050 IEM-GBW** 504955 *21*	Twin transmitter for wireless monitoring with PC control *max. 75 MHz • HDX • 25 - 15000 Hz • max. 32 • 10, 30, 50 mW (US: 100 mW) switchable*	3,569.50 3,569.50	2,950.00 2,950.00
COMBINERS / SPLITTERS 3/5000			
AC 3000 009424 *23*	Active 8-channel 0 dB antenna combiner, 470 - 870 MHz, 80 mW per input. *50 Ω • 470 - 870 MHz • BNC • max. 80 mW RF input power per channel • 19 ", 1 U*	3,811.50 3,811.50	3,150.00 3,150.00
AC 3200 II 505497 *23*	Active 8-channel 0 dB antenna combiner, 500 - 870 MHz, 250 mW peak per input. *max. 90 W • 500 – 870 MHz • BNC • 436 x 215 x 44 mm • approx. 4 kg*	4,477.00 4,477.00	3,700.00 3,700.00
ASA 3000 009423 *23*	Active antenna splitter for multi-channel wireless microphone systems *50 Ω • 470 - 870 MHz • BNC • 19 ", 1U • ~ 3 kg*	2,407.90 2,407.90	1,990.00 1,990.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ASP 113 003422 *23*	Passive antenna splitter 1 into 3	349.69 349.69	289.00 289.00
ASP 114 003423 *23*	Passive antenna splitter 1 into 4	349.69 349.69	289.00 289.00
ASP 212 003421 *23*	Passive antenna splitter 2 x 1 into 2	373.89 373.89	309.00 309.00
EVOLUTION WIRELESS			
100 SERIES			
EK 100 G3 A-X 504834 *21*	Portable adaptive-diversity receiver for camera and ENG use Range A (516...558 MHz) *42 MHz • 25.....18000 Hz • 12 • > 110 dB(A) • 3,5 mm*	543.29 543.29	449.00 449.00
EK 100 G3 B-X 504836 *21*	Portable adaptive-diversity receiver for camera and ENG use Range B (626...668 MHz) *42 MHz • 25.....18000 Hz • 12 • > 110 dB(A) • 3,5 mm*	543.29 543.29	449.00 449.00
EK 100 G3 C-X 504837 *21*	Portable adaptive-diversity receiver for camera and ENG use Range C (734...776 MHz) *42 MHz • 25.....18000 Hz • 12 • > 110 dB(A) • 3,5 mm*	543.29 543.29	449.00 449.00
EK 100 G3 D-X 503534 *21*	Portable adaptive-diversity receiver for camera and ENG use Range D (780...822 MHz) *42 MHz • 25 - 18000 Hz • 12 • > 110 dB(A) • 3,5 mm*	543.29 543.29	449.00 449.00
EK 100 G3 E-X 503536 *21*	Portable adaptive-diversity receiver for camera and ENG use Range E (823...865 MHz) *42 MHz • 25 - 18000 Hz • 12 • > 110 dB(A) • 3,5 mm*	543.29 543.29	449.00 449.00
EK 100 G3 GB 504662 *21*	Portable adaptive-diversity receiver for camera and ENG use Range GB (606...648 MHz) *42 MHz • 25 - 18000 Hz • 12 • > 110 dB(A) • 3,5 mm*	543.29 543.29	449.00 449.00
EK 100 G3 G-X 504835 *21*	Portable adaptive-diversity receiver for camera and ENG use Range G (566...608 MHz) *42 MHz • 25.....18000 Hz • 12 • > 110 dB(A) • 3,5 mm*	543.29 543.29	449.00 449.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
EM 100 G3 A-X 503124 *21*	True Diversity Receiver 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 1680 • 12 • < 0,9 %*	543.29 543.29	449.00 449.00
EM 100 G3 B-X 503517 *21*	True Diversity Receiver 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 1680 • 12 • < 0,9 %*	543.29 543.29	449.00 449.00
EM 100 G3 C-X 503520 *21*	True Diversity Receiver 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 1680 • 12 • < 0,9 %*	543.29 543.29	449.00 449.00
EM 100 G3 D-X 503524 *21*	True Diversity Receiver 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 1680 • 12 • < 0,9 %*	543.29 543.29	449.00 449.00
EM 100 G3 E-X 503527 *21*	True Diversity Receiver 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 1680 • 12 • < 0,9 %*	543.29 543.29	449.00 449.00
EM 100 G3 GB 504661 *21*	True Diversity Receiver 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 1680 • 12 • < 0,9 %*	543.29 543.29	449.00 449.00
EM 100 G3 G-X 503514 *21*	True Diversity Receiver 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 1680 • 12 • < 0,9 %*	543.29 543.29	449.00 449.00
ew 100-935 G3 A-X 504822 *21*	Vocal System - Cardioid 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 100-935 G3 B-X 504824 *21*	Vocal System - Cardioid 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 100-935 G3 C-X 504825 *21*	Vocal System - Cardioid 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 100-935 G3 D-X 504267 *21*	Vocal System - Cardioid 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 100-935 G3 E-X 504269 *21*	Vocal System - Cardioid 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 100-935 G3 G-X 504823 *21*	Vocal System - Cardioid 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 100-945 G3 A-X 504826 *21*	Vocal System - Super Cardioid 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	845.79 845.79	699.00 699.00
ew 100-945 G3 B-X 504828 *21*	Vocal System - Super Cardioid 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	845.79 845.79	699.00 699.00
ew 100-945 G3 C-X 504829 *21*	Vocal System - Super Cardioid 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	845.79 845.79	699.00 699.00
ew 100-945 G3 D-X 504275 *21*	Vocal System - Super Cardioid 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	845.79 845.79	699.00 699.00
ew 100-945 G3 E-X 504277 *21*	Vocal System - Super Cardioid 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	845.79 845.79	699.00 699.00
ew 100-945 G3 G-X 504827 *21*	Vocal System - Super Cardioid 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	845.79 845.79	699.00 699.00
ew 100-ENG G3 A-X 504818 *21*	Complete ENG System 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 12*	966.79 966.79	799.00 799.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 100-ENG G3 B-X 504820 *21*	Complete ENG System 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 12*	966.79 966.79	799.00 799.00
ew 100-ENG G3 C-X 504821 *21*	Complete ENG System 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 12*	966.79 966.79	799.00 799.00
ew 100-ENG G3 D-X 503311 *21*	Complete ENG System 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 12*	966.79 966.79	799.00 799.00
ew 100-ENG G3 E-X 503313 *21*	Complete ENG System 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 12*	966.79 966.79	799.00 799.00
ew 100-ENG G3 GB 504648 *21*	Complete ENG System 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 12*	966.79 966.79	799.00 799.00
ew 100-ENG G3 G-X 504819 *21*	Complete ENG System 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 12*	966.79 966.79	799.00 799.00
ew 112 G3 A-X 503100 *21*	Presentation System 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 25 - 18.000 Hz • 130 dB(SPL) max. • 1680*	724.79 724.79	599.00 599.00
ew 112 G3 B-X 503174 *21*	Presentation System 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 25 - 18.000 Hz • 130 dB(SPL) max. • 1680*	724.79 724.79	599.00 599.00
ew 112 G3 C-X 503177 *21*	Presentation System 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 25 - 18.000 Hz • 130 dB(SPL) max. • 1680*	724.79 724.79	599.00 599.00
ew 112 G3 D-X 503181 *21*	Presentation System 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 25 - 18.000 Hz • 130 dB(SPL) max. • 1680*	724.79 724.79	599.00 599.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 112 G3 E-X 503184 *21*	Presentation System 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 25 - 18.000 Hz • 130 dB(SPL) max. • 1680*	724.79 724.79	599.00 599.00
ew 112 G3 GB 504638 *21*	Presentation System 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 25 - 18.000 Hz • 130 dB(SPL) max. • 1680*	724.79 724.79	599.00 599.00
ew 112 G3 G-X 503171 *21*	Presentation System 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 25 - 18.000 Hz • 130 dB(SPL) max. • 1680*	724.79 724.79	599.00 599.00
ew 112-P G3 A-X 504806 *21*	ENG set for Portable/ Camera use 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 112-P G3 B-X 504808 *21*	ENG set for Portable/ Camera use 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 112-P G3 C-X 504809 *21*	ENG set for Portable/ Camera use 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 112-P G3 D-X 503287 *21*	ENG set for Portable/ Camera use 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 112-P G3 E-X 503289 *21*	ENG set for Portable/ Camera use 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 112-P G3 GB 504645 *21*	ENG set for Portable/ Camera use 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 25.....18.000 Hz • 130 dB(SPL) max. • 1680*	724.79 724.79	599.00 599.00
ew 112-P G3 G-X 504807 *21*	ENG set for Portable/ Camera use 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 122 G3 A-X 503101 *21*	Presentation system 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 20*	724.79 724.79	599.00 599.00
ew 122 G3 B-X 503192 *21*	Presentation system 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 20*	724.79 724.79	599.00 599.00
ew 122 G3 C-X 503195 *21*	Presentation system 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 20*	724.79 724.79	599.00 599.00
ew 122 G3 D-X 503199 *21*	Presentation system 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 20*	724.79 724.79	599.00 599.00
ew 122 G3 E-X 503202 *21*	Presentation system 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 20*	724.79 724.79	599.00 599.00
ew 122 G3 GB 504639 *21*	Presentation system 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 20*	724.79 724.79	599.00 599.00
ew 122 G3 G-X 503189 *21*	Presentation system 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 20*	724.79 724.79	599.00 599.00
ew 122-P G3 A-X 504810 *21*	ENG set for Portable/ Camera use 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 122-P G3 B-X 504812 *21*	ENG set for Portable/ Camera use 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 122-P G3 C-X 504813 *21*	ENG set for Portable/ Camera use 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 122-P G3 D-X 503295 *21*	ENG set for Portable/ Camera use 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 122-P G3 E-X 504297 *21*	ENG set for Portable/ Camera use 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 122-P G3 GB 504646 *21*	ENG set for Portable/ Camera use 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 122-P G3 G-X 504811 *21*	ENG set for Portable/ Camera use 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 135 G3 A-X 503104 *21*	Vocal System - Cardiod 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 135 G3 B-X 503242 *21*	Vocal System - Cardiod 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 135 G3 C-X 503245 *21*	Vocal System - Cardiod 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 135 G3 D-X 503249 *21*	Vocal System - Cardiod 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 135 G3 E-X 503252 *21*	Vocal System - Cardiod 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 135 G3 GB 504642 *21*	Vocal System - Cardiod 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 135 G3 G-X 503239 *21*	Vocal System - Cardiod 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 135-P G3 A-X 504814 *21*	ENG set 100 series G3 Range A (516...558 MHz) *42 • HDX • 154 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 135-P G3 B-X 504816 *21*	ENG set 100 series G3 Range B (626...668 MHz) *42 • HDX • 154 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 135-P G3 C-X 504817 *21*	ENG set 100 series G3 Range C (734...776 MHz) *42 • HDX • 154 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 135-P G3 D-X 503303 *21*	ENG set 100 series G3 Range D (780...822 MHz) *42 Mhz • HDX • 154 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 135-P G3 E-X 503305 *21*	ENG set 100 series G3 Range E (823...865 MHz) *42 Mhz • HDX • 154 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 135-P G3 GB 504647 *21*	ENG set 100 series G3 Range GB (606...648 MHz) *42 Mhz • HDX • 154 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 135-P G3 G-X 504815 *21*	ENG set 100 series G3 Range G (566...608 MHz) *42 • HDX • 154 dB(SPL) max. • 1680 • 12*	724.79 724.79	599.00 599.00
ew 145 G3 A-X 503105 *21*	Vocal System - Super Cardioid ew 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 145 G3 B-X 503258 *21*	Vocal System - Super Cardioid ew 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 145 G3 C-X 503260 *21*	Vocal System - Super Cardioid ew 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 145 G3 D-X 503263 *21*	Vocal System - Super Cardioid ew 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 145 G3 E-X 503266 *21*	Vocal System - Super Cardioid ew 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 145 G3 GB 504643 *21*	Vocal System - Super Cardioid ew 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 145 G3 G-X 503256 *21*	Vocal System - Super Cardioid ew 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 152 G3 A-X 503102 *21*	Headset System 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 150 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 152 G3 B-X 503210 *21*	Headset System 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 150 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 152 G3 C-X 503213 *21*	Headset System 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 150 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 152 G3 D-X 503217 *21*	Headset System 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 150 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 152 G3 E-X 503220 *21*	Headset System 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 150 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 152 G3 GB 504640 *21*	Headset System 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 150 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 152 G3 G-X 503207 *21*	Headset System 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 150 dB(SPL) max. • 1680 • 12*	785.29 785.29	649.00 649.00
ew 165 G3 A-X 503106 *21*	Vocal System - Condensor 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 12*	930.49 930.49	769.00 769.00
ew 165 G3 B-X 503272 *21*	Vocal System - Condensor 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 12*	930.49 930.49	769.00 769.00
ew 165 G3 C-X 503274 *21*	Vocal System - Condensor 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 12*	930.49 930.49	769.00 769.00
ew 165 G3 D-X 503277 *21*	Vocal System - Condensor 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 12*	930.49 930.49	769.00 769.00
ew 165 G3 E-X 503280 *21*	Vocal System - Condensor 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 12*	930.49 930.49	769.00 769.00
ew 165 G3 GB 504644 *21*	Vocal System - Condensor 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 12*	930.49 930.49	769.00 769.00
ew 165 G3 G-X 503270 *21*	Vocal System - Condensor 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 12*	930.49 930.49	769.00 769.00
ew 172 G3 A-X 503103 *21*	Instrument system with built-in guitar tuner 100 series G3 Range A (516...558MHz) *42 MHz • HDX • 25 - 18000 Hz • 1680 • 12*	664.29 664.29	549.00 549.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 172 G3 B-X 503226 *21*	Instrument system with built-in guitar tuner 100 series G3 Range B (626...668MHz) *42 MHz • HDX • 25 - 18000 Hz • 1680 • 12*	664.29 664.29	549.00 549.00
ew 172 G3 C-X 503228 *21*	Instrument system with built-in guitar tuner 100 series G3 Range C (734...776MHz) *42 MHz • HDX • 25 - 18000 Hz • 1680 • 12*	664.29 664.29	549.00 549.00
ew 172 G3 D-X 503231 *21*	Instrument system with built-in guitar tuner 100 series G3 Range D (780...822MHz) *42 MHz • HDX • 25 - 18000 Hz • 1680 • 12*	664.29 664.29	549.00 549.00
ew 172 G3 E-X 503234 *21*	Instrument system with built-in guitar tuner 100 series G3 Range E (823...865MHz) *42 MHz • HDX • 25 - 18000 Hz • 1680 • 12*	664.29 664.29	549.00 549.00
ew 172 G3 GB 504641 *21*	Instrument system with built-in guitar tuner 100 series G3 Range GB (606...648MHz) *42 MHz • HDX • 25 - 18000 Hz • 1680 • 12*	664.29 664.29	549.00 549.00
ew 172 G3 G-X 503224 *21*	Instrument system with built-in guitar tuner 100 series G3 Range G (566...608MHz) *42 MHz • HDX • 25 - 18000 Hz • 1680 • 12*	664.29 664.29	549.00 549.00
SK 100 G3 A-X 504838 *21*	Bodypack transmitter 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 30 mW • < 0,9 %*	349.69 349.69	289.00 289.00
SK 100 G3 B-X 504840 *21*	Bodypack transmitter 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 30 mW • < 0,9 %*	349.69 349.69	289.00 289.00
SK 100 G3 C-X 504841 *21*	Bodypack transmitter 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 30 mW • < 0,9 %*	349.69 349.69	289.00 289.00
SK 100 G3 D-X 503542 *21*	Bodypack transmitter 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 30 mW • < 0,9 %*	349.69 349.69	289.00 289.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SK 100 G3 E-X 503544 *21*	Bodypack transmitter 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 30 mW • < 0,9 %*	349.69 349.69	289.00 289.00
SK 100 G3 GB 504663 *21*	Bodypack transmitter 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 30 mW • < 0,9 %*	349.69 349.69	289.00 289.00
SK 100 G3 G-X 504839 *21*	Bodypack transmitter 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 30 mW • < 0,9 %*	349.69 349.69	289.00 289.00
SKM 100-835 G3 A-X 504842 *21*	Handheld Transmitter - Cardioid 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	393.25 393.25	325.00 325.00
SKM 100-835 G3 B-X 504844 *21*	Handheld Transmitter - Cardioid 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	393.25 393.25	325.00 325.00
SKM 100-835 G3 C-X 504845 *21*	Handheld Transmitter - Cardioid 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	393.25 393.25	325.00 325.00
SKM 100-835 G3 D-X 503559 *21*	Handheld Transmitter - Cardioid 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	393.25 393.25	325.00 325.00
SKM 100-835 G3 E-X 503561 *21*	Handheld Transmitter - Cardioid 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	393.25 393.25	325.00 325.00
SKM 100-835 G3 GB 504664 *21*	Handheld Transmitter - Cardioid 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	393.25 393.25	325.00 325.00
SKM 100-835 G3 G-X 504843 *21*	Handheld Transmitter - Cardioid 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	393.25 393.25	325.00 325.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKM 100-845 G3 A-X 504846 *21*	Handheld Transmitter - Super Cardioid 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	434.39 434.39	359.00 359.00
SKM 100-845 G3 B-X 504848 *21*	Handheld Transmitter - Super Cardioid 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	434.39 434.39	359.00 359.00
SKM 100-845 G3 C-X 504849 *21*	Handheld Transmitter - Super Cardioid 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	434.39 434.39	359.00 359.00
SKM 100-845 G3 D-X 503567 *21*	Handheld Transmitter - Super Cardioid 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	434.39 434.39	359.00 359.00
SKM 100-845 G3 E-X 503569 *21*	Handheld Transmitter - Super Cardioid 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	434.39 434.39	359.00 359.00
SKM 100-845 G3 GB 504665 *21*	Handheld Transmitter - Super Cardioid 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	434.39 434.39	359.00 359.00
SKM 100-845 G3 G-X 504847 *21*	Handheld Transmitter - Super Cardioid 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 12*	434.39 434.39	359.00 359.00
SKM 100-865 G3 A-X 504850 *21*	Handheld Transmitter - Condensor 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 12*	567.49 567.49	469.00 469.00
SKM 100-865 G3 B-X 504852 *21*	Handheld Transmitter - Condensor 100 series G3 Range B (626...668 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 12*	567.49 567.49	469.00 469.00
SKM 100-865 G3 C-X 504853 *21*	Handheld Transmitter - Condensor 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 12*	567.49 567.49	469.00 469.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKM 100-865 G3 D-X 503575 *21*	Handheld Transmitter - Condensor 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 12*	567.49 567.49	469.00 469.00
SKM 100-865 G3 E-X 503577 *21*	Handheld Transmitter - Condensor 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 12*	567.49 567.49	469.00 469.00
SKM 100-865 G3 GB 504666 *21*	Handheld Transmitter - Condensor 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 12*	567.49 567.49	469.00 469.00
SKM 100-865 G3 G-X 504851 *21*	Handheld Transmitter - Condensor 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 12*	567.49 567.49	469.00 469.00
SKP 100 G3 A-X 504854 *21*	Wireless Plug-on Transmitter 100 series G3 Range A (516...558 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 30 mW • < 0,9 %*	361.79 361.79	299.00 299.00
SKP 100 G3 B-X 504856 *21*	Wireless Plug-on Transmitter 100 series G3 Range B (566...608 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 30 mW • < 0,9 %*	361.79 361.79	299.00 299.00
SKP 100 G3 C-X 504857 *21*	Wireless Plug-on Transmitter 100 series G3 Range C (734...776 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 30 mW • < 0,9 %*	361.79 361.79	299.00 299.00
SKP 100 G3 D-X 503583 *21*	Wireless Plug-on Transmitter 100 series G3 Range D (780...822 MHz) *42 MHz • HDX • 1680 • 20 • 30 mW*	361.79 361.79	299.00 299.00
SKP 100 G3 E-X 503585 *21*	Wireless Plug-on Transmitter 100 series G3 Range E (823...865 MHz) *42 MHz • HDX • 1680 • 20 • 30 mW*	361.79 361.79	299.00 299.00
SKP 100 G3 GB 504667 *21*	Wireless Plug-on Transmitter 100 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 1680 • 20 • 30 mW*	361.79 361.79	299.00 299.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKP 100 G3 G-X 504855 *21*	Wireless Plug-on Transmitter 100 series G3 Range G (566...608 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 30 mW • < 0,9 %*	361.79 361.79	299.00 299.00
1G8 SERIES			
EM 100 G3-1G8 504909 *21*	True diversity receiver with enhanced AF frequency response (1785...1800 MHz) *15 MHz • HDX • 1500 • 12 • < 0,9 %*	543.29 543.29	449.00 449.00
ew 100-935 G3-1G8 504907 *21*	Vocal system with superior stage technology (1785...1800 MHz) *15 MHz • HDX • 154 dB(SPL) max. • 1500 • 12*	785.29 785.29	649.00 649.00
ew 100-945 G3-1G8 504908 *21*	Vocal system with super-cardioid dynamic microphone (1785...1800 MHz) *15 MHz • HDX • 154 dB(SPL) max. • 1500 • 12*	845.79 845.79	699.00 699.00
ew 112 G3-1G8 504900 *21*	Presentation system with optimized voice reproduction. (1785...1800 MHz) *15 MHz • HDX • 25.....18.000 Hz • 130 dB(SPL) max. • 1500*	724.79 724.79	599.00 599.00
ew 122 G3-1G8 504901 *21*	Presentation system with rich sound and cardioid lavalier. (1785...1800 MHz) *15 MHz • HDX • 120 dB(SPL) max. • 1500 • 12*	724.79 724.79	599.00 599.00
ew 135 G3-1G8 504904 *21*	Vocal system with stage-tested technology. (1785...1800 MHz) *15 MHz • HDX • 154 dB(SPL) max. • 1500 • 12*	724.79 724.79	599.00 599.00
ew 145 G3-1G8 504905 *21*	Vocal system with super-cardioid dynamic capsule. (1785...1800 MHz) *15 MHz • HDX • 154 dB(SPL) max. • 1500 • 12*	785.29 785.29	649.00 649.00
ew 152 G3-1G8 504902 *21*	Headset system with headset microphone. (1785...1800 MHz) *15 MHz • HDX • 150 dB(SPL) max. • 1500 • 12*	785.29 785.29	649.00 649.00
ew 165 G3-1G8 504906 *21*	Vocal set with super-cardioid condenser microphone. (1785...1800 MHz) *15 MHz • HDX • 152 dB(SPL) max. • 1500 • 12*	930.49 930.49	769.00 769.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 172 G3-1G8 504903 *21*	Instrument system with built-in guitar tuner. (1785...1800 MHz) *15 MHz • HDX • 25...18.000 Hz • 1500 • 12*	664.29 664.29	549.00 549.00
SK 100 G3-1G8 504910 *21*	Bodypack transmitter with enhanced AF response. (1785...1800 MHz) *15 MHz • HDX • 1500 • 10 mW • < 0,9 %*	349.69 349.69	289.00 289.00
SKM 100-835 G3-1G8 504911 *21*	Hand-held transmitter, dynamic cardioid mirophone capsule. (1785 - 1800 MHz) *15 MHz • HDX • 154 dB(SPL) max. • 1500 • 12*	393.25 393.25	325.00 325.00
SKM 100-845 G3-1G8 504912 *21*	Hand-held transmitter, with super-cardioid dynamic capsule. (1785...1800 MHz) *15 MHz • HDX • 154 dB(SPL) max. • 1500 • 12*	434.39 434.39	359.00 359.00
SKM 100-865 G3-1G8 504913 *21*	Hand-held transmitter with super-cardioid condenser capsule. (1785...1800 MHz) *15 MHz • HDX • 152 dB(SPL) max. • 1500 • 12*	567.49 567.49	469.00 469.00
300 SERIES			
EK 300 IEM G3 A-X 504874 *21*	Bodypack Receiver including IE 4 in-ear phones 300 series G3 Range A (516...558 MHz) *42 MHz • 25.....15000 Hz • > 90 dB(A) • 516...558 MHz • 3,5mm jack*	567.49 567.49	469.00 469.00
EK 300 IEM G3 B-X 504876 *21*	Bodypack Receiver including IE 4 in-ear phones 300 series G3 Range B (626...668 MHz) *42 MHz • 25.....15000 Hz • > 90 dB(A) • 626...668 MHz • 3,5mm jack*	567.49 567.49	469.00 469.00
EK 300 IEM G3 C-X 504877 *21*	Bodypack Receiver including IE 4 in-ear phones 300 series G3 Range C (734...776 MHz) *42 MHz • 25.....15000 Hz • > 90 dB(A) • 734...776 MHz • 3,5mm jack*	567.49 567.49	469.00 469.00
EK 300 IEM G3 D-X 503655 *21*	Bodypack Receiver including IE 4 in-ear phones 300 series G3 Range D (780...822 MHz) *42 MHz • 25.....15000 Hz • > 90 dB(A) • 780...822 MHz • 3,5mm jack*	567.49 567.49	469.00 469.00
EK 300 IEM G3 E-X 503657 *21*	Bodypack Receiver including IE 4 in-ear phones 300 series G3 Range E (823...865 MHz) *42 MHz • 25.....15000 Hz • > 90 dB(A) • 823...865 MHz • 3,5mm jack*	567.49 567.49	469.00 469.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	VAT Excl. BELUX NL
EK 300 IEM G3 GB 504674 *21*	Bodypack Receiver including IE 4 in-ear phones 300 series G3 Range GB (606...648 MHz) *42 MHz • 25.....15000 Hz • > 90 dB(A) • 606...648 MHz • 3,5mm jack*	567.49 567.49	469.00 469.00
EK 300 IEM G3 G-X 504875 *21*	Bodypack Receiver including IE 4 in-ear phones 300 series G3 Range G (566...608 MHz) *42 MHz • 25.....15000 Hz • > 90 dB(A) • 566...608 MHz • 3,5mm jack*	567.49 567.49	469.00 469.00
EM 300 G3 A-X 503131 *21*	True Diversity Receiver 300 series G3 Range A (516...558 MHz) *42 MHz • HDX • 1680 • max 24 • < 0,9 %*	695.75 695.75	575.00 575.00
EM 300 G3 B-X 503590 *21*	True Diversity Receiver 300 series G3 Range B (626...668 MHz) *42 MHz • HDX • 1680 • max 24 • < 0,9 %*	695.75 695.75	575.00 575.00
EM 300 G3 C-X 503592 *21*	True Diversity Receiver 300 series G3 Range C (734...776 MHz) *42 MHz • HDX • 1680 • max 24 • < 0,9 %*	695.75 695.75	575.00 575.00
EM 300 G3 D-X 503595 *21*	True Diversity Receiver 300 series G3 Range D (780...822 MHz) *42 MHz • HDX • 1680 • max 24 • < 0,9 %*	695.75 695.75	575.00 575.00
EM 300 G3 E-X 503598 *21*	True Diversity Receiver 300 series G3 Range E (823...865 MHz) *42 MHz • HDX • 1680 • max 24 • < 0,9 %*	695.75 695.75	575.00 575.00
EM 300 G3 GB 504668 *21*	True Diversity Receiver 300 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 1680 • max 24 • < 0,9 %*	695.75 695.75	575.00 575.00
EM 300 G3 G-X 503588 *21*	True Diversity Receiver 300 series G3 Range G (566...608 MHz) *42 MHz • HDX • 1680 • max 24 • < 0,9 %*	695.75 695.75	575.00 575.00
ew 300 IEM G3 A-X 503118 *21*	Monitoring System 300 series G3 Range A (516...558 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	1,208.79 1,208.79	999.00 999.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 300 IEM G3 B-X 503425 *21*	Monitoring System 300 series G3 Range B (626...668 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	1,208.79 1,208.79	999.00 999.00
ew 300 IEM G3 C-X 503428 *21*	Monitoring System 300 series G3 Range C (734...776 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	1,208.79 1,208.79	999.00 999.00
ew 300 IEM G3 D-X 503432 *21*	Monitoring System 300 series G3 Range D (780...822 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	1,208.79 1,208.79	999.00 999.00
ew 300 IEM G3 E-X 503435 *21*	Monitoring System 300 series G3 Range E (823...865 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	1,208.79 1,208.79	999.00 999.00
ew 300 IEM G3 GB 504655 *21*	Monitoring System 300 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	1,208.79 1,208.79	999.00 999.00
ew 300 IEM G3 G-X 503422 *21*	Monitoring System 300 series G3 Range G (566...608 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	1,208.79 1,208.79	999.00 999.00
ew 300-2 IEM G3 A-X 504830 *21*	Monitoring System with extra EK 300 IEM 300 series G3 Range A (516...558 MHz) *42 MHz • HDX • 25.....15000 Hz • 1680 • 16*	1,571.79 1,571.79	1,299.00 1,299.00
ew 300-2 IEM G3 B-X 504832 *21*	Monitoring System with extra EK 300 IEM 300 series G3 Range B (626...668 MHz) *42 MHz • HDX • 25.....15000 Hz • 1680 • 16*	1,571.79 1,571.79	1,299.00 1,299.00
ew 300-2 IEM G3 C-X 504833 *21*	Monitoring System with extra EK 300 IEM 300 series G3 Range C (734...776 MHz) *42 MHz • HDX • 25.....15000 Hz • 1680 • 16*	1,571.79 1,571.79	1,299.00 1,299.00
ew 300-2 IEM G3 D-X 504283 *21*	Monitoring System with extra EK 300 IEM 300 series G3 Range D (780...822 MHz) *42 MHz • HDX • 25.....15000 Hz • 1680 • 16*	1,571.79 1,571.79	1,299.00 1,299.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 300-2 IEM G3 E-X 504285 *21*	Monitoring System with extra EK 300 IEM 300 series G3 Range E (823...865 MHz) *42 MHz • HDX • 25.....15000 Hz • 1680 • 16*	1,571.79 1,571.79	1,299.00 1,299.00
ew 300-2 IEM G3 G-X 504831 *21*	Monitoring System with extra EK 300 IEM 300 series G3 Range G (566...608 MHz) *42 MHz • HDX • 25.....15000 Hz • 1680 • 16*	1,571.79 1,571.79	1,299.00 1,299.00
ew 312 G3 A-X 503112 *21*	Presentation System 300 series G3 Range A (516...558 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 312 G3 B-X 503333 *21*	Presentation System 300 series G3 Range B (626...668 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 312 G3 C-X 503335 *21*	Presentation System 300 series G3 Range C (734...776 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 312 G3 D-X 503338 *21*	Presentation System 300 series G3 Range D (780...822 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 312 G3 E-X 503341 *21*	Presentation System 300 series G3 Range E (823...865 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 312 G3 GB 504649 *21*	Presentation System 300 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 312 G3 G-X 503331 *21*	Presentation System 300 series G3 Range G (566...608 MHz) *42 MHz • HDX • 130 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 322 G3 A-X 503113 *21*	Presentation System with clip on microphone 300 series G3 Range A (516...558MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 322 G3 B-X 503348 *21*	Presentation System with clip on microphone 300 series G3 Range B (626...668MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 322 G3 C-X 503350 *21*	Presentation System with clip on microphone 300 series G3 Range C (734...776MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 322 G3 D-X 503353 *21*	Presentation System with clip on microphone 300 series G3 Range D (780...822MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 322 G3 E-X 503356 *21*	Presentation System with clip on microphone 300 series G3 Range E (823...865MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 322 G3 GB 504650 *21*	Presentation System with clip on microphone 300 series G3 Range GB (606...648MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 322 G3 G-X 503346 *21*	Presentation System with clip on microphone 300 series G3 Range G (566...608MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 335 G3 A-X 503115 *21*	Vocal System - Cardioid 300 series G3 Range A (516...558MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 335 G3 B-X 503378 *21*	Vocal System - Cardioid 300 series G3 Range B (626...668MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 335 G3 C-X 503380 *21*	Vocal System - Cardioid 300 series G3 Range C (734...776MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 335 G3 D-X 503383 *21*	Vocal System - Cardioid 300 series G3 Range D (780...822MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 335 G3 E-X 503386 *21*	Vocal System - Cardioid 300 series G3 Range E (823...865MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 335 G3 GB 504652 *21*	Vocal System - Cardioid 300 series G3 Range GB (606...648MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 335 G3 G-X 503376 *21*	Vocal System - Cardioid 300 series G3 Range G (566...608MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 24*	1,075.69 1,075.69	889.00 889.00
ew 342 G3 A-X BNEW342G3A	Presentation System with famous MKE 40 ew microphone Range A (516...558 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 24*	1,203.95 1,203.95	995.00 995.00
ew 342 G3 B-X BNEW342G3B	Presentation System with famous MKE 40 ew microphone Range B (626...668 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 24*	1,203.95 1,203.95	995.00 995.00
ew 342 G3 C-X BNEW342G3C	Presentation System with famous MKE 40 ew microphone Range C (734...776 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 24*	1,203.95 1,203.95	995.00 995.00
ew 342 G3 E-X BNEW342G3E	Presentation System with famous MKE 40 ew microphone Range E (823...865 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 24*	1,203.95 1,203.95	995.00 995.00
ew 342 G3 GB BNEW342G3GB	Presentation System with famous MKE 40 ew microphone Range GB (606...648 MHz) *42 MHz • HDX • 120 dB(SPL) max. • 1680 • 24*	1,203.95 1,203.95	995.00 995.00
ew 345 G3 A-X 503116 *21*	Vocal Set - Super Cardioid 300 series G3 Range A (516...558MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 24*	1,136.19 1,136.19	939.00 939.00
ew 345 G3 B-X 503393 *21*	Vocal Set - Super Cardioid 300 series G3 Range B (626...668MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 24*	1,136.19 1,136.19	939.00 939.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 345 G3 C-X 503395 *21*	Vocal Set - Super Cardioid 300 series G3 Range C (734...776MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 24*	1,136.19 1,136.19	939.00 939.00
ew 345 G3 D-X 503398 *21*	Vocal Set - Super Cardioid 300 series G3 Range D (780...822MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 24*	1,136.19 1,136.19	939.00 939.00
ew 345 G3 E-X 503401 *21*	Vocal Set - Super Cardioid 300 series G3 Range E (823...865MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 24*	1,136.19 1,136.19	939.00 939.00
ew 345 G3 GB 504653 *21*	Vocal Set - Super Cardioid 300 series G3 Range GB (606...648MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 24*	1,136.19 1,136.19	939.00 939.00
ew 345 G3 G-X 503391 *21*	Vocal Set - Super Cardioid 300 series G3 Range G (566...608MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 24*	1,136.19 1,136.19	939.00 939.00
ew 352 G3 A-X 503114 *21*	Headset System 300 series Range A (516...558MHz) *42 MHz • HDX • 150 dB(SPL) max. • 1680 • 24*	1,136.19 1,136.19	939.00 939.00
ew 352 G3 B-X 503363 *21*	Headset System 300 series Range B (626...668MHz) *42 MHz • HDX • 150 dB(SPL) max. • 1680 • 24*	1,136.19 1,136.19	939.00 939.00
ew 352 G3 C-X 503365 *21*	Headset System 300 series Range C (734...776MHz) *42 MHz • HDX • 150 dB(SPL) max. • 1680 • 24*	1,136.19 1,136.19	939.00 939.00
ew 352 G3 D-X 503368 *21*	Headset System 300 series Range D (780...822MHz) *42 MHz • HDX • 150 dB(SPL) max. • 1680 • 24*	1,136.19 1,136.19	939.00 939.00
ew 352 G3 E-X 503371 *21*	Headset System 300 series Range E (823...865MHz) *42 MHz • HDX • 150 dB(SPL) max. • 1680 • 24*	1,136.19 1,136.19	939.00 939.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 352 G3 GB 504651 *21*	Headset System 300 series Range GB (606...648MHz) *42 MHz • HDX • 150 dB(SPL) max. • 1680 • 24*	1,136.19 1,136.19	939.00 939.00
ew 352 G3 G-X 503361 *21*	Headset System 300 series Range G (566...608MHz) *42 MHz • HDX • 150 dB(SPL) max. • 1680 • 24*	1,136.19 1,136.19	939.00 939.00
ew 365 G3 A-X 503117 *21*	Vocal System - Condensor 300 series G3 Range A (516...558 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 24*	1,269.29 1,269.29	1,049.00 1,049.00
ew 365 G3 B-X 503408 *21*	Vocal System - Condensor 300 series G3 Range B (626...668 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 24*	1,269.29 1,269.29	1,049.00 1,049.00
ew 365 G3 C-X 503410 *21*	Vocal System - Condensor 300 series G3 Range C (734...776 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 24*	1,269.29 1,269.29	1,049.00 1,049.00
ew 365 G3 D-X 503413 *21*	Vocal System - Condensor 300 series G3 Range D (780...822 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 24*	1,269.29 1,269.29	1,049.00 1,049.00
ew 365 G3 E-X 503416 *21*	Vocal System - Condensor 300 series G3 Range E (823...865 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 24*	1,269.29 1,269.29	1,049.00 1,049.00
ew 365 G3 GB 504654 *21*	Vocal System - Condensor 300 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 24*	1,269.29 1,269.29	1,049.00 1,049.00
ew 365 G3 G-X 503406 *21*	Vocal System - Condensor 300 series G3 Range G (566...608 MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • 24*	1,269.29 1,269.29	1,049.00 1,049.00
SK 300 G3 A-X 504858 *21*	Bodypack transmitter 300 series G3 Range A (516...558MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 (max. 20 Presets) • 24*	393.25 393.25	325.00 325.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SK 300 G3 B-X 504860 *21*	Bodypack transmitter 300 series G3 Range B (626...668MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 (max. 20 Presets) • 24*	393.25 393.25	325.00 325.00
SK 300 G3 C-X 504861 *21*	Bodypack transmitter 300 series G3 Range C (734...776MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 (max. 20 Presets) • 24*	393.25 393.25	325.00 325.00
SK 300 G3 D-X 503606 *21*	Bodypack transmitter 300 series G3 Range D (780...822MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 (max. 20 Presets) • 24*	393.25 393.25	325.00 325.00
SK 300 G3 E-X 503608 *21*	Bodypack transmitter 300 series G3 Range E (823...865MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 (max. 20 Presets) • 24*	393.25 393.25	325.00 325.00
SK 300 G3 GB 504669 *21*	Bodypack transmitter 300 series G3 Range GB (606...648MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 (max. 20 Presets) • 24*	393.25 393.25	325.00 325.00
SK 300 G3 G-X 504859 *21*	Bodypack transmitter 300 series G3 Range G (566...608MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 (max. 20 Presets) • 24*	393.25 393.25	325.00 325.00
SKM 300-835 G3 A-X 504862 *21*	Handheld Transmitter - Cardioid 300 series G3 Range A (516...558MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • cardioid*	446.49 446.49	369.00 369.00
SKM 300-835 G3 B-X 504864 *21*	Handheld Transmitter - Cardioid 300 series G3 Range B (626...668MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • cardioid*	446.49 446.49	369.00 369.00
SKM 300-835 G3 C-X 504865 *21*	Handheld Transmitter - Cardioid 300 series G3 Range C (734...776MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • cardioid*	446.49 446.49	369.00 369.00
SKM 300-835 G3 D-X 503615 *21*	Handheld Transmitter - Cardioid 300 series G3 Range D (780...822MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • max. 24*	446.49 446.49	369.00 369.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKM 300-835 G3 E-X 503617 *21*	Handheld Transmitter - Cardioid 300 series G3 Range E (823...865MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • max. 24*	446.49 446.49	369.00 369.00
SKM 300-835 G3 GB 504670 *21*	Handheld Transmitter - Cardioid 300 series G3 Range GB (606...648MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • max. 24*	446.49 446.49	369.00 369.00
SKM 300-835 G3 G-X 504863 *21*	Handheld Transmitter - Cardioid 300 series G3 Range G (566...608MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • cardioid*	446.49 446.49	369.00 369.00
SKM 300-845 G3 A-X 504866 *21*	Handheld Transmitter - Super Cardioid 300 series G3 Range A (516...558MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • super-cardioid*	506.99 506.99	419.00 419.00
SKM 300-845 G3 B-X 504868 *21*	Handheld Transmitter - Super Cardioid 300 series G3 Range B (626...668MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • super-cardioid*	506.99 506.99	419.00 419.00
SKM 300-845 G3 C-X 504869 *21*	Handheld Transmitter - Super Cardioid 300 series G3 Range C (734...776MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • super-cardioid*	506.99 506.99	419.00 419.00
SKM 300-845 G3 D-X 503624 *21*	Handheld Transmitter - Super Cardioid 300 series G3 Range D (780...822MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • max. 64*	506.99 506.99	419.00 419.00
SKM 300-845 G3 E-X 503626 *21*	Handheld Transmitter - Super Cardioid 300 series G3 Range E (823...865MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • max. 64*	506.99 506.99	419.00 419.00
SKM 300-845 G3 GB 504671 *21*	Handheld Transmitter - Super Cardioid 300 series G3 Range GB (606...648MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • max. 64*	506.99 506.99	419.00 419.00
SKM 300-845 G3 G-X 504867 *21*	Handheld Transmitter - Super Cardioid 300 series G3 Range G (566...608MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • super-cardioid*	506.99 506.99	419.00 419.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKM 300-865 G3 A-X 504870 *21*	Handheld Transmitter - Condensor 300 series G3 Range A (516...558MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • super-cardioid*	627.99 627.99	519.00 519.00
SKM 300-865 G3 B-X 504872 *21*	Handheld Transmitter - Condensor 300 series G3 Range B (626...668MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • super-cardioid*	627.99 627.99	519.00 519.00
SKM 300-865 G3 C-X 504873 *21*	Handheld Transmitter - Condensor 300 series G3 Range C (734...776MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • super-cardioid*	627.99 627.99	519.00 519.00
SKM 300-865 G3 D-X 503633 *21*	Handheld Transmitter - Condensor 300 series G3 Range D (780...822MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • max. 64*	627.99 627.99	519.00 519.00
SKM 300-865 G3 E-X 503635 *21*	Handheld Transmitter - Condensor 300 series G3 Range E (823...865MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • max. 64*	627.99 627.99	519.00 519.00
SKM 300-865 G3 GB 504672 *21*	Handheld Transmitter - Condensor 300 series G3 Range GB (606...648MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • max. 64*	627.99 627.99	519.00 519.00
SKM 300-865 G3 G-X 504871 *21*	Handheld Transmitter - Condensor 300 series G3 Range G (566...608MHz) *42 MHz • HDX • 152 dB(SPL) max. • 1680 • super-cardioid*	627.99 627.99	519.00 519.00
SKP 300 G3 A-X 505507 *21*	Plug-on transmitter with phantom powering 300 series G3 Range A (516...558MHz) *max. 42 MHz • HDX • 80....18000 • 10, 30 mW • < 0,9 %*	603.79 603.79	499.00 499.00
SKP 300 G3 B-X 505509 *21*	Plug-on transmitter with phantom powering 300 series G3 Range B (626...668MHz) *max. 42 MHz • HDX • 80....18000 • 10, 30 mW • < 0,9 %*	603.79 603.79	499.00 499.00
SKP 300 G3 C-X 505510 *21*	Plug-on transmitter with phantom powering 300 series G3 Range C (734...776MHz) *max. 42 MHz • HDX • 80....18000 • 10, 30 mW • < 0,9 %*	603.79 603.79	499.00 499.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKP 300 G3 D-X 505511 *21*	Plug-on transmitter with phantom powering 300 series G3 Range D (780...822MHz) *max. 42 MHz • HDX • 80....18000 • 10, 30 mW • < 0,9 %*	603.79 603.79	499.00 499.00
SKP 300 G3 E-X 505512 *21*	Plug-on transmitter with phantom powering 300 series G3 Range E (823...865MHz) *max. 42 MHz • HDX • 80....18000 • 10, 30 mW • < 0,9 %*	603.79 603.79	499.00 499.00
SKP 300 G3 GB 505506 *21*	Plug-on transmitter with phantom powering 300 series G3 Range GB (606...648MHz) *max. 42 MHz • HDX • 80....18000 • 10, 30 mW • < 0,9 %*	603.79 603.79	499.00 499.00
SKP 300 G3 G-X 505508 *21*	Plug-on transmitter with phantom powering 300 series G3 Range G (566...608MHz) *max. 42 MHz • HDX • 80....18000 • 10, 30 mW • < 0,9 %*	603.79 603.79	499.00 499.00
SR 300 IEM G3 A-X 503136 *21*	Stereo Transmitter 300 series G3 Range A (516...558 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	797.39 797.39	659.00 659.00
SR 300 IEM G3 B-X 503641 *21*	Stereo Transmitter 300 series G3 Range B (626...668 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	797.39 797.39	659.00 659.00
SR 300 IEM G3 C-X 503643 *21*	Stereo Transmitter 300 series G3 Range C (734...776 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	797.39 797.39	659.00 659.00
SR 300 IEM G3 D-X 503646 *21*	Stereo Transmitter 300 series G3 Range D (780...822 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	797.39 797.39	659.00 659.00
SR 300 IEM G3 E-X 503649 *21*	Stereo Transmitter 300 series G3 Range E (823...865 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	797.39 797.39	659.00 659.00
SR 300 IEM G3 GB 504673 *21*	Stereo Transmitter 300 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 25.....15000 Hz • 1680 • 16*	797.39 797.39	659.00 659.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SR 300 IEM G3 G-X 503639 *21*	Stereo Transmitter 300 series G3 Range G (566...608 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	797.39 797.39	659.00 659.00
500 SERIES			
EM 500 G3 A-X 503138 *21*	Receiver: True Diversity, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, A Range (516...558 MHz) *42 MHz • HDX • 1680 • max. 32 • < 0,9 %*	761.09 761.09	629.00 629.00
EM 500 G3 B-X 503661 *21*	Receiver: True Diversity, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, B Range (626...668 MHz) *42 MHz • HDX • 1680 • max. 32 • < 0,9 %*	761.09 761.09	629.00 629.00
EM 500 G3 C-X 503663 *21*	Receiver: True Diversity, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, C Range (734...776 MHz) *42 MHz • HDX • 1680 • max. 32 • < 0,9 %*	761.09 761.09	629.00 629.00
EM 500 G3 D-X 503666 *21*	Receiver: True Diversity, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, D Range (780...822 MHz) *42 MHz • HDX • 1680 • max. 32 • < 0,9 %*	761.09 761.09	629.00 629.00
EM 500 G3 E-X 503669 *21*	Receiver: True Diversity, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, E Range (823...865 MHz) *42 MHz • HDX • 1680 • max. 32 • < 0,9 %*	761.09 761.09	629.00 629.00
EM 500 G3 GB 504675 *21*	Receiver: True Diversity, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, GB Range (606...648 MHz) *42 MHz • HDX • 1680 • max. 32 • < 0,9 %*	761.09 761.09	629.00 629.00
EM 500 G3 G-X 503659 *21*	Receiver: True Diversity, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, G Range (566...608 MHz) *42 MHz • HDX • 1680 • max. 32 • < 0,9 %*	761.09 761.09	629.00 629.00
ew 500-935 G3 A-X 503121 *21*	Vocal System: Cardiod handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, A Range (516...558 MHz) *42 MHz • HDX • 154 dB (SPL) max. • 1680 • 32*	1,208.79 1,208.79	999.00 999.00
ew 500-935 G3 B-X 503470 *21*	Vocal System: Cardiod handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, B Range (626...668 MHz) *42 MHz • HDX • 154 dB (SPL) max. • 1680 • 32*	1,208.79 1,208.79	999.00 999.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 500-935 G3 C-X 503472 *21*	Vocal System: Cardiod handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, C Range (734...776 MHz) *42 MHz • HDX • 154 dB (SPL) max. • 1680 • 32*	1,208.79 1,208.79	999.00 999.00
ew 500-935 G3 D-X 503475 *21*	Vocal System: Cardiod handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, D Range (780...822 MHz) *42 MHz • HDX • 154 dB (SPL) max. • 1680 • 32*	1,208.79 1,208.79	999.00 999.00
ew 500-935 G3 E-X 503477 *21*	Vocal System: Cardiod handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, E Range (823...865 MHz) *42 MHz • HDX • 154 dB (SPL) max. • 1680 • 32*	1,208.79 1,208.79	999.00 999.00
ew 500-935 G3 GB 504658 *21*	Vocal System: Cardiod handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, GB Range (606...648 MHz) *42 MHz • HDX • 154 dB (SPL) max. • 1680 • 32*	1,208.79 1,208.79	999.00 999.00
ew 500-935 G3 G-X 503468 *21*	Vocal System: Cardiod handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, G Range (566...608 MHz) *42 MHz • HDX • 154 dB (SPL) max. • 1680 • 32*	1,208.79 1,208.79	999.00 999.00
ew 500-945 G3 A-X 503122 *21*	Vocal System: Cardiod handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, A Range (516...558 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 32*	1,269.29 1,269.29	1,049.00 1,049.00
ew 500-945 G3 B-X 503485 *21*	Vocal System: Cardiod handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, B Range (626...668 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 32*	1,269.29 1,269.29	1,049.00 1,049.00
ew 500-945 G3 C-X 503487 *21*	Vocal System: Cardiod handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, C Range (734...776 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 32*	1,269.29 1,269.29	1,049.00 1,049.00
ew 500-945 G3 D-X 503490 *21*	Vocal System: Cardiod handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, D Range (780...822 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 32*	1,269.29 1,269.29	1,049.00 1,049.00
ew 500-945 G3 E-X 503493 *21*	Vocal System: Cardiod handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, E Range (823...865 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 32*	1,269.29 1,269.29	1,049.00 1,049.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 500-945 G3 GB 504659 *21*	Vocal System: Cardiod handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, GB Range (606...648 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 32*	1,269.29 1,269.29	1,049.00 1,049.00
ew 500-945 G3 G-X 503483 *21*	Vocal System: Cardiod handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, G Range (566...608 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • 32*	1,269.29 1,269.29	1,049.00 1,049.00
ew 500-965 G3 A-X 503123 *21*	Vocal System: Condensor handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, A Range (516...558 MHz) *42 MHz • HDX • 144/154 dB(SPL) max. • 1680 • 32*	1,571.79 1,571.79	1,299.00 1,299.00
ew 500-965 G3 B-X 503500 *21*	Vocal System: Condensor handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, B Range (626...668 MHz) *42 MHz • HDX • 144/154 dB(SPL) max. • 1680 • 32*	1,571.79 1,571.79	1,299.00 1,299.00
ew 500-965 G3 C-X 503502 *21*	Vocal System: Condensor handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, C Range (734...776 MHz) *42 MHz • HDX • 144/154 dB(SPL) max. • 1680 • 32*	1,571.79 1,571.79	1,299.00 1,299.00
ew 500-965 G3 D-X 503505 *21*	Vocal System: Condensor handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, D Range (780...822 MHz) *42 MHz • HDX • 144/154 dB(SPL) max. • 1680 • 32*	1,571.79 1,571.79	1,299.00 1,299.00
ew 500-965 G3 E-X 503508 *21*	Vocal System: Condensor handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, E Range (823...865 MHz) *42 MHz • HDX • 144/154 dB(SPL) max. • 1680 • 32*	1,571.79 1,571.79	1,299.00 1,299.00
ew 500-965 G3 GB 504660 *21*	Vocal System: Condensor handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, GB Range (606...648 MHz) *42 MHz • HDX • 144/154 dB(SPL) max. • 1680 • 32*	1,571.79 1,571.79	1,299.00 1,299.00
ew 500-965 G3 G-X 503498 *21*	Vocal System: Condensor handheld mic, receiver, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, G Range (566...608 MHz) *42 MHz • HDX • 144/154 dB(SPL) max. • 1680 • 32*	1,571.79 1,571.79	1,299.00 1,299.00
ew 512 G3 A-X 503119 *21*	Presentation System: 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, A Range (516...558 MHz) *42 MHz • HDX • 142 dB(SPL) max. • 1680 • 32*	1,329.79 1,329.79	1,099.00 1,099.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 512 G3 B-X 503440 *21*	Presentation System: 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, B Range (626...668 MHz) *42 MHz • HDX • 142 dB(SPL) max. • 1680 • 32*	1,329.79 1,329.79	1,099.00 1,099.00
ew 512 G3 C-X 503442 *21*	Presentation System: 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, C Range (734...776 MHz) *42 MHz • HDX • 142 dB(SPL) max. • 1680 • 32*	1,329.79 1,329.79	1,099.00 1,099.00
ew 512 G3 D-X 503445 *21*	Presentation System: 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, D Range (780...822 MHz) *42 MHz • HDX • 142 dB(SPL) max. • 1680 • 32*	1,329.79 1,329.79	1,099.00 1,099.00
ew 512 G3 E-X 503448 *21*	Presentation System: 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, E Range (823...865 MHz) *42 MHz • HDX • 142 dB(SPL) max. • 1680 • 32*	1,329.79 1,329.79	1,099.00 1,099.00
ew 512 G3 GB 504656 *21*	Presentation System: 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, GB Range (606...648 MHz) *42 MHz • HDX • 142 dB(SPL) max. • 1680 • 32*	1,329.79 1,329.79	1,099.00 1,099.00
ew 512 G3 G-X 503438 *21*	Presentation System: 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, G Range (566...608 MHz) *42 MHz • HDX • 142 dB(SPL) max. • 1680 • 32*	1,329.79 1,329.79	1,099.00 1,099.00
ew 572 G3 A-X 503120 *21*	Instrument System: Receiver, transmitter and cable, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, A Range (516...558 MHz) *42 MHz • HDX • 1680 • 32 • 10/30 mW*	1,087.79 1,087.79	899.00 899.00
ew 572 G3 B-X 503455 *21*	Instrument System: Receiver, transmitter and cable, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, B Range (626...668 MHz) *42 MHz • HDX • 1680 • 32 • 10/30 mW*	1,087.79 1,087.79	899.00 899.00
ew 572 G3 C-X 503457 *21*	Instrument System: Receiver, transmitter and cable, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, C Range (734...776 MHz) *42 MHz • HDX • 1680 • 32 • 10/30 mW*	1,087.79 1,087.79	899.00 899.00
ew 572 G3 D-X 503460 *21*	Instrument System: Receiver, transmitter and cable, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, D Range (780...822 MHz) *42 MHz • HDX • 1680 • 32 • 10/30 mW*	1,087.79 1,087.79	899.00 899.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 572 G3 E-X 503463 *21*	Instrument System: Receiver, transmitter and cable, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, E Range (823...865 MHz) *42 MHz • HDX • 1680 • 32 • 10/30 mW*	1,087.79 1,087.79	899.00 899.00
ew 572 G3 GB 504657 *21*	Instrument System: Receiver, transmitter and cable, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, GB Range (606...648 MHz) *42 MHz • HDX • 1680 • 32 • 10/30 mW*	1,087.79 1,087.79	899.00 899.00
ew 572 G3 G-X 503453 *21*	Instrument System: Receiver, transmitter and cable, 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, G Range (566...608 MHz) *42 MHz • HDX • 1680 • 32 • 10/30 mW*	1,087.79 1,087.79	899.00 899.00
SK 500 G3 A-X 504878 *21*	Bodypack transmitter: 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, A Range (516...558 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 10/30 mW • < 0,9 %*	422.29 422.29	349.00 349.00
SK 500 G3 B-X 504880 *21*	Bodypack transmitter: 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, B Range (626...668 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 10/30 mW • < 0,9 %*	422.29 422.29	349.00 349.00
SK 500 G3 C-X 504881 *21*	Bodypack transmitter: 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, C Range (734...776 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 10/30 mW • < 0,9 %*	422.29 422.29	349.00 349.00
SK 500 G3 D-X 503677 *21*	Bodypack transmitter: 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, D Range (780...822 MHz) *42 MHz • HDX • 1680 • 10/30 mW • < 0,9 %*	422.29 422.29	349.00 349.00
SK 500 G3 E-X 503679 *21*	Bodypack transmitter: 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, E Range (823...865 MHz) *42 MHz • HDX • 1680 • 10/30 mW • < 0,9 %*	422.29 422.29	349.00 349.00
SK 500 G3 GB 504676 *21*	Bodypack transmitter: 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, GB Range (606...648 MHz) *42 MHz • HDX • 1680 • 10/30 mW • < 0,9 %*	422.29 422.29	349.00 349.00
SK 500 G3 G-X 504879 *21*	Bodypack transmitter: 42 MHz, 1680 tunable frequencies, up to 32 presets, G3, G Range (566...608 MHz) *42 MHz • HDX • 1680 (max. 20 Presets) • 10/30 mW • < 0,9 %*	422.29 422.29	349.00 349.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKM 500-935 G3 A-X 504882 *21*	Handheld Transmitter: Cardioid, up to 32 presets, G3, A Range (516...558 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • cardioid*	603.79 603.79	499.00 499.00
SKM 500-935 G3 B-X 504884 *21*	Handheld Transmitter: Cardioid, up to 32 presets, G3, B Range (626...668 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • cardioid*	603.79 603.79	499.00 499.00
SKM 500-935 G3 C-X 504885 *21*	Handheld Transmitter: Cardioid, up to 32 presets, G3, C Range (734...776 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • cardioid*	603.79 603.79	499.00 499.00
SKM 500-935 G3 D-X 503696 *21*	Handheld Transmitter: Cardioid, up to 32 presets, G3, D Range (780...822 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • max. 32*	603.79 603.79	499.00 499.00
SKM 500-935 G3 E-X 503698 *21*	Handheld Transmitter: Cardioid, up to 32 presets, G3, E Range (823...865 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • max. 32*	603.79 603.79	499.00 499.00
SKM 500-935 G3 GB 504677 *21*	Handheld Transmitter Cardioid, up to 32 presets, G3, GB Range (606...648 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • max. 32*	603.79 603.79	499.00 499.00
SKM 500-935 G3 G-X 504883 *21*	Handheld Transmitter: Cardioid, up to 32 presets, G3, G Range (566...608 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • cardioid*	603.79 603.79	499.00 499.00
SKM 500-945 G3 A-X 504886 *21*	Handheld Transmitter: Super Cardioid, up to 32 presets, G3, A Range (516...558 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • super-cardioid*	664.29 664.29	549.00 549.00
SKM 500-945 G3 B-X 504888 *21*	Handheld Transmitter: Super Cardioid, up to 32 presets, G3, B Range (626...668 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • super-cardioid*	664.29 664.29	549.00 549.00
SKM 500-945 G3 C-X 504889 *21*	Handheld Transmitter: Super Cardioid, up to 32 presets, G3, C Range (734...776 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • super-cardioid*	664.29 664.29	549.00 549.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKM 500-945 G3 D-X 503705 *21*	Handheld Transmitter: Super Cardioid, up to 32 presets, G3, D Range (780...822 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • max. 32*	664.29 664.29	549.00 549.00
SKM 500-945 G3 E-X 503707 *21*	Handheld Transmitter: Super Cardioid, up to 32 presets, G3, E Range (823...865 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • max. 32*	664.29 664.29	549.00 549.00
SKM 500-945 G3 GB 504678 *21*	Handheld Transmitter: Super Cardioid, up to 32 presets, G3, GB Range (606...648 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • max. 32*	664.29 664.29	549.00 549.00
SKM 500-945 G3 G-X 504887 *21*	Handheld Transmitter: Super Cardioid, up to 32 presets, G3, G Range (566...608 MHz) *42 MHz • HDX • 154 dB(SPL) max. • 1680 • super-cardioid*	664.29 664.29	549.00 549.00
SKM 500-965 G3 A-X 504890 *21*	Handheld Transmitter: Condensor, up to 32 presets, G3, A Range (516...558 MHz) *42 MHz • HDX • 144/154 dB(SPL) max. • 1680 • cardioid/super-cardioid, switchable*	1,015.19 1,015.19	839.00 839.00
SKM 500-965 G3 B-X 504892 *21*	Handheld Transmitter: Condensor, up to 32 presets, G3, B Range (626...668 MHz) *42 MHz • HDX • 144/154 dB(SPL) max. • 1680 • cardioid/super-cardioid, switchable*	1,015.19 1,015.19	839.00 839.00
SKM 500-965 G3 C-X 504893 *21*	Handheld Transmitter: Condensor, up to 32 presets, G3, C Range (734...776 MHz) *42 MHz • HDX • 144/154 dB(SPL) max. • 1680 • cardioid/super-cardioid, switchable*	1,015.19 1,015.19	839.00 839.00
SKM 500-965 G3 D-X 503714 *21*	Handheld Transmitter: Condensor, up to 32 presets, G3, D Range (780...822 MHz) *42 MHz • HDX • 144/154 dB(SPL) max. • 1680 • max. 32*	1,015.19 1,015.19	839.00 839.00
SKM 500-965 G3 E-X 503716 *21*	Handheld Transmitter: Condensor, up to 32 presets, G3, E Range (823...865 MHz) *42 MHz • HDX • 144/154 dB(SPL) max. • 1680 • max. 32*	1,015.19 1,015.19	839.00 839.00
SKM 500-965 G3 GB 504679 *21*	Handheld Transmitter: Condensor, up to 32 presets, G3, GB Range (606...648 MHz) *42 MHz • HDX • 144/154 dB(SPL) max. • 1680 • max. 32*	1,015.19 1,015.19	839.00 839.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SKM 500-965 G3 G-X 504891 *21*	Handheld Transmitter: Condensor, up to 32 presets, G3, G Range (566...608 MHz) *42 MHz • HDX • 144/154 dB(SPL) max. • 1680 • cardioid/super-cardioid, switchable*	1,015.19 1,015.19	839.00 839.00
COMBINERS / SPLITTERS EVOLUTION			
AC 3 503166 *21*	Active 4-channel transmitter combiner for EW *500 ..... 870 MHz • 13,8 V DC • 50 Ohm • 0 dB*	761.09 761.09	629.00 629.00
ASA 1 503165 *21*	Active antenna splitter 2 x 1:4 *500 - 870 MHz • 13,8 V DC • 212 x 202 x 43 mm • 700 • 0 dB*	700.59 700.59	579.00 579.00
ASA 1-1G8 504914 *21*	Active Antenna Splitter 2x1:4 for 1800 MHz range (1785...1800 MHz)	640.09 640.09	529.00 529.00
ASP 113 003422 *23*	Passive antenna splitter 1 into 3	349.69 349.69	289.00 289.00
ASP 114 003423 *23*	Passive antenna splitter 1 into 4	349.69 349.69	289.00 289.00
ASP 212 003421 *23*	Passive antenna splitter 2 x 1 into 2	373.89 373.89	309.00 309.00
EVOLUTION IEM			
EK 300 IEM G3 A-X 504874 *21*	Bodypack Receiver including IE 4 in-ear phones 300 series G3 Range A (516...558 MHz) *42 MHz • 25.....15000 Hz • > 90 dB(A) • 516...558 MHz • 3,5mm jack*	567.49 567.49	469.00 469.00
EK 300 IEM G3 B-X 504876 *21*	Bodypack Receiver including IE 4 in-ear phones 300 series G3 Range B (626...668 MHz) *42 MHz • 25.....15000 Hz • > 90 dB(A) • 626...668 MHz • 3,5mm jack*	567.49 567.49	469.00 469.00
EK 300 IEM G3 C-X 504877 *21*	Bodypack Receiver including IE 4 in-ear phones 300 series G3 Range C (734...776 MHz) *42 MHz • 25.....15000 Hz • > 90 dB(A) • 734...776 MHz • 3,5mm jack*	567.49 567.49	469.00 469.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
EK 300 IEM G3 D-X 503655 *21*	Bodypack Receiver including IE 4 in-ear phones 300 series G3 Range D (780...822 MHz) *42 MHz • 25.....15000 Hz • > 90 dB(A) • 780...822 MHz • 3,5mm jack*	567.49 567.49	469.00 469.00
EK 300 IEM G3 E-X 503657 *21*	Bodypack Receiver including IE 4 in-ear phones 300 series G3 Range E (823...865 MHz) *42 MHz • 25.....15000 Hz • > 90 dB(A) • 823...865 MHz • 3,5mm jack*	567.49 567.49	469.00 469.00
EK 300 IEM G3 GB 504674 *21*	Bodypack Receiver including IE 4 in-ear phones 300 series G3 Range GB (606...648 MHz) *42 MHz • 25.....15000 Hz • > 90 dB(A) • 606...648 MHz • 3,5mm jack*	567.49 567.49	469.00 469.00
EK 300 IEM G3 G-X 504875 *21*	Bodypack Receiver including IE 4 in-ear phones 300 series G3 Range G (566...608 MHz) *42 MHz • 25.....15000 Hz • > 90 dB(A) • 566...608 MHz • 3,5mm jack*	567.49 567.49	469.00 469.00
ew 300 IEM G3 A-X 503118 *21*	Monitoring System 300 series G3 Range A (516...558 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	1,208.79 1,208.79	999.00 999.00
ew 300 IEM G3 B-X 503425 *21*	Monitoring System 300 series G3 Range B (626...668 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	1,208.79 1,208.79	999.00 999.00
ew 300 IEM G3 C-X 503428 *21*	Monitoring System 300 series G3 Range C (734...776 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	1,208.79 1,208.79	999.00 999.00
ew 300 IEM G3 D-X 503432 *21*	Monitoring System 300 series G3 Range D (780...822 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	1,208.79 1,208.79	999.00 999.00
ew 300 IEM G3 E-X 503435 *21*	Monitoring System 300 series G3 Range E (823...865 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	1,208.79 1,208.79	999.00 999.00
ew 300 IEM G3 GB 504655 *21*	Monitoring System 300 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	1,208.79 1,208.79	999.00 999.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ew 300 IEM G3 G-X 503422 *21*	Monitoring System 300 series G3 Range G (566...608 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	1,208.79 1,208.79	999.00 999.00
ew 300-2 IEM G3 A-X 504830 *21*	Monitoring System with extra EK 300 IEM 300 series G3 Range A (516...558 MHz) *42 MHz • HDX • 25.....15000 Hz • 1680 • 16*	1,571.79 1,571.79	1,299.00 1,299.00
ew 300-2 IEM G3 B-X 504832 *21*	Monitoring System with extra EK 300 IEM 300 series G3 Range B (626...668 MHz) *42 MHz • HDX • 25.....15000 Hz • 1680 • 16*	1,571.79 1,571.79	1,299.00 1,299.00
ew 300-2 IEM G3 C-X 504833 *21*	Monitoring System with extra EK 300 IEM 300 series G3 Range C (734...776 MHz) *42 MHz • HDX • 25.....15000 Hz • 1680 • 16*	1,571.79 1,571.79	1,299.00 1,299.00
ew 300-2 IEM G3 D-X 504283 *21*	Monitoring System with extra EK 300 IEM 300 series G3 Range D (780...822 MHz) *42 MHz • HDX • 25.....15000 Hz • 1680 • 16*	1,571.79 1,571.79	1,299.00 1,299.00
ew 300-2 IEM G3 E-X 504285 *21*	Monitoring System with extra EK 300 IEM 300 series G3 Range E (823...865 MHz) *42 MHz • HDX • 25.....15000 Hz • 1680 • 16*	1,571.79 1,571.79	1,299.00 1,299.00
ew 300-2 IEM G3 G-X 504831 *21*	Monitoring System with extra EK 300 IEM 300 series G3 Range G (566...608 MHz) *42 MHz • HDX • 25.....15000 Hz • 1680 • 16*	1,571.79 1,571.79	1,299.00 1,299.00
IE 4 500432 *21*	In-ear earphones *dynamic • In-The Ear • 106 dB(SPL) (1mW) • 16 Ohm • ca. 1.4 m*	83.49 83.49	69.00 69.00
SR 300 IEM G3 A-X 503136 *21*	Stereo Transmitter 300 series G3 Range A (516...558 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	797.39 797.39	659.00 659.00
SR 300 IEM G3 B-X 503641 *21*	Stereo Transmitter 300 series G3 Range B (626...668 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	797.39 797.39	659.00 659.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SR 300 IEM G3 C-X 503643 *21*	Stereo Transmitter 300 series G3 Range C (734...776 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	797.39 797.39	659.00 659.00
SR 300 IEM G3 D-X 503646 *21*	Stereo Transmitter 300 series G3 Range D (780...822 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	797.39 797.39	659.00 659.00
SR 300 IEM G3 E-X 503649 *21*	Stereo Transmitter 300 series G3 Range E (823...865 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	797.39 797.39	659.00 659.00
SR 300 IEM G3 GB 504673 *21*	Stereo Transmitter 300 series G3 Range GB (606...648 MHz) *42 MHz • HDX • 25.....15000 Hz • 1680 • 16*	797.39 797.39	659.00 659.00
SR 300 IEM G3 G-X 503639 *21*	Stereo Transmitter 300 series G3 Range G (566...608 MHz) *42 MHz • HDX • 25 - 15000 Hz • 1680 • 16*	797.39 797.39	659.00 659.00
XS WIRELESS			
XSW 12-A 504920 *21*	Presentation set with clip-on microphone A Range (548...572 MHz) *permanently polarised condenser microphone • 24 MHz (13 MHz range E)"} • 100 - 16000 Hz • 142 dB • 960 (520 in range E)*	422.29 422.29	349.00 349.00
XSW 12-B 504919 *21*	Presentation set with clip-on microphone B Range (614...638 MHz) *permanently polarised condenser microphone • 24 MHz (13 MHz range E)"} • 100 - 16000 Hz • 142 dB • 960 (520 in range E)*	422.29 422.29	349.00 349.00
XSW 12-C 504921 *21*	Presentation set with clip-on microphone C Range (766...790 MHz) *permanently polarised condenser microphone • 24 MHz (13 MHz range E)"} • 100 - 16000 Hz • 142 dB • 960 (520 in range E)*	422.29 422.29	349.00 349.00
XSW 12-E 504922 *21*	Presentation set with clip-on microphone E Range (821...832 MHz / 863...865 MHz) *permanently polarised condenser microphone • 24 MHz (13 MHz range E)"} • 100 - 16000 Hz • 142 dB • 960 (520 in range E)*	422.29 422.29	349.00 349.00
XSW 12-GB 504918 *21*	Presentation set with clip-on microphone GB Range (With UK plug / 606...630 MHz) *permanently polarised condenser microphone • 24 MHz (13 MHz range E)"} • 100 - 16000 Hz • 142 dB • 960 (520 in range E)*	422.29 422.29	349.00 349.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
XSW 35-A 504935 *21*	Vocal set with dynamic cardioid microphone with e835 capsule A Range (548...572 MHz) *24 MHz (13 MHz in range E) • 149 dB • 960 (520 in range E) • 12 • cardioid*	361.79 361.79	299.00 299.00
XSW 35-B 504934 *21*	Vocal set with dynamic cardioid microphone with e835 capsule B Range (614...638 MHz) *24 MHz (13 MHz in range E) • 149 dB • 960 (520 in range E) • 12 • cardioid*	361.79 361.79	299.00 299.00
XSW 35-C 504936 *21*	Vocal set with dynamic cardioid microphone with e835 capsule C Range (766...790 MHz) *24 MHz (13 MHz in range E) • 149 dB • 960 (520 in range E) • 12 • cardioid*	361.79 361.79	299.00 299.00
XSW 35-E 504937 *21*	Vocal set with dynamic cardioid microphone with e835 capsule E Range (821...832 MHz /863...865 MHz) *24 MHz (13 MHz in range E) • 149 dB • 960 (520 in range E) • 12 • cardioid*	361.79 361.79	299.00 299.00
XSW 35-GB 504933 *21*	Vocal set with dynamic cardioid microphone with e835 capsule GB Range (With UK plug / 606...630 MHz) *24 MHz (13 MHz in range E) • 149 dB • 960 (520 in range E) • 12 • cardioid*	361.79 361.79	299.00 299.00
XSW 52-A 504925 *21*	Headmic set with headworn microphone A Range (548...572 MHz) *permanently polarised • 24 MHz (13 MHz in range E) • 100 - 16000 Hz • 150 dB • 960 (520 in range E)*	482.79 482.79	399.00 399.00
XSW 52-B 504924 *21*	Headmic set with headworn microphone B Range (614...638 MHz) *permanently polarised • 24 MHz (13 MHz in range E) • 100 - 16000 Hz • 150 dB • 960 (520 in range E)*	482.79 482.79	399.00 399.00
XSW 52-C 504926 *21*	Headmic set with headworn microphone C Range (766 - 790 MHz) *permanently polarised • 24 MHz (13 MHz in range E) • 100 - 16000 Hz • 150 dB • 960 (520 in range E)*	482.79 482.79	399.00 399.00
XSW 52-E 504927 *21*	Headmic set with headworn microphone E Range (821...832 MHz / 863...865 MHz) *permanently polarised • 24 MHz (13 MHz in range E) • 100 - 16000 Hz • 150 dB • 960 (520 in range E)*	482.79 482.79	399.00 399.00
XSW 52-GB 504923 *21*	Headmic set with headworn microphone GB Range (With UK plug / 606...630 MHz) *permanently polarised • 24 MHz (13 MHz in range E) • 100 - 16000 Hz • 150 dB • 960 (520 in range E)*	482.79 482.79	399.00 399.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
XSW 65-A 504940 *21*	Vocal set with super-cardioid condenser microphone A Range (548...572 MHz) *permanently polarised condenser microphone • 24 MHz (13 MHz in range E) • 144 dB • 960 (520 in range E) • 12*	422.29 422.29	349.00 349.00
XSW 65-B 504939 *21*	Vocal set with super-cardioid condenser microphone B Range (614...638 MHz) *permanently polarised condenser microphone • 24 MHz (13 MHz in range E) • 144 dB • 960 (520 in range E) • 12*	422.29 422.29	349.00 349.00
XSW 65-C 504941 *21*	Vocal set with super-cardioid condenser microphone C Range (766...790 MHz) *permanently polarised condenser microphone • 24 MHz (13 MHz in range E) • 144 dB • 960 (520 in range E) • 12*	422.29 422.29	349.00 349.00
XSW 65-E 504942 *21*	Vocal set with super-cardioid condenser microphone E Range (821...832 MHz / 863...865 MHz) *permanently polarised condenser microphone • 24 MHz (13 MHz in range E) • 144 dB • 960 (520 in range E) • 12*	422.29 422.29	349.00 349.00
XSW 65-GB 504938 *21*	Vocal set with super-cardioid condenser microphone GB Range (With UK plug / 606...630 MHz) *permanently polarised condenser microphone • 24 MHz (13 MHz in range E) • 144 dB • 960 (520 in range E) • 12*	422.29 422.29	349.00 349.00
XSW 72-A 504930 *21*	Instrument set with Jack cable A Range (548...572 Hz) *24 MHz (13 MHz in range E) • 100 - 16000 Hz • 960 (520 in range E) • 12 • typ. 10 mW*	301.29 301.29	249.00 249.00
XSW 72-B 504929 *21*	Instrument set with Jack cable B Range (614...638 MHz) *24 MHz (13 MHz in range E) • 100 - 16000 Hz • 960 (520 in range E) • 12 • typ. 10 mW*	301.29 301.29	249.00 249.00
XSW 72-C 504931 *21*	Instrument set with Jack cable C Range (766...790 MHz) *24 MHz (13 MHz in range E) • 100 - 16000 Hz • 960 (520 in range E) • 12 • typ. 10 mW*	301.29 301.29	249.00 249.00
XSW 72-E 504932 *21*	Instrument set with Jack cable E Range (821...832 MHz / 863...865 MHz) *24 MHz (13 MHz in range E) • 100 - 16000 Hz • 960 (520 in range E) • 12 • typ. 10 mW*	301.29 301.29	249.00 249.00
XSW 72-GB 504928 *21*	Instrument set with Jack cable GB Range (With UK plug / 606...630 MHz) *24 MHz (13 MHz in range E) • 100 - 16000 Hz • 960 (520 in range E) • 12 • typ. 10 mW*	301.29 301.29	249.00 249.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
RF ACCESSORIES			
HEADS 9000 SERIES			
MD 9235 BK 502585 *25*	Microphone Head, Dynamic, Super Cardioid *cardioid • 163 dB • pressure gradient, dynamic microphone • 1,88 mV/Pa • 163 dB*	605.00 605.00	500.00 500.00
MD 9235 NI 502586 *25*	Microphone Head, Dynamic, Super Cardioid *cardioid • 163 dB • pressure gradient, dynamic microphone • 1,88 mV/Pa • 163 dB*	605.00 605.00	500.00 500.00
MD 9235 NI/BK 502591 *25*	Microphone Head, Dynamic, Super Cardioid *cardioid • 163 dB • pressure gradient, dynamic microphone • 1,88 mV/Pa • 163 dB*	605.00 605.00	500.00 500.00
ME 9002 502587 *25*	*139 dB • Omnidirectional • pressure microphone, pre-polarized condenser microphone • 3,35 mV/Pa*	665.50 665.50	550.00 550.00
ME 9004 502588 *25*	*145 dB • cardioid • pressure gradient, pre-polarized condenser microphone • 1,88 mV/Pa*	665.50 665.50	550.00 550.00
ME 9005 502589 *25*	*145 dB • Super-cardioid • pressure gradient, pre-polarized condenser microphone • 2 mV/Pa*	665.50 665.50	550.00 550.00
HEADS 5000 SERIES			
KK 104 S BK 008533 *81*	Capsule head for the KMS 104 vocal microphone (cardioid) and the Sennheiser SKM 5200 / 5000 Hand Held transmitter	897.82 897.82	742.00 742.00
KK 104 S NI 008534 *81*	Capsule head for the KMS 104 vocal microphone (cardioid) and the Sennheiser SKM 5200 / 5000 Hand Held transmitter	897.82 897.82	742.00 742.00
KK 105 S BK - HD 008560 *81*	Hypercardioid condenser head for SKM 5200 / SKM 5000 hand held transmitter • Heavy Duty	897.82 897.82	742.00 742.00
KK 105 S BK 008476 *81*	Capsule head for the KMS 105 vocal microphone (cardioid) and the Sennheiser SKM 5200 / 5000 Hand Held transmitter	897.82 897.82	742.00 742.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
KK 105 S NI - HD 008559 *81*	Hypercardioid condenser head for SKM 5200 / SKM 5000 hand held transmitter • Heavy Duty	897.82 897.82	742.00 742.00
KK 105 S NI 008474 *81*	Capsule head for the KMS 105 vocal microphone and the Sennheiser SKM 5200 / 5000 Hand Held transmitter	897.82 897.82	742.00 742.00
MD 5235 BK 500882 *25*	Dynamic microphone capsule for SKM 5200 / SKM 5000 hand held transmitter black *Pressure gradient, dynamic • 40 - 20 000 Hz • cardioid • 120 g • 163 dB(A)*	544.50 544.50	450.00 450.00
MD 5235 NI 502164 *25*	Dynamic microphone capsule for SKM 5200 / SKM 5000 hand held transmitter nickel *Pressure gradient, dynamic • 40 - 20 000 Hz • 163 dB(A) • cardioid • D = 50 mm, H = 73 mm*	544.50 544.50	450.00 450.00
ME 5002 003761 *25*	Condenser microphone capsule	635.25 635.25	525.00 525.00
ME 5004 003762 *25*	Condenser microphone capsule	635.25 635.25	525.00 525.00
ME 5005 e 005249 *25*	Condenser microphone capsule	544.50 544.50	450.00 450.00
ME 5005 003760 *25*	Condenser microphone capsule	568.70 568.70	470.00 470.00
ME 5009 003763 *25*	Condenser microphone capsule	635.25 635.25	525.00 525.00
HEADS 3000 SERIES			
ME 3005 004573 *23*	Microphone head for SKM 3072	429.55 429.55	355.00 355.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ME 3005 e 075580	Super-cardioid condenser head for SKM 3072 (154 dB)	410.19 410.19	339.00 339.00
HEADS 2000 SERIES			
KK 204 BK 008652 *81*	KK 204 bk Neumann head for 2000 series, black	897.82 897.82	742.00 742.00
KK 204 NI 008651 *81*	KK 204 Neumann head for 2000 series, nickel	897.82 897.82	742.00 742.00
KK 205 BK 008654 *81*	KK 205 bk Neumann head for 2000 series, black	897.82 897.82	742.00 742.00
KK 205 NI 008653 *81*	KK 205 Neumann head for 2000 series, nickel	897.82 897.82	742.00 742.00
MMD 935-1 BK 502577 *21*	Dynamic • cardioid head for SKM 2000 • SKM in ew G3 range • black *154 dB • cardioid • dynamic • 2 mV/Pa*	228.69 228.69	189.00 189.00
MMD 935-1 BL 502578 *21*	Dynamic • cardioid head for SKM 2000 • SKM in ew G3 range • steel blue *154 dB • cardioid • dynamic • 2 mV/Pa*	228.69 228.69	189.00 189.00
MMD 945-1 BK 502579 *21*	Dynamic • super-cardioid head for SKM 2000 • SKM in ew G3 range • black *154 dB • super-cardioid • dynamic • 1,6 mV/Pa*	289.19 289.19	239.00 239.00
MMD 945-1 BL 502580 *21*	Dynamic • super-cardioid head for SKM 2000 • SKM in ew G3 range • steel blue *154 dB • super-cardioid • dynamic • 1,6 mV/Pa*	289.19 289.19	239.00 239.00
MME 865-1 BK 502581 *21*	Permanently polarised condenser head • super-cardioid head for SKM 2000 • SKM in ew G3 range • black *Condenser • 152 dB • Super Cardioid • 1,6 mV/Pa*	344.85 344.85	285.00 285.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MMK 965-1 BK 502582 *21*	True condenser head • Switchable pick-up pattern (cardioid/super-cardioid) • for SKM 2000 • SKM in ew G3 range • Available in black, blue (502583) and silver (502584) *144/150 dB • cardioid/ super cardioid, switchable • externally polarized condenser microphone • 1,8/5,7 mV/Pa*	579.59 579.59	479.00 479.00
MMK 965-1 BL 502583 *21*	True condenser head • Switchable pick-up pattern (cardioid/super-cardioid) • for SKM 2000 • SKM in ew G3 range • steel blue *144/150 dB • cardioid/ super cardioid, switchable • externally polarized condenser microphone • 1,8/5,7 mV/Pa*	579.59 579.59	479.00 479.00
MMK 965-1 NI 502584 *21*	True condenser head • Switchable pick-up pattern (cardioid/super-cardioid) • for SKM 2000 • SKM in ew G3 range • nickel *144/150 dB • cardioid/ super cardioid, switchable • externally polarized condenser microphone • 1,8/5,7 mV/Pa*	579.59 579.59	479.00 479.00
HEADS EVOLUTION SERIES			
MMD 835-1 BK 502575 *21*	Dynamic • cardioid head for SKM 2000 • SKM in ew G3 range • black *dynamic • 154 dB • Cardioid • 2,1 mV/Pa*	180.29 180.29	149.00 149.00
MMD 845-1 BK 502576 *21*	Dynamic • super-cardioid head for SKM 2000 • SKM in ew G3 range • black *dynamic • 154 dB • super cardioid • 1,6 mV/Pa*	216.59 216.59	179.00 179.00
MMD 935-1 BK 502577 *21*	Dynamic • cardioid head for SKM 2000 • SKM in ew G3 range • black *154 dB • cardioid • dynamic • 2 mV/Pa*	228.69 228.69	189.00 189.00
MMD 935-1 BL 502578 *21*	Dynamic • cardioid head for SKM 2000 • SKM in ew G3 range • steel blue *154 dB • cardioid • dynamic • 2 mV/Pa*	228.69 228.69	189.00 189.00
MMD 945-1 BK 502579 *21*	Dynamic • super-cardioid head for SKM 2000 • SKM in ew G3 range • black *154 dB • super-cardioid • dynamic • 1,6 mV/Pa*	289.19 289.19	239.00 239.00
MME 865-1 BK 502581 *21*	Permanently polarised condenser head • super-cardioid head for SKM 2000 • SKM in ew G3 range • black *Condenser • 152 dB • Super Cardioid • 1,6 mV/Pa*	344.85 344.85	285.00 285.00
MMK 965-1 BK 502582 *21*	True condenser head • Switchable pick-up pattern (cardioid/super-cardioid) • for SKM 2000 • SKM in ew G3 range • Available in black, blue (502583) and silver (502584) *144/150 dB • cardioid/ super cardioid, switchable • externally polarized condenser microphone • 1,8/5,7 mV/Pa*	579.59 579.59	479.00 479.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MMK 965-1 BL 502583 *21*	True condenser head • Switchable pick-up pattern (cardioid/super-cardioid) • for SKM 2000 • SKM in ew G3 range • steel blue *144/150 dB • cardioid/ super cardioid, switchable • externally polarized condenser microphone • 1,8/5,7 mV/Pa*	579.59 579.59	479.00 479.00
MMK 965-1 NI 502584 *21*	True condenser head • Switchable pick-up pattern (cardioid/super-cardioid) • for SKM 2000 • SKM in ew G3 range • nickel *144/150 dB • cardioid/ super cardioid, switchable • externally polarized condenser microphone • 1,8/5,7 mV/Pa*	579.59 579.59	479.00 479.00
CABLES & ANTENNA'S			
A 1031-U 004645 *21*	Wideband passive omnidirectional UHF antenna *450 - 960 MHz • 450 - 960 MHz.*	156.09 156.09	129.00 129.00
A 12 AD-UHF 004156 *23*	Directional antenna with booster UHF	906.29 906.29	749.00 749.00
A 2003-UHF 003658 *23*	Transmitting and receiving antenna UHF.	360.58 360.58	298.00 298.00
A 3700 502195 *23*	Omni-directional antenna with integrated AB 3700 booster • Gain from 5 to 15 dB	1,089.00 1,089.00	900.00 900.00
A 5000 CP 500887 *25*	UHF passive antenna with circular polarization • "N" + adapter to BNC *dynamic • circumaural • 18 - 20000 Hz • 18 Hz - 21000 Hz • 120 dB*	1,203.95 1,203.95	995.00 995.00
A 9000 A1-A8 504705 *25*	Omni Antenna for 9000 series *N-type connector • 3,2 dBi • AB 9000 A1-A8 : 470-638 MHz*	1,633.50 1,633.50	1,350.00 1,350.00
A 9000 B1-B8 504706 *25*	Omni Antenna for 9000 series *N-type connector • 3,2 dBi • AB 9000 A1-A8 : 470-638 MHz*	1,633.50 1,633.50	1,350.00 1,350.00
AB 1036-UHF 003598 *25*	Antenna boosterfor compensating for cable/splitter losses *6 - 8 MHz / 8 - 24 MHz • 165 - 230 MHz / 470 - 960 MHz*	2,359.50 2,359.50	1,950.00 1,950.00

	Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
	AB 3 - A 502567 *21*	Antenna Booster, 10 dB, A Range (516...558 MHz) *A Range*	192.39 192.39	159.00 159.00
	AB 3 - B 502568 *21*	Antenna Booster, 10 dB, B Range (626...668 MHz) *B range*	192.39 192.39	159.00 159.00
	AB 3 - C 502569 *21*	Antenna Booster, 10 dB, C Range (734...776 MHz) *B range*	192.39 192.39	159.00 159.00
	AB 3 - D 502570 *21*	Antenna Booster, 10 dB, D Range (780...822 MHz) *B range*	192.39 192.39	159.00 159.00
	AB 3 - E 502571 *21*	Antenna Booster, 10 dB, E Range (823...865 MHz)	192.39 192.39	159.00 159.00
	AB 3 - G 502572 *21*	Antenna Booster, 10 dB, G Range (556...608 MHz) *A Range*	192.39 192.39	159.00 159.00
	AB 3 - GB 504680 *21*	Antenna Booster, 10 dB, GB Range (606...648 MHz) *A Range*	192.39 192.39	159.00 159.00
	AB 3-1G8 504915 *21*	Antenna Booster for 1800 MHz range (1785...1800 MHz)	180.29 180.29	149.00 149.00
	AB 3700 502196 *23*	Broadband antenna booster • Frequency range 470 • 866 MHz • Gain from 5 to 15 dB	605.00 605.00	500.00 500.00
	AB 9000 A1-A8 504708 *25*	Highly selective filters, linear RF amplifier *N-socket • 80 x 64 x 24 mm • approx. 265 g • max. 160 mA at 12 V • 17 dB*	1,149.50 1,149.50	950.00 950.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
AB 9000 B1-B8 504709 *25*	Highly selective filters, linear RF amplifier *N-socket • 80 x 64 x 24 mm • approx. 265 g • max. 160 mA at 12 V • 17 dB*	1,149.50 1,149.50	950.00 950.00
AD 3700 502197 *23*	Directional antenna with integrated AB 3700 booster • Gain from 5 to 15 dB	1,089.00 1,089.00	900.00 900.00
AD 9000 A1-A8 504711 *25*	*Max. 160 mA at 12 V • N-type connector • 4,6 dBi • AB 9000 B1-B8 : 630-798 MHz*	1,694.00 1,694.00	1,400.00 1,400.00
AD 9000 B1-B8 504712 *25*	*Max. 160 mA at 12 V • N-type connector • 4,6 dBi • AB 9000 B1-B8 : 630-798 MHz*	1,694.00 1,694.00	1,400.00 1,400.00
CI 1 530151 *89*	Instrument cable 3,5 mm • 6,3 mm (for ew) Connector: 1/4" (6.3 mm) jack plug.	22.99 22.99	19.00 19.00
CI 1-4 503163 *21*	Guitar cable with 3-pin special connector and Neutrik Silent Plug (for 2000 series)	83.49 83.49	69.00 69.00
CI 1-FP 512889 *89*	Instrument cable 3,5 mm • 6,3 mm (for Freeport)	22.99 22.99	19.00 19.00
CL 1 081197 *89*	Line cable (EK 100 / 500 / 2000) 3,5 mm • mini jack 90°	22.99 22.99	19.00 19.00
CL 100 087046 *89*	Line cable (EK 100) 3,5 mm • XLR	21.18 21.18	17.50 17.50
CL 2 004840 *21*	Mic cable • 3,5 mm lockable jack to XLR-3F • 1,5 m	26.62 26.62	22.00 22.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
CL 500 087047 *89*	Line cable (EK 500 / 2000) 3,5 mm • XLR balanced	35.09 35.09	29.00 29.00
DC 2 009827 *21*	Remote DC cable for SK / EK • ew	90.75 90.75	75.00 75.00
GA 3030 AM 004368 *23*	Antenna mount. Permits the connection of receiver and antenna to the front of the rack.	131.89 131.89	109.00 109.00
NO IMAGE GZA 1036 TV 002243 *25*	Antenna	1,076.90 1,076.90	890.00 890.00
GZA 1036-9 002332 *25*	VHF/UHF ground plane antenna *140-960 MHz • approx. 250 g • 50 Ω • N-type connector, male • approx. fm ± 10 %*	598.95 598.95	495.00 495.00
GZL 1019 A0.5 BNGZL1019A0,5 *88*	50-Ω co-axial cable for connecting and daisy-chaining IR radiators and modulators or RF antenna's. 0.5 Meter	31.46 31.46	26.00 26.00
GZL 1019 A1 BNGZL1019A1 *88*	50-Ω co-axial cable for connecting and daisy-chaining IR radiators and modulators or RF antenna's. 1 Meter	47.19 47.19	39.00 39.00
GZL 1019 A10 BNGZL1019A10 *88*	50-Ω co-axial cable for connecting and daisy-chaining IR radiators and modulators. 10 Meter	59.29 59.29	49.00 49.00
GZL 1019 A5 BNGZL1019A5 *88*	50-Ω co-axial cable for connecting and daisy-chaining IR radiators and modulators. 5 Meter	54.45 54.45	45.00 45.00
GZL 5000 A10 BNGZL 5000A10 *88*	GZL 5000 A10 - 10 meter *10 m • -24 dB - 100 m • 2x BNC*	95.59 95.59	79.00 79.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
GZL 5000 A15 **BNGLZ 5000A15** *88*	GZL 5000 A15 - 15 meter *15 m • -24 dB - 100m • 2x BNC*	113.74 113.74	94.00 94.00
GZL 5000 A20 **BNLGZL 5000A20**	GZL 5000 A15 - 20 meter *20 m • -24 dB - 100 m • 2x BNC*	114.95 114.95	95.00 95.00
GZL 5000 A25 **BNLGZL 5000A25**	GZL 5000 A15 - 25 meter *25 m • - 24 dB - 100 m • 2x BNC*	127.05 127.05	105.00 105.00
GZL 5000 A5 **BNGZL 5000A5** *88*	GZL 5000 A5 - 5 meter *5 m • -24 dB - 100 m • 2x BNC*	54.45 54.45	45.00 45.00
GZL 5000 A50 **BNGZL5000A50** *88*	GZL 5000 A15 - 50 meter	199.65 199.65	165.00 165.00
GZL 9000-A10 **505456** *25*	Antenna Cable 10m N-Connectors	108.90 108.90	90.00 90.00
GZL 9000-A20 **505457** *25*	Antenna Cable 20m N-Connectors	139.15 139.15	115.00 115.00
GZL 9000-A5 **505455** *25*	Antenna Cable 5m N-Connectors	90.75 90.75	75.00 75.00
GZL AES 10 **502432**	High quality audio cable for digital signals • double shielded 110 Ohm AES 3, 10 meter	114.95 114.95	95.00 95.00
GZV 1019 A **002368** *52*	BNC coupler	23.60 23.60	19.50 19.50

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
CHARGERS & BATTERYPACKS			
B 250-2 500822 *25*	Dry cell battery box (for 3 x AA cells) for use with SK 50 / 250 / 3063	326.70 326.70	270.00 270.00
B 5000-2 500824 *25*	Dry cell battery box (for 2 x AA cells) for use with SKM 5000	302.50 302.50	250.00 250.00
B 5000-2 C 517687 *82*	Dry cell battery box (for 2 x AA cells) with Command button for use with SKM 5000	398.09 398.09	329.00 329.00
B 50-2 500820 *25*	Dry cell battery box (for 2 x AA cells) for use with SK 50 / 3063	302.50 302.50	250.00 250.00
B 60 504700 *25*	Batterypack for SKM 9000	223.85 223.85	185.00 185.00
B 61 504701 *25*	Batterypack for SK 9000	223.85 223.85	185.00 185.00
BA 2015 009950 *32*	Rechargeable battery pack for Ecolution Wireless body packs *2 x 1,2 Volt • 1500 mAh*	95.59 95.59	79.00 79.00
BA 2015-4 506241 *21*	4 x BA2015	204.49 204.49	169.00 169.00
BA 250-2 500823 *25*	Rechargeable battery pack for use with SK 50 / 250 / 3063	326.70 326.70	270.00 270.00
BA 5000-2 500825 *25*	Rechargeable battery pack for use with SKM 5000	302.50 302.50	250.00 250.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
BA 50-2 500821 *25*	Rechargeable battery pack for use with SK 50 / 3063	302.50 302.50	250.00 250.00
BA 60 504702 *25*	Rechargeable Pack for SKM 9000	242.00 242.00	200.00 200.00
BA 61 504703 *25*	Rechargeable Pack for SK 9000	242.00 242.00	200.00 200.00
CHG 1-Kit-EU 506238 *21*	1 x charger L 2015, 1 x charging adaptor L 2, 2 x rechargeable NiMH battery BA 2015, 1 x power supply NT 1-1	361.79 361.79	299.00 299.00
EM 20-NT 003699 *25*	Power supply for the EM 203 MF	423.50 423.50	350.00 350.00
L 2015 009828 *32*	Charging unit *10 - 20 V DC • 145 x 80 x 110 mm • 310 g • 0 à 40 °C • 2 x 700 mA*	163.35 163.35	135.00 135.00
L 2020-10 BNVSSVSL202010 *88*	10 way basic charger for 2020-D tour guide system, no copy function.	602.58 602.58	498.00 498.00
L 50 003554 *25*	L 50 Charger	356.95 356.95	295.00 295.00
L 60 504704 *25*	Battery Charger 9000 series	302.50 302.50	250.00 250.00
LA 2 503162 *21*	Charging Adapter for SKM ew G3 & 2000 series to fit into L 2015	42.35 42.35	35.00 35.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
NT 1-1-EU 503158 *21*	Power supply unit for one L 2015 (EU version, 230 V)	107.69 107.69	89.00 89.00
NT 2-3 503157 *21*	Power supply for G3 EM rackmount receivers and transmitters	24.08 24.08	19.90 19.90
NT 3-1 503159 *21*	Power supply for AC3	143.99 143.99	119.00 119.00
NT 50 003594 *25*	Mains power supply for up to four L 50	114.95 114.95	95.00 95.00
BAGS & CASES			
BNBF 1 BNBF 1	Special bag for SK transmitters	30.25 30.25	25.00 25.00
BPP 1 90616 *89*	Bag for bodypack transmitter	06.05 06.05	05.00 05.00
CA 2 009986 *21*	Camera adapter for EK 100 / 500 / 2000	20.45 20.45	16.90 16.90
CC 3 503168 *21*	Carry case , pvc, universal foam for ew G3 series	90.75 90.75	75.00 75.00
CC3-M BNCC3EW-G3 *88*	Carry case , metal, universal foam for ew G3 series	156.09 156.09	129.00 129.00
CC3-M-ENG BNCC3EW100ENG-G3 *88*	Carry case , metal, universal foam for ew G3 ENG sets	156.09 156.09	129.00 129.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
HHP 1 86043 *90*	Bag for handheld transmitter	10.89 10.89	09.00 09.00
POP 1 005232 *21*	Pouch for plug on	35.09 35.09	29.00 29.00
OTHER RF RELATED ACCESSORIES			
CA 2 009986 *21*	Camera adapter for EK 100 / 500 / 2000	20.45 20.45	16.90 16.90
GA 3 503167 *21*	19'' Rack-mount Kit	54.45 54.45	45.00 45.00
KA 9000 COM 504735 *25*	Command Cable for SK 9000	211.75 211.75	175.00 175.00
KEN 2 530195 *89*	Identification rings for ew G3 & 2000 series handheld transmitters	22.99 22.99	19.00 19.00
MZ 1 504060 *42*	Accessory kit for MKE 1 microphone	119.79 119.79	99.00 99.00
MZ 100 004226 *42*	Accessory kit for ME 102 / 104	48.40 48.40	40.00 40.00
MZ 2 004225 *42*	Accessory kit for MKE 2	42.35 42.35	35.00 35.00
MZA 14 P48U 002960 *42*	Battery phantom power supply with switchable attenuator and bass attenuator	603.79 603.79	499.00 499.00

RF Wireless Systems

Please ask for frequency range advise when ordering RF equipment.

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MZA 14 TU 002959	Battery "T" phantom power supply with switchable attenuator and bass attenuator	603.79 603.79	499.00 499.00
NO IMAGE **MZQ 3072** 074695 *82*	Microphone clamp soft	25.41 25.41	21.00 21.00
MZQ 5000 050493 *82*	Quick release clamp for SKM 5000	25.41 25.41	21.00 21.00
MZW 1 004839 *21*	Foam windshield for ew & 2000 series	20.45 20.45	16.90 16.90
MZW 4032 002978 *41*	Foam windshield for SKM 3072 anthracite *102 mm • 63 mm*	59.29 59.29	49.00 49.00
MZW 5000-ANT 003824 *25*	Foam windshields with colourcoded identification rings.	54.45 54.45	45.00 45.00
NB 2 ANTR. 004398 *42*	Headmic adapter for MKE 2 • MKE 102 or MKE 104	102.85 102.85	85.00 85.00
NB 2 BEIGE 004349 *42*	Headmic adapter for MKE 2 • MKE 102 or MKE 104	102.85 102.85	85.00 85.00
RMS 1 503164 *21*	Remote Mute Switch for SK 300 G3	107.69 107.69	89.00 89.00
RECEIVER / TRANSMITTER ADAPTERS			
DCA 50 003839 *25*	Power adaptor for connecting external 8-30 V AC/DC sources to the SK 50 / SK 250 and SK 3063-U.	423.50 423.50	350.00 350.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
GA 3041-15 004639 *23*	Sony Adapter for the EK 3041-U	96.80 96.80	80.00 80.00
GA 3041-25 004640 *23*	Ikegami/ Panasonic adapter for the EK 3041-U	96.80 96.80	80.00 80.00
GA 3041-44 004641 *23*	Philips adapter for GA 3041-C for use with B/ BA 50 / 250	96.80 96.80	80.00 80.00
GA 3041-B 004643 *23*	Battery adaptor with belt clip for the connection of B 50-2/B 250-2 and BA 50-2/BA 250-2 to the EK 3041-U receiver.	133.10 133.10	110.00 110.00
GA 3041-C 004642 *23*	Slot-in housing for attachment of the EK 3041-U to camcorders without slot-in facility.	133.10 133.10	110.00 110.00
1G8 ACCESSORIES			
AB 3-1G8 504915 *21*	Antenna Booster for 1800 MHz range (1785...1800 MHz)	180.29 180.29	149.00 149.00
AD 1800 504916 *21*	Directional Antenna for 1800 Mhz Series (1400...2400 MHz)	277.09 277.09	229.00 229.00
AM 2 009912 *21*	Antenna mount BNC cables	59.29 59.29	49.00 49.00
ASA 1-1G8 504914 *21*	Active Antenna Splitter 2x1:4 for 1800 MHz range (1785...1800 MHz)	640.09 640.09	529.00 529.00
GA 3 503167 *21*	19'' Rack-mount Kit	54.45 54.45	45.00 45.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
XSW ACCESSORIES			
GAM 1 504944 *21*	1 channel 19'' rack-mount kit with BNC cables for XSW	59.29 59.29	49.00 49.00
GAM 2 504945 *21*	2 channel 19'' rack-mount kit with BNC cables for XSW	240.79 240.79	199.00 199.00
GAM 3 505669 *21*	19'' rack-mount brackets for XSW	19.36 19.36	16.00 16.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
IR AUDIO DISTRIBUTION			
SZI 1029-10-EU 004620 *52*	10 Watt IR high power radiator *2,1 kg • 5 Kiloohm • 350 mA / Stand-by 50 mA • BNC • BNC*	3,363.80 3,363.80	2,780.00 2,780.00
SZI 1029-EU black 003664 *52*	5 Watt IR high power radiator, black edition *2,1 kg • 5 Kiloohm • 350 mA / Stand-by 50 mA • BNC • BNC*	2,117.50 2,117.50	1,750.00 1,750.00
SZI 1029-EU white 004076 *52*	5 Watt IR high power radiator, white edition *2,1 kg • 5 Kiloohm • 350 mA / Stand-by 50 mA • BNC • BNC*	2,117.50 2,117.50	1,750.00 1,750.00
TR 840 505595 *31*	Transmetteur stéréo RF pour la transmission sans fil du son et de la musique de la télévision reçus à partir d'un récepteur RR 840. 1 bloc d'alimentation avec des adaptateurs nationaux pour l'UE et le RU, 1 câble de connexion TV avec fiches jack 3,5 mm, 1 adaptateur pour fiche jack 3,5 mm à 6,3 mm, 1 adaptateur pour prise RCA et un 1 adaptateur pour prise SCART (péritel) sont fournis.	147.26 147.26	121.70 121.70
SINGLE/ TWO CHANEL WIDEBAND			
EKI 830 505631 *52*	IR bodypack receiver *50 Hz–16000 Hz • 50 Hz–16000 Hz • < 1% • (1 mV, peak deviation)typ. 75 dBA • FM*	181.50 181.50	150.00 150.00
HDI 830 502019 *31*	Professional, switchable two-channel receiver with volume control *50 - 16,000 Hz • < 1 % • typ. 75 dB(A) • FM, stereo • 68 g*	193.60 193.60	160.00 160.00
L 300 10-10 502710 *52*	Charging tray	393.25 393.25	325.00 325.00
RI 830 502020 *31*	IR receiver for Set 830	170.08 149.00	140.57 140.57
RI 830 S 502021 *31*	IR receiver for Set 830 S *dynamic • circumaural • 18 - 20000 Hz • 18 Hz - 21000 Hz • 120 dB*	181.50 181.50	150.00 150.00
RI 900 502023 *31*	IR receiver for the TI 900 transmitter	189.00 215.75	178.30 178.30

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
RR 840 502025 *31*	RF stereo stethoset receiver	159.00 181.50	150.00 150.00
RR 840 S 502026 *31*	RF mono receiver with AF output (3,5 mm jack)	192.92 192.92	159.43 159.43
SI 1015 004252 *52*	Two-channel wideband modulator operating *+/- 56 kHz • FM • 2 x XLR-3 symmetric • 10 mV.....5 V (Line) • 1/2 19", 1 U (224x44x173 mm)*	695.75 695.75	575.00 575.00
SI 30 004632 *52*	Wideband modulator with an integral radiator *FM • 3pin-Texas- Socket • 45 mV- 4V • 118 x 25 x 90 mm • 140 g*	272.25 272.25	225.00 225.00
SZI 1015 004394 *52*	2-Watt infra-red radiator *BNC - Socket • 50 mV - 3 V • 250 x 100 x 80 mm • 1,3 kg • 0,7 A bei 25 V*	968.00 968.00	800.00 800.00
SZI 30 004633 *52*	Wideband modulator with an integral radiator *118 x 25 x 90 mm • 135 g • 150 mA • 6 MHz • 24 - 27 V DC*	211.75 211.75	175.00 175.00
MULTI CHANNEL			
EKI 1029-PLL16 003627 *52*	Slim, compact multi-channel bodypack receiver *50.....8.000 Hz • > 52 dB (A) • FM • 3,5 mm Mono • 100 gr*	423.50 423.50	350.00 350.00
EKI 1029-PLL32 004623 *52*	Slim, compact multi-channel bodypack receiver *50.....8.000 Hz • > 52 dB (A) • FM • 3,5 mm Mono • 100 gr*	423.50 423.50	350.00 350.00
HDI 1029-PLL16 003659 *52*	Lightweight stethophone receiver with 16 channels *FM • 60 g • 10h • BA 90, 2,5 V, 170 mAh • 55 - 695 kHz*	290.40 290.40	240.00 240.00
HDI 1029-PLL8 003676 *52*	Lightweight stethophone receiver with 8 channels *FM • 10 h • BA 90, 2,5 V, 170 mAh • 55 - 695 kHz • 60 g*	278.30 278.30	230.00 230.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SI 29-5 003986 *52*	5-channel modulator *+/- 7 kHz • max. 17 W • FM • D-Sub 25 PIN • 485 x 45 x 340 mm*	5,233.25	4,325.00

INFRARED ACCESSORIES

CHARGERS & BATTERYPACKS IR

AC 21 004457 *31*	Charging unit for 2x BA 151	35.09 35.09	29.00 29.00
BA 1029 003708 *52*	Rechargeable accupack for EKI 1029 receivers. Cannot be overcharged. Voltage: 2.5 V Ah capacity: 170 mAh	48.40 48.40	40.00 40.00
BA 151 004146 *31*	Accupack For Audioport A 200 Set, RI 250, RI 250 J, RI 250 S, RI 500, RR 2500, RI 810, RI 810 S, RR 820, RR 820 S and HDI 302	22.77 22.77	18.82 18.82
BA 90 003261 *31*	Rechargeable Battery Pack - for IS450, IS490, SET180, SET200, SET90, SET100, HDI 450.Cannot be overcharged. Voltage: 2.5 V Ah capacity: 60 mAh	22.95 22.95	18.97 18.97
L 1029-20 003776 *52*	Charging case for 20 EKI 1029 receivers	3,630.00 3,630.00	3,000.00 3,000.00
L 1029-75 003371 *52*	Charging case for 75 EKI 1029 receivers	4,840.00 4,840.00	4,000.00 4,000.00
L 1030-10 004024 *51*	Charging unit for up to 10 HDI 1029 or HDE 1030 stethoset receivers	363.00 363.00	300.00 300.00
L 151-10 004494 *52*	Charging unit for up to ten BA 151 accupacks or RI 150, RI 250, RI 250 J, RI 300 and HDI 302 receivers.	332.75 332.75	275.00 275.00
L 29-50-2 004310 *52*	Charging case for HDI 1029 / HDE 1030 stethoset receivers.	2,662.00 2,662.00	2,200.00 2,200.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
L 90 003362	Charger for BA 90 accupack	95.59 95.59	79.00 79.00
NT 1015 004560 *52*	Mains unit for an SI 1015 modulator and two SZI 1015 radiators	211.75 211.75	175.00 175.00
NT 20-1 003600 *52*	Plug-in mains unit for an SI 30 modulator/radiator or an SZI 30 radiator.	60.50 60.50	50.00 50.00
NT 2012 003746	Plug-in mains unit for the L 1032 charger	54.45 54.45	45.00 45.00
NT 20-4 003603 *52*	Plug-in mains unit for up to four SI 30 / SZI 30	145.20 145.20	120.00 120.00
NT 29 004002 *52*	Plug-in mains unit for the SI 29-5 modulator and the L 1029 charging cases	121.00 121.00	100.00 100.00
NT 92 003357 *52*	Plug-in mains unit for powering he L 92-20, L 92-10 and L 151-10 charging units	42.35 42.35	35.00 35.00
CABLES IR SYSTEMS			
KK 1030 004125	Extension lead for connecting two L 1030-10 charging units	13.92 12.10	11.50 10.00
KK 20-1 003557 *52*	Extension lead for connection between an SI 30/ SZI 30 and the plug-in mains unit.	18.15 18.15	15.00 15.00
KK 20-7 003558 *52*	7.5 metre I-R lead for SI-SZI 30	24.20 24.20	20.00 20.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
KKY 20-015 003599 *52*	4-way "octopus" DC splitter cable for Sennheiser SI/SZI 30 infrared radiators	36.30 36.30	30.00 30.00
KR 20-015 003536 *52*	RF connection cable for SI 30 / SZI 30 clusters	15.73 15.73	13.00 13.00
KR 20-7 003535 *52*	RF connection cable	33.88 33.88	28.00 28.00
MOUNTING IR SYSTEMS			
GZG 1029 black 003226 *52*	Swivel joint for aligning radiators black	108.90 108.90	90.00 90.00
GZG 1029 white 003227 *52*	Swivel joint for aligning radiators white	121.00 121.00	100.00 100.00
GZP 10 003193 *52*	Mounting plate for wall and ceiling mounting of IR radiators	53.24 53.24	44.00 44.00
IZK 20 003560 *52*	Mounting clamp for secure attachment of an SI 30/ SZI 30	18.15 18.15	15.00 15.00
MZT 100 001883 *41*	Stable, sturdy anti-vibration table stand for attaching radiators.	119.79 119.79	99.00 99.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ASSISTIVE LISTENING **Dutch VAT: 6%!**			
A 200 004454 *32*	Stereo personal sound amplifier *dynamic • in-ear • 200 - 12,000 Hz • 51 g • up to 12 h*	283.68	234.45
Set 830 S 502003 *31*	Infra-red stereo TV listening system ideal for hearing aid wearers *50 – 16000 Hz • < 1 % • typ. 75 dB(A) • FM, stereo • 3,5 mm, stereo jack plug*	318.48 279.00	263.21 263.21
Set 830-TV 502006 *31*	Infra-red stereo TV listening system *50 - 16000 Hz • < 1 % • 75 dB(A) • FM, stereo • 3,5 mm, stereo jack plug*	284.24 249.00	234.91 234.91
Set 840 S 502010 *31*	RF stereo TV listening system ideal for hearing aid wearers *50 - 16000 Hz • < 1 % (1 kHz) • typ. 70 dB(A) • FM stereo • 3,5 mm, stereo jack plug*	329.90 289.00	272.64 272.64
Set 840-TV 502012 *31*	RF stereo TV listening system *50 - 16000 Hz • < 1 % (1 kHz) • 70 dB(A) • FM, stereo • 3,5 mm, stereo jack plug*	295.65 259.00	244.34 244.34
Set 900 502016 *31*	Mobile sound booster and infra-red stereo TV listening system *50 - 16000 Hz • < 1 % • typ. 75 dB(A) • FM, stereo • 3,5 mm, stereo jack socket*	398.39 349.00	329.25 329.25
AUDIOMETRIC HEADPHONES			
HDA 200 002994 *32*	Closed, dynamic audiometric headphones *dynamic, closed • circumaural • 20 - 20000 Hz • 40 Ω • 10 N*	422.29	349.00
HDA 280 009860 *32*	Closed, dynamic headphones *dynamic, closed • supraaural • 20 - 20000 Hz • 37 Ω • 5 N +/- 0,5 N*	227.16	187.74
AUDIOLOGY ACCESSORIES			
AC 21 004457 *31*	Charging unit for 2x BA 151	35.09 35.09	29.00 29.00
BA 1029 003708 *52*	Rechargeable accupack for EKI 1029 receivers. Cannot be overcharged. Voltage: 2.5 V Ah capacity: 170 mAh	48.40 48.40	40.00 40.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
BA 151 004146 *31*	Accupack For Audioport A 200 Set, RI 250, RI 250 J, RI 250 S, RI 500, RR 2500, RI 810, RI 810 S, RR 820, RR 820 S and HDI 302	22.77 22.77	18.82 18.82
BA 90 003261 *31*	Rechargeable Battery Pack - for IS450, IS490, SET180, SET200, SET90, SET100, HDI 450.Cannot be overcharged. Voltage: 2.5 V Ah capacity: 60 mAh	22.95 22.95	18.97 18.97
EZI 120 003448 *32*	For inductive audio transmission. Suitable for connection to the EK 2015, RI 810 S, RI 830 S and RR 820 S receivers. Please order the connection cable separately.	35.09 35.09	29.00 29.00
EZT 3011 502566 *32*	Induction neck loop	74.20 65.00	61.32 61.32
EZT 3012 504061 *32*	Induction neck loop	71.39 62.54	59.00 59.00
L 300 10-10 502710 *52*	Charging tray	393.25 393.25	325.00 325.00
MKE 800 TV-N 500974 *31*	External microphone (mono) condensator	42.35 42.35	35.00 35.00
RI 830 502020 *31*	IR receiver for Set 830	170.08 149.00	140.57 140.57
RI 830 S 502021 *31*	IR receiver for Set 830 S *dynamic • circumaural • 18 - 20000 Hz • 18 Hz - 21000 Hz • 120 dB*	181.50 181.50	150.00 150.00
RR 840 S 502026 *31*	RF mono receiver with AF output (3,5 mm jack)	192.92 192.92	159.43 159.43

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
TOURGUIDE 2020-D TOURSYSTEMS			
EK 2020-D-II 504794 *51*	Digital Bodypack Receiver *100 - 7000 Hz • < 1 % at 10 mW • 926 - 928 MHz • 2 FSK • Max. 10 mW /32 Ohm*	338.80 338.80	280.00 280.00
EZL 2020-20L 500542 *51*	Charging case for system 2020 *max. 70 W • 600 x 270 x 380 mm • 8,3 kg • 0–40 °C • 100–240 VAC (50/60 Hz)*	1,573.00 1,573.00	1,300.00 1,300.00
GZR 2020 502191 *51*	Trolley for TourGuide System *470 - 980 x 180 x 50 mm Wheel diameter 48 mm • 795 g*	108.90 108.90	90.00 90.00
HDE 2020-D-II 504796 *51*	Stethoset receiver *100 - 7000 Hz • 120 dB SPL • < 1 % • 926 - 928 MHz • 2 FSK*	363.00 363.00	300.00 300.00
SK 2020-D 500548 *51*	Bodypack transmitter for system 2020 *863 - 865 MHz • 2 FSK • max. 2 Vrms • 245 x 125 x 20 mm • 160 g*	786.50 786.50	650.00 650.00
SKM 2020-D 500894 *51*	Handheld transmitter microphone *Dynamic • 100 - 7000 Hz • Cardiod • 10 mW • ≤ 1%*	907.50 907.50	750.00 750.00
TOURGUIDE 2020-D STATIONARY			
L 2021-40 502037 *51*	Charging Unit for up to 40 receivers *≤ 150 W • 483 x 399 x 172 mm • 8800 g • 0°C à +40°C • 400 mA per charging slot*	2,238.50 2,238.50	1,850.00 1,850.00
SR 2020 D 500550 *51*	Rack mount transmitter for SKM 2020 D *100 - 7000 Hz • 10 mW • ≤ 1% • > 70 dB(A) • 863 - 865 MHz*	907.50 907.50	750.00 750.00
UHF INFORMATION SYSTEMS			
EK 1039 505542 *51*	Tourguide Receiver UHF *72/ 75 MHz • 25 Hz – 15000 Hz • > 90 dBa • FM large bande, MPX mono • 3.5 mm*	435.60 435.60	360.00 360.00
L 2015 009828 *32*	Charging unit *10 - 20 V DC • 145 x 80 x 110 mm • 310 g • 0 à 40 °C • 2 x 700 mA*	163.35 163.35	135.00 135.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
L 2020-10 BNVSSVSL202010 *88*	10 way basic charger for 2020-D tour guide system, no copy function.	602.58 602.58	498.00 498.00
GUIDEPORT			
GP 3000-L 005224 *51*	Neck loop (basic lanyard no clip) for EK 3000 and EK 2020	03.63 03.63	03.00 03.00
GP AD 3000 4901 *51*	Directive antenna	302.50 302.50	250.00 250.00
GP AM 3000 4899 *51*	Active antenna	405.35 405.35	335.00 335.00
GP ANM 5226	Software • Announcement Manager	4,833.95 4,833.95	3,995.00 3,995.00
GP CBL Data 5287 *51*	Charger datacable 0,5 m	09.68 09.68	08.00 08.00
GP CBL RS-PC 5288 *51*	Charger • PC datacable 10 m	36.30 36.30	30.00 30.00
GP CBL RS-PCMCIA 5328 *51*	Charger • PCMCIA datacable 5 m	42.35 42.35	35.00 35.00
GP EK 3202-0-1 502368 *51*	Guideport receiver • 16-key version with full numeric key pad	574.75 574.75	475.00 475.00
GP EK 3202-4-1 502370 *51*	Guideport receiver • 4-key version	574.75 574.75	475.00 475.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
GP EK 3202-5-1 502371 *51*	Guideport receiver • 5-key version • detail button	574.75 574.75	475.00 475.00
GP ID 3000 IN 500896 *51*	Identifier indoor use	756.25 756.25	625.00 625.00
GP ID 3000 OUT 4903 *51*	Identifier outdoor use	907.50 907.50	750.00 750.00
GP L 3000-Ti 5293 *51*	Charger Terminating Impedance	18.15 18.15	15.00 15.00
GP L 3202-10 502522 *51*	Charger for the rechargeable batteries of ten GP EK 3000, 3200, 3202 receivers.	544.50 544.50	450.00 450.00
GP PC Card 5290 *51*	RS 485 PC Card 2(4) Ports	907.50 907.50	750.00 750.00
GP PCMCIA Card 5289 *51*	RS 485 PCMCIA Card • 2 Ports	907.50 907.50	750.00 750.00
GP SK-3202-0-1 502372 *51*	Guideport mobile transmitter. 2.4 – 2.481 GHz, licence free ISM band. The transmitter operator does not require a licence.	1,210.00 1,210.00	1,000.00 1,000.00
GP SR 3200-2 500193 *51*	GP SR 3200-2 twin cell transmitter 19"	5,082.00 5,082.00	4,200.00 4,200.00
GP SYS 4904 *51*	Installation software	5,687.00 5,687.00	4,700.00 4,700.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
INFORMATION SYSTEMS ACCESSORIES			
BA 2015 009950 *32*	Rechargeable battery pack for Ecolution Wireless body packs *2 x 1,2 Volt • 1500 mAh*	95.59 95.59	79.00 79.00
BA 2015-4 506241 *21*	4 x BA2015	204.49 204.49	169.00 169.00
CHG 1-Kit-EU 506238 *21*	1 x charger L 2015, 1 x charging adaptor L 2, 2 x rechargeable NiMH battery BA 2015, 1 x power supply NT 1-1	361.79 361.79	299.00 299.00
CL 1 081197 *89*	Line cable (EK 100 / 500 / 2000) 3,5 mm • mini jack 90°	22.99 22.99	19.00 19.00
CL 2 004840 *21*	Mic cable • 3,5 mm lockable jack to XLR-3F • 1,5 m	26.62 26.62	22.00 22.00
NO IMAGE **Earpad Cleaner** BNOORK. REINIGER *88*	Flacon with 200 ml special ear pad cleaner for HDE 1030 and HDE 2020	15.67 15.67	12.95 12.95
EZI 120 003448 *32*	For inductive audio transmission. Suitable for connection to the EK 2015, RI 810 S, RI 830 S and RR 820 S receivers. Please order the connection cable separately.	35.09 35.09	29.00 29.00
EZT 3012 504061 *32*	Induction neck loop	71.39 62.54	59.00 59.00
GP 03 005225 *51*	Open, dynamic clip-on headphones for the GuidePort receiver order qty min. 100 pieces. Price per piece. Stereo version.	04.84 04.84	04.00 04.00
GP 03-M 005230 *51*	Open, dynamic clip-on headphones for the GuidePort receiver order qty min. 100 pieces. price per piece. Mono version.	03.63 03.63	03.00 03.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
GP 03-M-L 500087 *51*	Open, dynamic clip-on headphones for the GuidePort receiver order qty min. 100 pieces. price per piece. Mono version. Left side version.	03.63 03.63	03.00 03.00
GP 30 005255 *51*	Guideport dynamic stereo headphone, order qty min. 50 pieces. Price per piece.	21.78 21.78	18.00 18.00
HD 410 D 1.5 004949	Headphone for use with EKI 1029 • with hard plastic ear pads with 1.5 meter cable	84.70 84.70	70.00 70.00
HD 410-D 002146 *52*	Headphones, e.g. for the EKI 1029 bodypack receiver. Fitted with open, dynamic transducers; capsules can be rotated on the headband. The earpieces are hygienic and easy to clean. *50-15.000 Hz*	84.70 84.70	70.00 70.00
HS 2 beige TRS BNHS2-EW-BEIGE *88*	Omni-directional condenser headset microphone beige, with TRS connector *omni-directional • 1000 Ohm • 1,6 m • 142 dB • 26 dB(A)*	459.80 459.80	380.00 380.00
HS 2 black TRS BNHS2-EW-BLACK *88*	Omni-directional condenser headset microphone black, with TRS connector *omni-directional • 1000 Ohm • 1,6 m • 142 dB • 26 dB(A)*	459.80 459.80	380.00 380.00
L 1039-10 505632 *51*	Charger *12 ... 15 V • approx. 482 mm x 70 mm x 132 mm (3 HE) • approx. 1750 g • typ. 3...4 h*	1,197.90 1,197.90	990.00 990.00
L 2015 009828 *32*	Charging unit *10 - 20 V DC • 145 x 80 x 110 mm • 310 g • 0 à 40 °C • 2 x 700 mA*	163.35 163.35	135.00 135.00
L 2020-10 BNVSSVSL202010 *88*	10 way basic charger for 2020-D tour guide system, no copy function.	602.58 602.58	498.00 498.00
ME 3-ew black TRS 503155 *21*	Headset microphone for singers and speakers (cardiod) *Cardioid • 1.6m • 150 dB • electret • 3.5 mm jack*	192.39 192.39	159.00 159.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MKE 2-EW GOLD 009831 *21*	Sub-miniature clip-on lavaliere microphone with TRS-connector for EW-series, cable length 1.6 m, black incl. MZW 2 and MZQ 2 *omni-directional • 1000 Ω • 1,6 m • 7,5 V • d 4,8 mm*	337.59 337.59	279.00 279.00
NO IMAGE **Power cable 1.8m black EU** 549345 *90*	Power cable 1.8m black EU suitable for: EZL 2020-20 & EZL 2021-40	09.98 09.98	08.25 08.25

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ADN - AUDIO DISTRIBUTION NETWORK			
ADN C1 502759 *52*	ADN chairman's unit *Super-cardioid • 0,03 % at 50 mW/16 Î© • max. 3,5 W • 35 V à 52,8 V CA • 185 x 63 x 140 mm (without gooseneck)*	568.70 568.70	470.00 470.00
ADN CU1 505553 *52*	Digital discussion central unit *100 - 14000 Hz • < 0,01% A-weighted at +6 dBV IN, OUT • 245 W • > 80dB A-weighted at +11dBu • -18 dBu to +18dBu (XLR IN)*	3,623.95 3,623.95	2,995.00 2,995.00
ADN D1 502758 *52*	ADN delegate unit *Super-cardioid • 0,03 % at 50 mW/16 Ω • max. 3,8 W • 35 V à 52,8 V CA • 185 x 63 x 140 mm (without goose-neck)*	550.55 550.55	455.00 455.00
ADN PS Power Supply 505546 *52*	Extension of the system size up to 400 units *max. 385 W • 100 - 240 VAC / 50 - 60 Hz • 417 x 100 x 168 mm • ~ 4 600 g • +5° C à +50° C*	2,117.50 2,117.50	1,750.00 1,750.00
ADN-Software „Conference Manager" 250700	ADN "Conference Manager" Software	00.00 00.00	00.00 00.00
ADN-W AM 504743 *52*	ADN-W antenna *25 to 100mW • 6W • 3 rod antennas / omni-directional with R-SMA connector • Width: 226 mm, Length: 58 mm, Height: 181 mm • approx. 1660g / 3.66lbs*	1,573.00 1,573.00	1,300.00 1,300.00
ADN-W BA 504744 *52*	ADN-W BA 12v Battery for ADN-W D1 & ADN-W C1 *Width: 143 mm, Length: 124 mm, Height: 27 mm • approx. 404g • 5° ... +45° C • 12 VDC charging voltage • 7.4 V*	242.00 242.00	200.00 200.00
ADN-W C1 504745 *52*	ADN-W C1 - Chairman Unit *100 Hz to 14.5 kHz • 25 to 100mW • Inbuilt PCB antennas with pattern diversity • Width: 226 mm, Length: 58 mm, Height: 181 mm • approx. 940g*	943.80 943.80	780.00 780.00
ADN-W Case Base 504959 *52*	ADN-W Case Base	532.40 532.40	440.00 440.00
ADN-W Case Central 504957 *52*	ADN-W Case Central	840.95 840.95	695.00 695.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ADN-W Case Units 505758 *52*	ADN-W Case Units	2,420.00 2,420.00	2,000.00 2,000.00
ADN-W D1 504748 *52*	ADN-W D1 - Delegate Unit *100 Hz to 14.5 kHz • 25 to 100mW • Inbuilt PCB antennas with pattern diversity • Width 185 mm, Length 180 mm, Height 67 mm • approx. 940g*	919.60 919.60	760.00 760.00
ADN-W L 10-EU 505719 *52*	Battery charger for 10 pcs *max. 250 W • Width: 483 mm (19"), Length: 310 mm (7 RU), Height: 138 mm • approx. 6800 g • 5° ... +45° C • 100 to 240 V AC*	1,996.50 1,996.50	1,650.00 1,650.00
ADN-W MIC 15-39 504750 *52*	ADN-W MIC 15-39 - approx. 390 mm / 15.35" - Super Cardio	133.10 133.10	110.00 110.00
ADN-W MIC 15-50 504752 *52*	ADN-W MIC 15-50 - approx. 500 mm / 19,69" - Super Cardio	151.25 151.25	125.00 125.00
ADN-W MIC 36-29 504751 *52*	ADN-W MIC 36-29 - approx. 290 mm / 11,42" - Hyper Cardio	399.30 399.30	330.00 330.00
ADN-W MIC 36-50 504753 *52*	ADN-W MIC 36-50 - approx. 500 mm / 19,69" - Hyper Cardio	417.45 417.45	345.00 345.00
NT 12-50C-EU 505712 *52*	NT 12-50C-EU - Power Supply	59.29 59.29	49.00 49.00
CONFERENCE ACCESSORIES			
ADN RM B-2 504031 *52*	Rack-mount brackets for ADN CU1	72.60 72.60	60.00 60.00
ADN TR 1 504001 *52*	ADN strain relief adapter accessory for ADN-D1 / ADN-C1 units. Designed for permanent installations.	06.05 06.05	05.00 05.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
MZT 30 005085 *42*	Flush mount with XLR-3 socket	26.62 26.62	22.00 22.00
SDC CBL RJ45-10 009845 *52*	Sennheiser SDC CBL RJ45-10 CAT5e 24AWG Connecting Cable, 10 meter	42.35 42.35	35.00 35.00
SDC CBL RJ45-2 009842 *52*	Sennheiser SDC CBL RJ45-10 CAT5e 24AWG Connecting Cable, 2 meter	18.15 18.15	15.00 15.00
SDC CBL RJ45-20 009846 *52*	Sennheiser SDC CBL RJ45-10 CAT5e 24AWG Connecting Cable, 20 meter	60.50 60.50	50.00 50.00
SDC CBL RJ45-3 009843 *52*	Sennheiser SDC CBL RJ45-10 CAT5e 24AWG Connecting Cable, 3 meter	24.20 24.20	20.00 20.00
SDC CBL RJ45-5 009844 *52*	Sennheiser SDC CBL RJ45-10 CAT5e 24AWG Connecting Cable, 5 meter	30.25 30.25	25.00 25.00
SDC CBL RJ45-50 009847 *52*	Sennheiser SDC CBL RJ45-10 CAT5e 24AWG Connecting Cable, 50 meter	78.65 78.65	65.00 65.00
TEAMCONNECT			
SL LOUDSPEAKER 52 A W 506243 *53*	SL LOUDSPEAKER 52 A W - Active Loudspeaker for Teamconnect *35 - 30000 Hz • 230 V AC; 0.47 W / 110 V AC; 0.34 W (standby) • 240mm x 140mm x 161mm • 3.1 kg • 40 W*	458.59 458.59	379.00 379.00
NO IMAGE SL MAINS CABLE WHITE 0,75M EU 506273 *53*	MAINS CABLE WHITE 0,75M EU	09.56 09.56	07.90 07.90
NO IMAGE SL MAINS CABLE WHITE 5M EU 506876 *53*	MAINS CABLE WHITE 5M EU	18.03 18.03	14.90 14.90

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
SL TEAMCONNECT CUCB1 EU 506235 *53*	Team Connect Central Unit & ComBox - Complete professional audio system for meeting rooms *250 Hz to 3.3 kHz ± 1 dB • 17" x 7.5 " x 2 " • 4.5 lbs. (2.25 kg) • 10 kΩ balanced (Mic/Line Inputs 1-8) • DB9 female (RS-232 Control Port)*	5,553.90 5,553.90	4,590.00 4,590.00
CONFERENCE SYSTEMS			
ADN C1 502759 *52*	ADN chairman's unit *Super-cardioid • 0,03 % at 50 mW/16 Î© • max. 3,5 W • 35 V à 52,8 V CA • 185 x 63 x 140 mm (without gooseneck)*	568.70 568.70	470.00 470.00
ADN CU1 505553 *52*	Digital discussion central unit *100 - 14000 Hz • < 0,01% A-weighted at +6 dBV IN, OUT • 245 W • > 80dB A-weighted at +11dBu • -18 dBu to +18dBu (XLR IN)*	3,623.95 3,623.95	2,995.00 2,995.00
ADN D1 502758 *52*	ADN delegate unit *Super-cardioid • 0,03 % at 50 mW/16 Ω • max. 3,8 W • 35 V à 52,8 V CA • 185 x 63 x 140 mm (without goose-neck)*	550.55 550.55	455.00 455.00
ADN PS Power Supply 505546 *52*	Extension of the system size up to 400 units *max. 385 W • 100 - 240 VAC / 50 - 60 Hz • 417 x 100 x 168 mm • ~ 4 600 g • +5° C à +50° C*	2,117.50 2,117.50	1,750.00 1,750.00
ADN-Software „Conference Manager" 250700	ADN "Conference Manager" Software	00.00 00.00	00.00 00.00
ADN-W AM 504743 *52*	ADN-W antenna *25 to 100mW • 6W • 3 rod antennas / omni-directional with R-SMA connector • Width: 226 mm, Length: 58 mm, Height: 181 mm • approx. 1660g / 3.66lbs*	1,573.00 1,573.00	1,300.00 1,300.00
ADN-W BA 504744 *52*	ADN-W BA 12v Battery for ADN-W D1 & ADN-W C1 *Width: 143 mm, Length: 124 mm, Height: 27 mm • approx. 404g • 5° ... +45° C • 12 VDC charging voltage • 7.4 V*	242.00 242.00	200.00 200.00
ADN-W C1 504745 *52*	ADN-W C1 - Chairman Unit *100 Hz to 14.5 kHz • 25 to 100mW • Inbuilt PCB antennas with pattern diversity • Width: 226 mm, Length: 58 mm, Height: 181 mm • approx. 940g*	943.80 943.80	780.00 780.00
ADN-W Case Base 504959 *52*	ADN-W Case Base	532.40 532.40	440.00 440.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
ADN-W Case Central 504957 *52*	ADN-W Case Central	840.95 840.95	695.00 695.00
ADN-W Case Units 505758 *52*	ADN-W Case Units	2,420.00 2,420.00	2,000.00 2,000.00
ADN-W D1 504748 *52*	ADN-W D1 - Delegate Unit *100 Hz to 14.5 kHz • 25 to 100mW • Inbuilt PCB antennas with pattern diversity • Width 185 mm, Length 180 mm, Height 67 mm • approx. 940g*	919.60 919.60	760.00 760.00
ADN-W L 10-EU 505719 *52*	Battery charger for 10 pcs *max. 250 W • Width: 483 mm (19"), Length: 310 mm (7 RU), Height: 138 mm • approx. 6800 g • 5° ... +45° C • 100 to 240 V AC*	1,996.50 1,996.50	1,650.00 1,650.00
ADN-W MIC 15-39 504750 *52*	ADN-W MIC 15-39 - approx. 390 mm / 15.35" - Super Cardio	133.10 133.10	110.00 110.00
ADN-W MIC 15-50 504752 *52*	ADN-W MIC 15-50 - approx. 500 mm / 19,69" - Super Cardio	151.25 151.25	125.00 125.00
ADN-W MIC 36-29 504751 *52*	ADN-W MIC 36-29 - approx. 290 mm / 11,42" - Hyper Cardio	399.30 399.30	330.00 330.00
ADN-W MIC 36-50 504753 *52*	ADN-W MIC 36-50 - approx. 500 mm / 19,69" - Hyper Cardio	417.45 417.45	345.00 345.00
NT 12-50C-EU 505712 *52*	NT 12-50C-EU - Power Supply	59.29 59.29	49.00 49.00
SL LOUDSPEAKER 52 A W 506243 *53*	SL LOUDSPEAKER 52 A W - Active Loudspeaker for Teamconnect *35 - 30000 Hz • 230 V AC; 0.47 W / 110 V AC; 0.34 W (standby) • 240mm x 140mm x 161mm • 3.1 kg • 40 W*	458.59 458.59	379.00 379.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
 SL MAINS CABLE WHITE 0,75M EU 506273 *53*	MAINS CABLE WHITE 0,75M EU	09.56 09.56	07.90 07.90
 SL MAINS CABLE WHITE 5M EU 506876 *53*	MAINS CABLE WHITE 5M EU	18.03 18.03	14.90 14.90
 SL TEAMCONNECT CUCB1 EU 506235 *53*	Team Connect Central Unit & ComBox - Complete professional audio system for meeting rooms *250 Hz to 3.3 kHz ± 1 dB • 17" x 7.5 " x 2 " • 4.5 lbs. (2.25 kg) • 10 kΩ balanced (Mic/Line Inputs 1-8) • DB9 female (RS-232 Control Port)*	5,553.90 5,553.90	4,590.00 4,590.00

Product Code Art. No. *Group No.*	Description *Technical Data*	Price € VAT incl. BELUX NL	 VAT Excl. BELUX NL
WIRELESS PA SYSTEMS			
LAB 500 505479 *53*	Troley Bag for LSP 500	300.08 300.08	248.00 248.00
LAP 500 505478 *53*	Protective Cover For LSP 500 Pro	98.01 98.01	81.00 81.00
LAS 500 505666 *53*	Slip Cover for LSP 500 PRO	42.35 42.35	35.00 35.00
LBA 500 505596 *53*	Battery Pack for LSP 500 PRO	217.80 217.80	180.00 180.00
LSP 500 PRO EU 505476 *53*	Professional wireless integrated PA system *65 – 18000 hz (-10 dB) • 110 dB SPL (DhT 10% free space) • 55 W continuous, 120 W peak • Approx. 13.6 kg without Receiver • 0° C - 50° C*	2,783.00 2,783.00	2,300.00 2,300.00